

OUTLINE TRADE PROC PLAN: COD CHHEOKI

S No	COS	Part No	Nomenclature	Qty	A/U	Specification No	AHSP
1	A1	7710-000001	BUGLE MK-1	739	NOS	IND/GS/35(b)	CQA(GS)
2	A1	7710-000005	TRUMPETS	402	NOS	SPECN NO. IND/GS/E/240/8(I)	CQA(GS)
3	A2	6350-000011	SIREN HAND OPERATED	395	NOS	IS:6062-1985-1ST REV, EAF-2010 & CQA(GS)/SS/402(A	CQA(GS)
4	F1	3424-000006	FORGES FIELD HEAVY	54	NOS	DRG.NO.IND/GS/902(E)	CQA(GS)
5	F1	3439-000212	SOLDERING IRON ELECTRIC 230V/250W	473	NOS	JSS-3439-01/02 OF 2004	CQA(GS)
6	F1	3439-000393	SOLDERING IRON NON ELECTRIC STRAIGHT 800 GMS	311	NOS	IND/GS/158(A)	CQA(GS)
7	F1	4930-000018	OILER HAND LUBRICATING WITH RIGID SPOUT 250ML	7507	NOS	IS:4561 (PART-V)-1968 TYPE 'A' (RA-2018)	CQA(GS)
8	F1	5110-000008	FILES FLAT SECOND CUT 250 MM	8755	NOS	IS:1931-1985 & CQA(GS)/SS/401	CQA(GS)
9	F1	5110-000023	FILES HAND SECOND CUT 250 MM	2085	NOS	IS:1931-1985 CQA(GS)/SS/401	CQA(GS)
10	F1	5110-000029	FILES KNIFE BASTARD 150 MM	3314	NOS	IS:1931-1985 & SUPP. SCH. No CQA(GS)/SS/401	CQA(GS)
11	F1	5110-000040	FILES SQUARE BASTARD 250 MM	3076	NOS	IS:1931-1985 & SUPP. SCH. No CQA(GS)/SS/401	CQA(GS)
12	F1	5110-000282	SAWS CROSS CUT 1500 MM	424	NOS	IS : 620-1985 (4th Rev), RA-2005	CQA(GS)
13	F1	5110-000727	CHISEL FIRMER STRONG 12 MM (COMPLETE FITTED WITH HANDLE 150 MM)	2700	NOS	IS:1930-1995 & SS NO CQA(GS)/SS/474	CQA(GS)
14	F1	5110-001152	DRILLS STOCK HAND (TO TAKE UPTO 1/4" PARALLEL SHANK DRILLS, 3 JAW CHUCK)	1026	NOS	DRG.NO.IND/GS/843(D) & IS:620-1985 (4th Rev), RA-2005 & SS No CQA(GS)/SS/461	CQA(GS)
15	F1	5120-000006	HAMMER COPPER 1360 GMS	586	NOS	JSS-5120-34-2003(REV.1)	CQA(GS)
16	F1	5120-000093	PLIERS SEALING 150 MM	1545	PRS	JSS:5120-53:2016(REV.NO.3)	CQA(GS)
17	F1	5120-000167	BLOCK SWAGE 340 MM	114	NOS	IS:845-74 & S.S No CIGS/SS/285	CQA(GS)
18	F1	5120-000168	BLOCK SWAGE STAND 340 MM	52	NOS	IS:845-74 & S.S No CIGS/SS/285	CQA(GS)
19	F1	5120-000257	CRAMPS CARPENTERS (BAR TYPE, ADJUSTABLE) 800 MM	762	NOS	IND/GS/742 (D) & DRG.NO.IND/GS/1954(e)	CQA(GS)
20	F1	5120-000263	ANVIL BLACK SMITH SINGLE BEAK (WITHOUT BLOCK OR STAND)125 KG	82	NOS	IS:510-1980 & SSNO CIGS/SS/300	CQA(GS)

S No	COS	Part No	Nomenclature	Qty	A/U	Specification No	AHSP
21	F1	5120-000316	SPANNER SOCKET HANDLES RATCHET 1/2 IN SQUARE DRIVE	1516	NOS	IS:7975(PT-II)-91 & CQA(GS)/295(A)/SS/265(a)	CQA(GS)
22	F1	5120-000447	PANNIERS TOOL SADDLERS	200	NOS	IND/GS/909 (J) & DRG.NO.IND/GS/2126(a)	CQA(GS)
23	F1	5120-000526	LAMP SPIRIT 200 ML	241	NOS	IND/GS/1739	CQA(GS)
24	F1	5120-000561	WRENCHES TORQUE 0-800 NM (DIAL INDICATOR TYPE 19MM SQ DRIVE)	114	NOS	DRG NOCIGS/GS-1/3(D) & CIGS/Tools/198(c)	CQA(GS)
25	F1	5120-000639	VICES BENCH 75 MM (QUICK RELEASE TYPE)	56	NOS	IS:2586-75 ; 86 (2nd Rev) SS No CQA(GS)/SS/212(e)	CQA(GS)
26	F1	5120-000650	VICES BLACKSMITH 125 MM	173	NOS		CQA(GS)
27	F1	5120-000659	VICES WOOD WORKERS 230 MM	2813	NOS	JSS:5120-46:2015 (REV-2)	CQA(GS)
28	F1	5120-000698	TONGS SMITHS FLAT 480 MM	1246	NOS	IS:843-1968 & S.NO CIGS/SS/217	CQA(GS)
29	F1	5120-000751	EXTRACTORS TAP SET (4.7 MM TO 25 MM)	49	NOS	JSS:5120-31:2016(Rev No 3)	CQA(GS)
30	F1	5120-000787	EXTRACTOR SCREW RIGID NO.10 SETS (COMPLETE IN DIE CASTING CASE)	51	NOS	JSS:5120-39:2014(REV-2) with Amdt No 05	CQA(GS)
31	F1	5120-000992	BARS CROW CHISEL & CLAW ENDS 1680 X 38 MM	930	NOS	IS:704-84(RA-1990)& CIGS/SS/79(C)	CQA(GS)
32	F1	5120-001105	DRIFTS PIN BRASS PARALLEL 20 X 180 MM	833	NOS	IS:6835-73(RA-2001) & CQA(GS)/SS/229(A)	CQA(GS)
33	F1	5120-001584	SPANNERS RING BIHEX DOUBLE END CRANKED AMERICAN&UNIFIED A/F SIZE AMER 1-1/4X1-7/16UNIFI(1/100)125X144	467	NOS	IND/GS/505(G) & CIGS/GS-4/10(B)	CQA(GS)
34	F1	5120-001642	SPANNER TUBULAR BOX DOUBLE ENDED BSW SIZE BS 1/2 X 9/16	3673	NOS	DRG.NO.IND/GS/1417 (F)	CQA(GS)
35	F1	5120-001690	SPANNERS SOCKET BIHEX.AMERICAN & UNIFIED 3/4"SQ DRIVE A/F SIZEAMERICAN(IN)1-1/4	1123	NOS	IND/GS/524(E)&CIGS/GS-4/8(B) for Torque test	CQA(GS)
36	F1	5120-001693	SPANNERS SOCKET BIHEX.AMERICAN & UNIFIED 3/4"SQ DRIVE A/F SIZEAMERICAN(IN)1-7/16	911	NOS	IND/GS/524(E)&CIGS/GS-4/8(B)	CQA(GS)

S No	COS	Part No	Nomenclature	Qty	A/U	Specification No	AHSP
37	F1	5120-001828	SPANNER OPEN JAW DOUBLE ENDED AMERICAN & UNIFIED ELECTRICIAN MIDGET SET A/F SIZE STRAGHT END X ANGLE END	1737	NOS	IND/GS/1572(A)& CIGS/GS-4/11 (A)	CQA(GS)
38	F1	5120-002045	SPANNERS SOCKET BIHEXAGON AMERICAN & UNIFIED 3/4"SQ DRIVE A/F SIZEAMERICAN 15/16"	1354	NOS	IND/GS/524(D)&CIGS/GS-4/8B	CQA(GS)
39	F1	5120-002134	SPANNERS SOCKET SETS NO.2 3/4 IN SQUARE DRIVE AMERICAN SIZES	138	SET	IND/GS/524 (E)	CQA(GS)
40	F1	5120-002875	SPANNER O.J.D.E. B.S.& W SPEAR HEAD NORMAL SERIES B.S.1 1/8 X 1 1/4" (15 DIG ANG OF JAW FOR USE ON THIS HEAD)	2905	NOS	IND/GS/469(G)	CQA(GS)
41	F1	5120-002954	HAMMERS ENGINEERS BALL PEIN 800 GMS (FITTED WITH HANDLE)	3651	NOS	IS:841-83(REV-2)& CQA(GS)/SS/337(B)	CQA(GS)
42	F1	5120-002961	HAMMER SLEDGE STRAIGHT PEIN 6.0 KG (FITTED WITH HANDLE)	1361	NOS	IS:841-83 & CIGS/SS/337(B)	CQA(GS)
43	F1	5120-003053	SPANNER BOX TUBULAR HEXGONAL DOUBLE ENDED STEEL PLATE 19 X 22 MM	3829	NOS	IS:2030-89 & CQA(GS)/SS/471	CQA(GS)
44	F1	5120-003054	SPANNERS BOX TUBULAR HEXAGONAL DOUBLE ENDED STEEL PLATED 24 X 27 MM	4908	NOS	IS:2030-1989 & SS NO CQA(GS)/S	CQA(GS)
45	F1	5120-003089	SPANNER ADJUSTABLE SINGLE ENDED OPEN JAW STEEL 375 MM	761	NOS	IS:6149-71 & CQA(GS)/SS/477	CQA(GS)
46	F1	5136-000550	TOOLS SCREWCUTTING BSW SET NO. 2	11	NOS	AS PER SHEET ATTACHED	CQA(GS)
47	F1	5210-000044	RULES FLEXIBLE 2 M	4556	NOS	IS:1269(PT-II)1997 & CIGS/238(A)/SS	CQA(GS)
48	F1	5210-000053	LEVELS LINES 915 mm LENGTH	722	NOS	DRG NO IND/GS/608(C)	CQA(GS)
49	F1	5210-000097	GAUGES CYLINDER 50 MM TO 150 MM	46	NOS	CIGS/US/421	CQA(GS)
50	F1	5210-000258	SQUARES SMITH 455 MM X 230 MM	3315	NOS	DRG.NO.IND/GS/283 (B)	CQA(GS)
51	F1	5345-000036	OIL STONES FINE (200 X 50 X 25 MM)	4046	NOS	IS:1262-79 SIZE 4 TABLE-I	CQA(GS)

S No	COS	Part No	Nomenclature	Qty	A/U	Specification No	AHSP
52	F1	7920-000141	BRUSHES DUSTING GENERAL MK-2	6834	NOS	JSS:7920-10 WITH AMDT LIST NO	CQA(GS)
53	G1	5305-003185	SCREW CAP SOCKET HD HEX PREC STEEL 8.8 PHOSPHATED M 22 X 85 MM LONG	8869	NOS	IS:2269-67 & IS:3618-66, (RA-2007) for PH	CQA(GS)
54	G1	5310-001374	WASHERS PLAIN STEEL ZINC PLATED 6.6MM	10105	KGS	IS:2016-67 ; Reaffirmed-1991 with Amdt No 1&2 and IS:1573-70 for Z/P	CQA(GS)
55	G1	5310-001376	WASHERS PLAIN STEEL ZINC PLATED 9MM	7904	KGS	IS:2016-67 ; REAFFIRM 1991 WIT	CQA(GS)
56	G1	5310-001377	WASHERS PLAIN STEEL ZINC PLATED 11MM	6713	KGS	IS:2016-67 ; Reaffirmed-1991 with Amdt No 1 & 2 and IS:1573-70	CQA(GS)
57	G1	5310-001379	WASHERS PLAIN STEEL ZINC PLATED 16MM (OD 28 MM X2.5 MM THICKNESS)	5129	KGS	IS:2016-67 AMD.4, RA2011 & IS:1573- 1986 (Reaffirmed-2010)	CQA(GS)
58	G1	5310-001380	WASHERS PLAIN STEEL ZINC PLATED 18MM	5715	KGS	IS:2016-67 ; REAFFIRM 1991 with Amdt No 1 & 2 and IS:1573-70 for Z/P	CQA(GS)
59	G1	5310-001405	WASHERS SPRING SINGLE COIL TYPE 'B' STEEL NOMINAL SIZE 2.5MM (OD 5.1 X 0.6 + 0.1 THICKNESS)	30611	NOS	IS:3063-1994 RA-2015 &CIGS/SS/173(D)	CQA(GS)
60	G1	5310-001434	WASHERS SPRING SINGLE COIL TYPE 'B' STEEL ZINC PLATED NOMINAL SIZE 6MM	11646	NOS	IS:3063-72 ; REAFFIRM 1991 & IS:1573-70 for Zinc Plating CQA(GS)/SS/173(D)	CQA(GS)
61	G1	5315-000838	NAILS STEEL SPIKE SQUARE SHANK 150 MM X 11 MM	8041	KGS	JSS:5315-1	CQA(GS)
62	G1	5320-000223	RIVETS COUNTERSUNK FLAT HEAD 90 DEGREE STEEL DIA 6MM X50 MM LENGTH	1662	KGS	IS:2998-1982, Reaffirmed 2008, Amdt No 3	CQA(GS)
63	G1	5320-001145	RIVETS SOLID ALUMINIUM FLAT HEAD 5 MM X 20 MM	1433	KGS	IS:2907-1964 ; REAFFIRM 1991	CQA(GS)
64	G1	5320-001158	RIVETS SOLID COPPER BRAKE BAND 5MM X 12MM	2424	KGS	DRG.NO.U/S CIGS/US/11and CIGS/SS No CIGS/SS/294(a)	CQA(GS)
65	G1	5320-001225	RIVET SOLID COPPER FLAT HEAD TINMANS 4MMX26MM	1995	KGS	IS:2907-98, RA 2008 & SS NO CI	CQA(GS)
66	G1	5340-000968	PADLOCKS IG 4 LEVERS 50 MM	4065	NOS	IND/GS/1909(A)	CQA(GS)

S No	COS	Part No	Nomenclature	Qty	A/U	Specification No	AHSP
67	G1	5340-000969	PADLOCKS IG 4 LEVERS 75 MM	7914	NOS	IND/GS/1909(A)	CQA(GS)
68	G1	5340-003617	SEAL METALLIC LEAD 10MM	8547	KGS	JSS:5340-02-2016(REV-3)	CQA(GS)
69	G2	3439-000014	ELECTRODES WELDING, STEEL HARD SURFACING WEAR RESISTING 6.30MM	885	KGS	IS:7303, CLASSIFICATION E-FE-IC	CQA(M)
70	G2	3439-000024	ELECTRODES WELDING, TOOL TIPPING 2.50mm	840	KGS	IS:7303:1974, CL E FE-2C	CQA(M)
71	G2	3439-000106	ROD WELDING HARD FACING 5.00mm	410	KGS	IS:7303-1974 (RA-2013), Classification E	CQA(M)
72	G2	3439-000143	ELECTRODE HIGH NICKEL ALLOY STEEL 3.15mm	58	KGS	IS:8736 CLASSIFICATION E NI-	CQA(M)
73	G2	3439-000145	ELECTRODE Welding Cast Iron 2.50mm	522	KGS	IS:5511:1991, CLASSIFICATION NI-FE	CQA(M)
74	G2	3439-000202	SOLDER SOFT GRADE-B	4292	KGS	IS:903-2000 (RA-2016), GRADE- SN 50SB	CQA(M)
75	G2	3439-000203	SOLDER SOFT GRADE-C	491	KGS	IS:903-2000 (RA-2016), GRADE- SN 40SB	CQA(M)
76	G2	3439-000205	SOLDER SOFT GRADE-F, ROSIN CORED 50% TIN CONTENT 3.15MM	3778	KGS	IS:1921, GRADE- 50 ACTIVATED	CQA(M)
77	G2	9505-000058	WIRE STEEL MILD ANNEALED 5.00mm	11359	KGS	IS:280, 2006 (RA-2015) Annealed	CQA(M)
78	G2	9510-000073	STEEL BAR CARBON HOT ROLLED FLAT 65 X 6mm	5007	KGS	IS:2062, 2011 (Reaffirmed-2016)	CQA(M)
79	G2	9510-000594	TOOL STEEL HIGH SPEED SQUARE 20mm	359	KGS	IS:7291 GRADE X T 72W18CR4V1	CQA(M)
80	G2	9520-000024	STEEL CHANNEL 100X50X4.7mm WEB X 7.5 mm FLANGE	8751	KGS	IS:2062-2011, Reaffirmed 2016, GRADE-E250 Quality	CQA(M)
81	G2	9525-000070	WIRE COPPER SOFT FOR GENERAL PURPOSES 0.80 mm	547	KGS	IS-4412 'O'	CQA(M)
82	G2	9525-000071	WIRE COPPER SOFT FOR GENERAL PURPOSES 1.00 mm	1061	KGS	IS:4412(RERAFF-2016)- 'O'	CQA(M)
83	G2	9525-000072	WIRE COPPER SOFT FOR GENERAL PURPOSES 1.25 mm	531	KGS	IS:4412(RERAFF-2016)- 'O'	CQA(M)
84	G2	9525-000073	WIRE COPPER SOFT FOR GENERAL PURPOSES 1.60 mm	468	KGS	IS:4412(RERAFF-2016)- 'O'	CQA(M)

S No	COS	Part No	Nomenclature	Qty	A/U	Specification No	AHSP
85	G2	9525-000074	WIRE COPPER SOFT FOR GENERAL PURPOSES 2.00 mm	356	KGS	IS:4412 -1981-'O'	CQA(M)
86	G2	9530-000037	LEADED BRASS ROD ROUND 12.50 mm	451	KGS	IS:319-2007, GD-1,1/2 HARD	CQA(M)
87	G2	9530-000043	LEADED BRASS ROD ROUND 50.00 mm	953	KGS	IS:319:2007, GRADE-I, 1/2 HARD	CQA(M)
88	G2	9535-000013	ALUMINIUM SHEET HALF HARD 1.63 mm	817	KGS	IS:737-19000 H1 OR H2	CQA(M)
89	G2	9535-000097	BRASS FOIL 160 MM X 0.04 MM	355	KGS	IS:410(REAFF-2016)-CU ZN 37 IN 'HD' TEMPER	CQA(M)
90	G2	9535-000104	BRASS FOIL COLD ROLLED 160X0.05mm	359	KGS	IS:410(REAFF-2016)-CU ZN 37 IN 'HD' TEMPER	CQA(M)
91	G2	9535-000107	BRASS FOIL COLD ROLD 160X0.16MM	268	KGS	IS:410(REAFF-2016)-CU ZN 37 IN 'HD' TEMPER	CQA(M)
92	G2	9535-000167	COPPER SHEET 1250X630X1.60MM	389	KGS	IS:1972 GD DHP IN HB CONDITION	CQA(M)
93	G2	9535-000172	COPPER SHEET 1250X630X5.00mm	395	KGS	IS : 14811:2000, GD-DHP IN HB Condition	CQA(M)
94	H1	8110-000025	DRUM METAL MILD STEEL UNGALVANISED 25 LITRES	561	NOS	IS:2552-1989(REV-3) &IND/GS/1179(A)	CQA(GS)
95	H1	8110-000028	CAN ROUND WITH LEVER LID 1KG	5194	NOS	IS:3284-1980	CQA(GS)
96	H1(A)	7930-000001	LIQUID CLEANER FOR AUTOMOBILES	6271	LTR	JSS:7930-01-2012	CQA(M)
97	H1(B)	6810-000575	WATER FOR STORAGE BTY	12147	LTR		CQA(M)
98	H1(B)	6850-000088	PHOSPHATE, COATING METAL MN BASE	3868	LTR	JSS:6850-27-2015(REV-3)	CQA(M)
99	H1(B)	8030-000092	SEALING COMPOUND FOR REPAIR OD DISTRIBUTION CAPS OF MT VEHICLES	2360	SET	AHSP/94/77	CQA(M)
100	H1(B)	8030-99-220-	LOCTITE GRADE AV	464	NOS	CQA(M)/SS/28(c) to IS:394-1985, (RA-	CQA(M)
101	H1(B)	8520-000001	SOAP CARBOLIC	73397	NOS	IND/SL/3018(F)	CQA(M)
102	H1(B)	9160-000015	BEES WAX	3387	KGS	IS:1504-1996, 3RD REV RA 2014	CQA(M)
103	H4	8115-000521	BOXES FIBRE BOARD RIGID SIZE CORRUGATED 300X300X150MM	7163	NOS	SPECN NO CQA(GS)/US/445/A1	CQA(GS)
104	H4	8115-000525	BOXES FIBRE BOARD RIGID SIZE	11276	NOS	SPECN NO CQA(GS)/US/445(B)	CQA(GS)
105	H4	8115-000530	BOXES FIBRE BOARD RIGID	3106	NOS	SPECN NO CQA(GS)/US/445(A)	CQA(GS)
106	H4	8135-000097	STRAW PADDY	2859	NOS		CQA(GS)