

**CORRIGENDUM TO EXPRESSION OF INTEREST (EoI) FOR PROCUREMENT
OF ARMAMENT UPGRADE FOR BMP-2/2K UNDER 'MAKE-II' CAT**

1. **Applicability of DAP 2020.** The subject case will be dealt with the provision of DAP 2020 (Ref Para 33 of Chapter I of DAP 2020).
2. **Amendment to Appx F of EoI.** Amended Technical Evaluation Criteria (Appendix F of EoI) is enclosed herewith.
3. **Submission of Response to EoI.** Para 5 (a), 5 (b) and 31 of EoI to be amended as under:-

| Ref Para | For | Read |
|-------------------|---|---|
| Para 5 (a) of EoI | (a) <u>Prototype Development Phase.</u> 'Make-II (Industry Funded)' as per Make-II Procedure, in accordance with Para 6 of Chapter-III A of DPP-2016. | (a) <u>Prototype Development Phase.</u> 'Make-II (Industry Funded)' as per Make-II Procedure, in accordance with Para 5 (b) (i) of Chapter-III of DAP-2020. |
| Para 5 (b) of EoI | (b) <u>Procurement Phase.</u> 'Buy (Indian - IDDM)' with minimum 40% IC content in accordance with Para 5 of Chapter III-A of DPP-2016. | (b) <u>Procurement Phase.</u> 'Buy (Indian - IDDM)' with minimum 50% IC content in accordance with Para 6 of Chapter III of DAP 2020. |
| Para 31 of EoI | The response to this EoI must be submitted by 1700hr on 17 Sep 2020 (or six weeks from the date of issue of EoI) at the address mentioned above. | The response to this EoI must be submitted by 1700hr on 13 Nov 2020 at the address mentioned above. |

4. **Typological Error.** The following typological error to be amended as under:-

| Ref Para | For | Read | Remarks |
|-----------|---|---|------------------------------------|
| 20 of EoI |, a comprehensive list of design and documents to be informed |, a comprehensive list of Design & development to be informed..... | |
| 30 of EoI | Secretary, Project Facilitation Team Armament Upgrade of BMP-2/2K General Staff Branch Directorate General of Mechanised Forces Integrated HQ of MoD (Army) Room Number 529 'A' Wing, Sena Bhawan DHQ PO, New Delhi-110011 Tele/Fax: 9002110263 , 7073077107 Email : dcat.321@gov.in | Secretary, Project Facilitation Team Armament Upgrade of BMP-2/2K General Staff Branch Additional Directorate General of Mechanised Infantry Integrated HQ of MoD (Army) Room Number 529 'A' Wing, Sena Bhawan DHQ PO, New Delhi-110011 Tele/Fax: 9002710263 , 7073077107 Email : dcatt.321@gov.in | Change of Dte and error in tele No |

TECHNICAL EVALUATION CRITERIA

| <u>Ser No</u> | <u>Criteria</u> | <u>Remarks</u> |
|----------------------|---|-----------------------|
| 1. | Any experience in manufacture or collaboration with foreign OEM for Sighting Systems/ accessories of Sighting System. | Yes/No |
| 2. | Existing sight manufacture related infrastructure/ R & D / Quality Control Facilities. | Yes/No |
| 3. | Whether holding manufacture license or the same has been applied for from MHA. | Yes/No |
| 4. | Whether the above sighting system being produced by manufacturer/OEM has been certified by any recognised entity/ In-service with any Armed Forces. | Yes/No |
| 5. | Whether the firm possess adequate capability to absorb Transfer of Technology (ToT). | Yes/No |
| 6. | Apart from the above the vendors need to fwd the detailed questionnaire as attached at Annexure-I& II . In case same is fwd during Feasibility Study, an updated copy (till 31 Mar 2020) shall be provided. | Yes/No |

Station :

Signature

Company Seal

Date :