

**OUTLINE TRADE PROCUREMENT PLAN (OTPP) 2020-21**

| S.No | COS Sec | Part Number              | Nomen                                    | Spec No                             | ASHP   | Likely qty to be procured | Remarks |
|------|---------|--------------------------|------------------------------------------|-------------------------------------|--------|---------------------------|---------|
| 1    | Z7      | 6135-000004#             | BATTERY 1.5 VDC SIZE 'AA'                |                                     | CQA(I) | 15098                     |         |
| 2    | Y3      | 6135-000165(Y3)          | MALLORY MERCURY BATTERY TR 132 N 2.7 VOL |                                     | CQA(L) | 25949                     |         |
| 3    | Y3      | 6135-001399              | BATTERY NON RECHARGEABLE ALKALINE 9V, 59 | JSS 6135-01:2013(REV NO 2 CQAL 4490 | CQA(L) | 105465                    |         |
| 4    | Y3      | 6135-000033              | BATTERY DRY 4.5V IA                      | CQAL 603D                           | CQA(L) | 23370                     |         |
| 5    | Y3      | 6135-000030              | BATTERY INERT 1.5V, NO- 1                | CILSK339(B)                         | CQA(L) | 51413                     |         |
| 6    | Y3      | 6135-000008              | BATTERY DRY 1-5 VOLT NO5                 | CIL4037                             | CQA(L) | 185563                    |         |
| 7    | Y3      | 6135-000001              | BATTERY DRY 15 VOLT IA                   | CQAL-603A                           | CQA(L) | 21551                     |         |
| 8    | Y3      | 6135-001410              | BTY NR ALKALINE 1.5V 'D' SIZE 18000 MAH  | JSS 6135-01:2013 (REV NO            | CQA(L) | 69489                     |         |
| 9    | Y3      | 6135-001381              | BATTERY NON RECHARGEABLE LITHIUM THIONYL | CQAL4486                            | CQA(L) | 9697                      |         |
| 10   | Y3      | 6135-000019              | BATTERY DRY 12V NO1                      |                                     | CQA(L) | 362                       |         |
| 11   | Y3      | 6135-001363              | LITHIUM CELL 3.6V SIZE "A"OR EQUIVALENT  | CQAL4426                            | CQA(L) | 102020                    |         |
| 12   | Y3      | 6135-000014              | BATTERY DRY 3 VOLT NO 1                  | CLISK932 (D)                        | CQA(L) | 122816                    |         |
| 13   | Y3      | 6135-000016              | BATTERY DRY 4.5V NO-2                    | JSS 6135-01:2013(REV NO 2           | CQA(L) | 52203                     |         |
| 14   | Y3      | MISC-6003710K08          | BACK UP BATTERY (LITHIUM)                |                                     | CQA(L) | 2013                      |         |
| 15   | Y3      | MISC-4575-001-601        | BATTERY LITHIUM 3V                       |                                     | CQA(L) | 1630                      |         |
| 16   | Y3      | MISC-428-601-002         | BATTERY ALKALINE NON RECHARGEABLE 6V, 52 | CQAL4476                            | CQA(L) | 36234                     |         |
| 17   | Z1      | MISC-2056-900-1400       | BACK UP BATTERY 3.6V NON RECHARGEABLE    |                                     | CQA(L) | 8469                      |         |
| 18   | Z1      | MISC-4575-740-201-80     | BTY BSP 12V 75AH NO 2                    |                                     | CQA(L) | 1                         |         |
| 19   | Z3      | OWFS-FRS-6559-106-812-06 | BATTERY 12V 38 AH                        |                                     | CQA(R) | 1                         |         |
| 20   | Z6      | MISC-ECIL-08-1058-016    | POWER SONIC CAMCORDOR BATTERY PS-1223    | 08-1058-016                         | CQA(L) | 3480                      |         |
| 21   | Z9      | 6140-005331              | BATTERY SECONDARY PORTABLE Ni-Mh 1450mAh | PMNN4008AR                          | CQA(L) | 885                       |         |
| 22   | Z9      | BDL-60-03-02-01-08-0000  | BTY SECONDARY PORTABLE NI-CD 26.4V,      | ATP NO 60-07-02-01-08-0000          | CQA(L) | 12                        |         |
| 23   | Z9      | MISC-7820-575-081-86     | BTY SECONDARY PORTABLE NICKEL METAL *    |                                     | CQA(L) | 99                        |         |
| 24   | Z9      | MISC-4575-107-901-48(Z9) | BATTERY 3.6V NICKEL CADMIUM              |                                     | CQA(L) | 2                         |         |
| 25   | Z9      | 6140-000047#1            | BTY SEC PORTABLE 12V 75 AH AT 10 HRS *   | CQAL/639:2008(AMDT NO 1)            | CQA(L) | 835                       |         |
| 26   | Z9      | G-02-PSS-01-020084       | BATTERY 12V 26AH SMF                     |                                     | CQA(L) | 433                       |         |
| 27   | Z9      | 6140-MISC-CQAL-4485      | BATTERY VRLA 12V 42AH @ 20 HRS RATING    | CQAL-4485                           | CQA(L) | 436                       |         |
| 28   | Z9      | 6140-MISC-EXIDE-A512-55A | BATTERY 12V 55 AH AT 20 HRS RATE (VRLA)  | TATA 4575-101-005-75                | CQA(L) | 13                        |         |
| 29   | Z9      | 6140-000040              | BATTERY SECY LEAD ACID PORT 6V 100/125 A |                                     | CQA(L) | 56                        |         |
| 30   | Z9      | 6140-005179              | BTY 12V 100 ANC BHL DRY NIFE             |                                     | CQA(L) | 46                        |         |
| 31   | Z9      | 6140-005246              | BATTERY, STORAGE 3.6V, 60MAH, NIMH REF G |                                     | CQA(L) | 83                        |         |
| 32   | Z9      | 6140-005329              | CELL NI-CD RE-CH 1.2V 700MAH AA' SIZE    | UGSPS0003                           | CQA(L) | 5353                      |         |
| 33   | Z9      | 6140-005330              | BATTERY SECONDARY PORTABLE NI-CD (SEALED | ATP/UGS-BTY/IMP/9.6V 0.7A           | CQA(L) | 320                       |         |
| 34   | Z1      | MISC-1386058-A01         | ESCUTCHEON UNIVERSAL FLEX                | 1386058 A01                         | CQA(L) | 60                        |         |
| 35   | Z1      | 5895-022476              | CASE ELECTRICAL ELECTRONIC COMMUNICATION |                                     | CQA(L) | 10                        |         |
| 36   | Z01     | 1KW-020-010              | CUTTING PLIER 6"                         |                                     | CQA(L) | 4                         |         |
| 37   | Z01     | 1KW-020-012              | ADJUSTABLE SPANNER                       |                                     | CQA(L) | 2                         |         |
| 38   | Z01     | 1KW-030-001              | RF MODULE                                |                                     | CQA(L) | 2                         |         |
| 39   | Z1      | MISC-4565-100-008-93     | AC, 3PH 440V/50HZ CONTACTOR WITH AUXILIA | 4565-100-008-93                     | CQA(L) | 2                         |         |
| 40   | Z1      | MISC-4231-008-501        | RESETABLE PTC                            |                                     | CQA(L) | 96                        |         |
| 41   | Z1      | MISC-4231-008-601        | DIODE-MBR10100                           |                                     | CQA(L) | 284                       |         |
| 42   | Z1      | MISC-40210020535         | NPN 300V 350 MW                          |                                     | CQA(L) | 764                       |         |
| 43   | Z1      | MISC-4393-000-801        | MICROPRO,89C51RD2                        |                                     | CQA(L) | 50                        |         |
| 44   | Z1      | MISC-4400-004-602        | BC8468-TRANSISTOR,NPN                    |                                     | CQA(L) | 38                        |         |
| 45   | Z1      | MISC-4021-2011-150-QAD   | QAD VOLT COMP LM 2901                    | MISC-4021-2011-150-QAD              | CQA(L) | 80                        |         |
| 46   | Z1      | MISC-4328-001-301        | REGULATOR LM 7805A                       |                                     | CQA(L) | 79                        |         |

| S.No | COS Sec | Part Number            | Nomen                                    | Spec No         | ASHP      | Likely qty to be procured | Remarks |
|------|---------|------------------------|------------------------------------------|-----------------|-----------|---------------------------|---------|
| 47   | Z1      | MISC-4460-100-302-53   | LED,5MM GREEN TYPE:HLMP-3507             | 4460-100-302-53 | CQA(L)    | 2                         |         |
| 48   | Z1      | MISC-4460-102-205-67   | LED INDICATOR,28VDC,GREEN FARNELL P/NO:7 | 4460-102-205-67 | CQA(L)    | 6                         |         |
| 49   | Z1      | MISC-4665-014-701      | MICRO CONTROLLER-PIC16F877A              |                 | CQA(L)    | 235                       |         |
| 50   | Z1      | MISC-4976-000-727      | LED RED                                  |                 | CQA(L)    | 82                        |         |
| 51   | Z1      | MISC-4976-000-730      | OPTO COUPLR                              |                 | CQA(L)    | 107                       |         |
| 52   | Z1      | MISC-4976-000-567      | MICRO POWER TEMP MON LTC1392I S8         |                 | CQA(L)    | 63                        |         |
| 53   | Z1      | MISC-4976-000-632      | ANALOG IC                                |                 | CQA(L)    | 106                       |         |
| 54   | Z1      | MISC-4976-000-712      | TRANSISTOR NPN,MMBT2369A                 |                 | CQA(L)    | 52                        |         |
| 55   | Z1      | MISC-4976-000-721      | TIMER,SA 555                             |                 | CQA(L)    | 56                        |         |
| 56   | Z1      | MISC-4976-000-726      | LED GREEN                                |                 | CQA(L)    | 40                        |         |
| 57   | Z1      | MISC-4976-000-054      | ESD PROTECTION IC DVIULC6-4SC6           |                 | Not Known | 63                        |         |
| 58   | Z1      | MISC-4976-000-072      | RELAY DPDT UD2-5 NU                      |                 | Not Known | 258                       |         |
| 59   | Z1      | MISC-4976-000-134      | PROTECTION CCT,LC03-6.TB                 |                 | Not Known | 16                        |         |
| 60   | Z1      | MISC-4976-000-136      | TRANSISTOR,BC-856A NPN                   |                 | Not Known | 17                        |         |
| 61   | Z1      | MISC-4688-100-019-88   | RELAY, NON LATCH PCB MOUNTABLE, 4PDT, CO | 4688-100-019-88 | CQA(L)    | 4                         |         |
| 62   | Z1      | MISC-5185963-A53       | ASFICIC                                  | 5185963A53      | CQA(L)    | 9                         |         |
| 63   | Z1      | MISC-FMSS-LPJ-PSS-0214 | FRONT PANEL RF CABLE ASSEMBLIES CONNECTI |                 | CQA(L)    | 46                        |         |
| 64   | Z1      | 5930-001534            | SWITCH ROTARY WTH LONG SHAFT 16 AMPS 250 |                 | CQA(L)    | 30                        |         |
| 65   | Z1      | MISC-4813828-AO9       | TSTR SW 450MHZ                           | 4813828 AO9     | CQA(L)    | 63                        |         |
| 66   | Z1      | MISC-4976-000-009      | PROTECTION CCT,ISL6121H                  |                 | CQA(L)    | 31                        |         |
| 67   | Z1      | 5961-001476            | SEMI CONDUCTOR DEVICE DIODE TYPE IN 23E  |                 | CQA(L)    | 13                        |         |
| 68   | Z1      | MISC-4976-000-167      | 74CBTD3384DW 3.3-5V LVL.CONV             |                 | CQA(L)    | 39                        |         |
| 69   | Z1      | MISC-4976-000-168      | COMET PM4351                             |                 | CQA(L)    | 60                        |         |
| 70   | Z1      | MISC-4976-000-190      | L-PTC,TR-250                             |                 | CQA(L)    | 76                        |         |
| 71   | Z1      | MISC-4976-000-244      | TRF E&M ATC                              |                 | CQA(L)    | 295                       |         |
| 72   | Z1      | MISC-4976-000-253      | CHIP CERAMIC,50V,104P                    |                 | CQA(L)    | 9                         |         |
| 73   | Z1      | MISC-4976-000-269      | SMD TTL IC 5V. 74ABT244                  |                 | CQA(L)    | 77                        |         |
| 74   | Z1      | MISC-4976-000-343      | FPGA,EP3C 10E144C8N                      |                 | CQA(L)    | 4                         |         |
| 75   | Z1      | MISC-4976-000-414      | SMD TTL IC, 74HC00                       |                 | CQA(L)    | 25                        |         |
| 76   | Z1      | MISC-4976-000-420      | MICROCIRCUIT DIGITAL TYPE SN 74HC-574 DW |                 | CQA(L)    | 43                        |         |
| 77   | Z1      | MISC-4976-000-423      | QUAD ISDN,PEF2426V1.1                    |                 | CQA(L)    | 12                        |         |
| 78   | Z1      | MISC-4976-000-424      | ISDN-U CHIP                              |                 | CQA(L)    | 91                        |         |
| 79   | Z1      | MISC-4976-000-427      | SST27SF010-70-3C-NH                      |                 | CQA(L)    | 19                        |         |
| 80   | Z1      | MISC-4976-000-487      | PROTECTION CCT,LCP02-150B1               |                 | CQA(L)    | 375                       |         |

| S.No | COS Sec | Part Number                    | Nomen                                     | Spec No      | ASHP    | Likely qty to be procured | Remarks |
|------|---------|--------------------------------|-------------------------------------------|--------------|---------|---------------------------|---------|
| 81   | Z1      | MISC-4976-000-497              | TSLIC,5V PEF4365T V2.1                    |              | CQA(L)  | 161                       |         |
| 82   | Z1      | MISC-4976-000-498              | PEB3265F V1.5                             |              | CQA(L)  | 140                       |         |
| 83   | Z1      | MISC-4976-000-551              | ROMSST27SF01                              |              | CQA(L)  | 180                       |         |
| 84   | Z1      | MISC-4976-000-552              | SB61H1024                                 |              | CQA(L)  | 56                        |         |
| 85   | Z1      | MISC-4976-000-559              | HANDSET AMPLIFIER IC                      |              | CQA(L)  | 125                       |         |
| 86   | Z1      | MISC-4950-001-501              | TRANSFORMER                               |              | CQA(L)  | 355                       |         |
| 87   | Z1      | MISC-4802245-J55               | RF POWER AMP FINAL                        | 4802245J55   | CQA(L)  | 18                        |         |
| 88   | Z1      | MISC-4976-000-040              | FLASH JS28F128J3D-75                      |              | CQA(L)  | 12                        |         |
| 89   | Z1      | MISC-7586265-Z02               | KEY PAD (PREF FULL)                       | 7586265Z02   | CQA(L)  | 31                        |         |
| 90   | Z1      | MISC-471610190907              | LIMIT SWITCH IP 65 ROLLER LEVER 2 POLE N  | 471610190907 | CQA(L)  | 2                         |         |
| 91   | Z1      | MISC-67821-42-314              | CONVERTOR DC DC 36V +/- 12V               |              | CQA(L)  | 2                         |         |
| 92   | Z1      | MISC-472010050224              | LIMIT SWITCH BADAWE ENGINEERS             | 472010050224 | CQA(L)  | 6                         |         |
| 93   | Z1      | MISC-4730-002-301              | 24V LED(GREEN)                            |              | CQA(L)  | 166                       |         |
| 94   | Z1      | 5910-420839                    | CAP FXD CER DIELECT 68000PF +/-10% 50V R  |              | CQA(L)  | 5                         |         |
| 95   | Z1      | MISC-5105109-Z-67              | LD MOS DRIVER IC                          | 5105109-Z-67 | CQA(L)  | 7                         |         |
| 96   | Z1      | MISC-5105739-X-05              | REGULATOR 5V Q4                           | 5105739X05   | CQA(L)  | 59                        |         |
| 97   | Z1      | MISC-NELCO NO-8104             | VOLTAGE STABILIZER (NELCO NO-8104)        |              | CQA(L)  | 4                         |         |
| 98   | Z1      | MISC-DD-400451                 | EXTERNAL CABLE HARNESS SET                | DD-400451    | CQA(L)  | 2                         |         |
| 99   | Z1      | MISC-DD-400459                 | LIGHTING UNIT HARNESS                     | DD400459     | CQA(L)  | 2                         |         |
| 100  | Z1      | MISC-DD-900459-1-00            | LIGHTING UNIT                             | -DD-900459   | CQA(L)  | 2                         |         |
| 101  | Z1      | MISC-DD9-A2-240024 A1A1        | RESONATOR 3.5 MHZ                         |              | CQA(L)  | 5                         |         |
| 102  | Z1      | 5961-001974                    | SEMI CONDUCTOR DEVICE DIODE ZENER TYPE 3  |              | CQA(L)  | 1                         |         |
| 103  | Z1      | MISC-MC-03407778               | FLEXIBLE EXHAUST PIPE                     |              | CQA(L)  | 3                         |         |
| 104  | Z1      | MISC-MD-20-460-SP              | MODEM CONTROLLER WITH PALM TOP & SOFTWARE | MD-20-460-SP | CQA(L)  | 14                        |         |
| 105  | Z1      | AR-5000-220-UH                 | COIL 220 UH                               |              | CQA(EW) | 18                        |         |
| 106  | Z1      | AR-5000-23-NH                  | COIL 23 NH                                |              | CQA(EW) | 10                        |         |
| 107  | Z1      | 5995-020532                    | CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICAL | UGWI-40010   | CQA(L)  | 147                       |         |
| 108  | Z1      | 6145-020163                    | CABLE SPECIAL PURPOSE ELECTRICAL SECOTEC  | UGWI-40021   | CQA(L)  | 1346                      |         |
| 109  | Z1      | 6145-020164                    | CABLE SPECIAL PURPOSE ELECTRICAL SECOTEC  | UGWI-40022   | CQA(L)  | 2219                      |         |
| 110  | Z1      | 6145-020165                    | CABLE SPECIAL PURPOSE ELECTRICAL SECOTEC  | UGWI-40023   | CQA(L)  | 1384                      |         |
| 111  | Z1      | 6145-020166                    | CABLE SPECIAL PURPOSE ELECTRICAL SECOTEC  | UGWI-40024   | CQA(L)  | 115                       |         |
| 112  | Z1      | 6145-020167                    | CABLE SPECIAL PURPOSE ELECTRICAL SECOTEC  | UGWI-40025   | CQA(L)  | 30                        |         |
| 113  | Z1      | AR-5000-NIS-504                | HYBIRD IC VCO4 NIS-504                    |              | CQA(EW) | 50                        |         |
| 114  | Z1      | AR-5000-NIS-507                | PII COMP NIS-507                          |              | CQA(EW) | 75                        |         |
| 115  | Z1      | AR-5000-SKHHBV                 | KEY SWITCH SKHHBV                         |              | CQA(EW) | 120                       |         |
| 116  | Z1      | AR-5000-SKHBY                  | POWER SWITCH SKHBY                        |              | CQA(EW) | 74                        |         |
| 117  | Z1      | AR-5000-UPC-2410-AHF           | IC UPC 2410 AHF                           |              | CQA(EW) | 48                        |         |
| 118  | Z1      | AR-5000-UPC-2709-TC            | PII COMP UPC 2709 TC                      |              | CQA(L)  | 20                        |         |
| 119  | Z1      | AR-5000-UPC-7805-AHF           | IC UPC 7805 AHF                           |              | CQA(EW) | 46                        |         |
| 120  | Z1      | AR-5000-UPD-16430-AGF          | IC UPD 16430 AGF                          |              | CQA(EW) | 42                        |         |
| 121  | Z1      | AR5000-526-8693-010(500HZ)-MF1 | FILTER 526-8693-010 (500HZ) MF1           |              | CQA(EW) | 5                         |         |
| 122  | Z1      | MISC-UGS-UGSHD-0146            | ALLEN KEY 3MM                             | UGSHD-0146   | CQA(L)  | 154                       |         |
| 123  | Z1      | MISC-UGS-UGSMT-0054            | PAPER ROLL                                | UGSMT-0054   | CQA(L)  | 3461                      |         |
| 124  | Z1      | MISC-UGS-UGSMT-0067            | EPOXY PART A& PART B                      | UGCMT0067    | CQA(L)  | 8144                      |         |
| 125  | Z1      | MISC-UGSCM-0001                | G8A TYPE ANTENNA RA 16 (RP30)             |              | CQA(L)  | 2                         |         |
| 126  | Z1      | AR-5000-2SC-3356               | TRANSISTOR 2SC 3356                       |              | CQA(EW) | 7                         |         |
| 127  | Z1      | AR-5000-2SK-680                | TRANSISTOR 2SK 680                        |              | CQA(EW) | 10                        |         |
| 128  | Z1      | AR-5000-39-UH                  | COIL 39 UH                                |              | CQA(EW) | 14                        |         |

| S.No | COS Sec | Part Number                | Nomen                                    | Spec No            | ASHP    | Likely qty to be procured | Remarks |
|------|---------|----------------------------|------------------------------------------|--------------------|---------|---------------------------|---------|
| 129  | Z1      | AR-5000-KPL-108            | IC KPL 108                               |                    | CQA(EW) | 49                        |         |
| 130  | Z1      | AR-5000-MB-1504-PF         | PLL-IC MB 1504 PF                        |                    | CQA(EW) | 158                       |         |
| 131  | Z1      | AR-5000-HN-58C-1001-FP-15  | IC HN 58 C1001 FP 15                     |                    | CQA(EW) | 87                        |         |
| 132  | Z1      | AR-5000-KE-07495           | TRANSISTOR KE 07495                      |                    | CQA(EW) | 45                        |         |
| 133  | Z1      | MISC-67252-06-024          | INSUL FOR TRANS                          |                    | CQA(L)  | 5                         |         |
| 134  | Z1      | MISC-1092-000-087-42       | TELECABLE FOR LINE COMMUNICATION-JWD1 CA | 1092-000-087-42    | CQA(L)  | 5                         |         |
| 135  | Z1      | MISC-1092-000-172-78       | BASE BODY CONTROL-1 CABLE HARNESS        | 1092-000-172-78    | CQA(L)  | 1                         |         |
| 136  | Z1      | MISC-0905505YO4            | CONN Z1F HORIZONTAL                      | 0905505YO4         | CQA(L)  | 83                        |         |
| 137  | Z1      | MRPI-TAURUS-II-H-3900466   | CERMIC FILTER CFWM450E                   | 3900466            | CQA(L)  | 67                        |         |
| 138  | Z1      | MRPI TAURUS II-103-02-F001 | FUSE 0.5A                                |                    | CQA(L)  | 62                        |         |
| 139  | Z1      | UGS-030-019                | DATA INTERFACE CABLE WITH ADDITIES *     | UGSTF-0025         | CQA(L)  | 2                         |         |
| 140  | Z1      | MISC-4680-100-808-18       | HIGH VOLT RELAY PT NO. EV200HAANA *      | 4680-100-808-18    | CQA(L)  | 3                         |         |
| 141  | Z1      | MISC-FMSS-LPJ-MAS-0301#1   | SPIRIT LEVEL-T'TYPE                      |                    | CQA(L)  | 4                         |         |
| 142  | Z1      | MISC-FMSS-LPJ-GNR-0406#1   | AIR FILTER                               |                    | CQA(L)  | 36                        |         |
| 143  | Z1      | MISC-FMSS-LPJ-GNR-0402#1   | OIL FILTER                               |                    | CQA(L)  | 41                        |         |
| 144  | Z1      | MISC-F5AL250V              | FUSE 5 AMP                               |                    | CQA(L)  | 1                         |         |
| 145  | Z1      | MISC-FMSS-LPJ-MWC-0065     | SEMI RIGID CABLE-7 (SR-7)                |                    | CQA(L)  | 4                         |         |
| 146  | Z1      | MISC-FMSS-LPJ-MWC-0066#1   | SEMI RIGID CABLE-8 (SR-8)                | FLIC/1104/07/14/5  | CQA(L)  | 4                         |         |
| 147  | Z1      | MISC-FMSS-LPJ-MWC-0067     | SEMI RIGID CABLE-22(SR-22)               | FLIC/1104/07/14/6  | CQA(L)  | 4                         |         |
| 148  | Z1      | MISC-FMSS-LPJ-MWC-0068#1   | SEMI RIGID CABLE-23(SR-23)               | FLIC/1104/07/14/7  | CQA(L)  | 3                         |         |
| 149  | Z1      | MISC-FMSS-LPJ-MWC-0069     | SEMI RIGID CABLE-24(SR-24)               |                    | CQA(L)  | 5                         |         |
| 150  | Z1      | MISC-FMSS-LPJ-MWC-0070#1   | SEMI RIGID CABLE-25(SR-25)               | FLIC/1104/07/14/9  | CQA(L)  | 4                         |         |
| 151  | Z1      | MISC-FMSS-LPJ-MWC-0063     | SEMI RIGID CABLE-18(SR-18)               | FLIC/1104/02/06/3  | CQA(L)  | 13                        |         |
| 152  | Z1      | MISC-FMSS-LPJ-MWC-0043     | POWER SUPPLY-2 ASSEMBLY (TX)             | FLIC/1104/06/12    | CQA(L)  | 4                         |         |
| 153  | Z1      | MISC-FMSS-LPJ-MAS-0302     | PLUMB LINE                               |                    | CQA(L)  | 4                         |         |
| 154  | Z1      | MISC-FMSS-LPJ-MCW-0031#1   | CO AXIAL RF CABLE 1 MT                   |                    | CQA(L)  | 22                        |         |
| 155  | Z1      | MISC-FMSS-LPJ-MCW-0033#1   | CO AXIAL ADAPTOR 1                       |                    | CQA(L)  | 10                        |         |
| 156  | Z1      | MISC-FMSS-LPJ-MCW-0034     | CO AXIAL ADAPTOR 2                       |                    | CQA(L)  | 2                         |         |
| 157  | Z1      | MISC-FMSS-LPJ-MCW-0084     | SR CABLE-8                               |                    | CQA(L)  | 4                         |         |
| 158  | Z1      | MISC-FMSS-LPJ-MCW-0085#1   | SR CABLE-9                               |                    | CQA(L)  | 4                         |         |
| 159  | Z1      | MISC-FMSS-LPJ-MWC-0041     | POWER SUPPLY-1 ASSEMBLY(TX)              | FLIC/1104/06/11    | CQA(L)  | 4                         |         |
| 160  | Z1      | MISC-FMSS-LPJ-MWC-0079     | SEMI RIGID CABLE -34 (SR-34)             | FLIC/1104/07/14/18 | CQA(L)  | 7                         |         |
| 161  | Z1      | MISC-FMSS-LPJ-MWC-0078#1   | SEMI RIGID CABLE-33(SR-33)               | FLIC/1104/07/14/17 | CQA(L)  | 6                         |         |
| 162  | Z1      | MISC-FMSS-LPJ-MWC-0077     | SEMI RIGID CABLE-32(SR-32)               | FLIC/1104/07/14/16 | CQA(L)  | 7                         |         |
| 163  | Z1      | MISC-FMSS-LPJ-MWC-0076#1   | SEMI RIGID CABLE-31(SR-31)               |                    | CQA(L)  | 25                        |         |
| 164  | Z1      | MISC-FMSS-LPJ-MWC-0075     | SEMI RIGID CABLE-30(SR-30)               |                    | CQA(L)  | 25                        |         |
| 165  | Z1      | MISC-FMSS-LPJ-MWC-0074#1   | SEMI RIGID CABLE-29(SR-29)               |                    | CQA(L)  | 25                        |         |
| 166  | Z1      | MISC-FMSS-LPJ-MWC-0073     | SEMI RIGID CABLE-28(SR-28)               |                    | CQA(L)  | 17                        |         |
| 167  | Z1      | MISC-FMSS-LPJ-MWC-0072#1   | SEMI RIGID CABLE-27(SR-27)               | FLIC/1104/07/14/11 | CQA(L)  | 25                        |         |
| 168  | Z1      | MISC-FMSS-LPJ-MWC-0071     | SEMI RIGID CABLE-26(SR-26)               | FLIC/1104/07/14/10 | CQA(L)  | 13                        |         |
| 169  | Z1      | MISC-FMSS-LPJ-MWC-0064#1   | SEMI RIGID CABLE-19(SR-19)               |                    | CQA(L)  | 33                        |         |
| 170  | Z1      | MISC-FMSS-LPJ-MWC-0062#1   | SEMI RIGID CABLE-17(SR-17)               | FLIC/1104/02/14/1  | CQA(L)  | 17                        |         |
| 171  | Z1      | MISC-FMSS-LPJ-MWC-0061     | SEMI RIGID CABLE-16(SR-16)               |                    | CQA(L)  | 4                         |         |
| 172  | Z1      | MISC-FMSS-LPJ-MWC-0029     | 20 DB ATTENUATOR                         | FLIC/1104/29       | CQA(L)  | 23                        |         |
| 173  | Z1      | MISC-FMSS-LPJ-MWC-0028#1   | 10 DB ATTENUATOR                         | FLIC/1104/28       | CQA(L)  | 13                        |         |
| 174  | Z1      | MISC-FMSS-LPJ-MWC-0027     | 6 DB ATTENUATOR                          | FLIC/1104/27       | CQA(L)  | 12                        |         |
| 175  | Z1      | MISC-FMSS-LPJ-MWC-0021#1   | HORN ANTENNA KU-BAND                     | FLIC/1104/02/02    | CQA(L)  | 18                        |         |
| 176  | Z1      | MISC-FMSS-LPJ-MWC-0020     | HORN ANTENNA X-BAND                      |                    | CQA(L)  | 2                         |         |

| S.No | COS Sec | Part Number                     | Nomen                                      | Spec No                   | ASHP      | Likely qty to be procured | Remarks |
|------|---------|---------------------------------|--------------------------------------------|---------------------------|-----------|---------------------------|---------|
| 177  | Z1      | MISC-FMSS-LPJ-MWC-0019          | SMA ADAPTOR                                |                           | CQA(L)    | 27                        |         |
| 178  | Z1      | MISC-FMSS-LPJ-MWC-0052          | SEMI RIGID CABLE-9 (SR-9)                  | FLIC/1104/06/14/1         | CQA(L)    | 4                         |         |
| 179  | Z1      | MISC-FMSS-LPJ-PSS-0215#1        | BACK PANEL RF CABLE ASSEMBLIES *           |                           | CQA(L)    | 23                        |         |
| 180  | Z1      | MISC-FMSS-LPJ-PSS-0218          | TX TO RX CONTROL CONNECTOR 19 PIN          |                           | CQA(L)    | 4                         |         |
| 181  | Z1      | MISC-FMSS-LPJ-MWC-0053          | SEMI RIGID CABLE-20(SR-20)                 | FLIC/1104/06/14/4         | CQA(L)    | 25                        |         |
| 182  | Z1      | MISC-FMSS-LPJ-MWC-0054#1        | SEMI RIGID CABLE-21(SR-21)                 | FLIC/1104/06/14/5         | CQA(L)    | 25                        |         |
| 183  | Z1      | MISC-FMSS-LPJ-MWC-0055          | SEMI RIGID CABLE-10(SR-10)                 |                           | CQA(L)    | 4                         |         |
| 184  | Z1      | MISC-FMSS-LPJ-MWC-0056#1        | SEMI RIGID CABLE-11(SR-11)                 |                           | CQA(L)    | 4                         |         |
| 185  | Z1      | MISC-FMSS-LPJ-MWC-0057          | SEMI RIGID CABLE-12(SR-12)                 | FLIC/1104/06/14/6         | CQA(L)    | 5                         |         |
| 186  | Z1      | MISC-FMSS-LPJ-MWC-0058#1        | SEMI RIGID CABLE-13(SR-13)                 | FLIC/1104/06/14/7         | CQA(L)    | 4                         |         |
| 187  | Z1      | MISC-FMSS-LPJ-MWC-0059          | SEMI RIGID CABLE-14(SR-14)                 | FLIC/1104/06/14/8         | CQA(L)    | 4                         |         |
| 188  | Z1      | MISC-FMSS-LPJ-MWC-0060#1        | SEMI RIGID CABLE-15(SR-15)                 | FLIC/1104/06/14/9         | CQA(L)    | 4                         |         |
| 189  | Z1      | MISC-FMSS-LPJ-MWX-0025#1        | SR CABLE-6(SR-6) ANTENNA FEED KU BAND      | FLIC/1104/06/06/06        | CQA(L)    | 3                         |         |
| 190  | Z1      | MISC-FMSS-LPJ-PSS-0204          | POWER SUPPLY CABLE                         |                           | CQA(L)    | 4                         |         |
| 191  | Z1      | MISC-FMSS-LPJ-ATN-0105#1        | SR CABLE-4(SR-4)                           | FLIC/1104/02/06/03        | CQA(L)    | 4                         |         |
| 192  | Z1      | MISC-FMSS-LPJ-ATN-0106          | SR CABLE-5(SR-5)                           | FLIC/1104/02/06/04        | CQA(L)    | 4                         |         |
| 193  | Z1      | MISC-FMSS-LPJ-ATN-0109#1        | SR CABLE-7(SR-7)                           |                           | CQA(L)    | 3                         |         |
| 194  | Z1      | MISC-FMSS-LPJ-ATN-0110          | SPDT SWITCH                                | FLIC/1104/06/20           | CQA(L)    | 20                        |         |
| 195  | Z1      | MISC-FMSS-LPJ-ATN-0111#1        | LINE RECEIVER ASSEMBLE                     | FLIC/1104/02/33/4         | CQA(L)    | 15                        |         |
| 196  | Z1      | MISC-FMSS-LPJ-ATN-0104          | SR CABLE-2(SR-2)                           | FLIC/1104/02/06/02        | CQA(L)    | 18                        |         |
| 197  | Z1      | MISC-FMSS-LPJ-ATN-0103#1        | SR CABLE-1(SR-1)                           | FLIC/1104/02/06/01        | CQA(L)    | 15                        |         |
| 198  | Z1      | MISC-FMSS-LPJ-GNR-0403          | FUEL FILTER                                |                           | CQA(L)    | 27                        |         |
| 199  | Z1      | MISC-FM-ACS-W#1                 | POWER ON/OFF SWITCH                        |                           | CQA(L)    | 21                        |         |
| 200  | Z1      | MISC-FMSS-LPJ-ATN-0102          | ANTENNA MOUNTING PEDESTAL                  | FLIC/1104/02/03           | CQA(L)    | 14                        |         |
| 201  | Z1      | MISC-FMSS-LPJ-MWX-0024          | SR CABLE-3(SR-3) ANTENNA FEED X-BAND       | FLIC/1104/02/06/05        | CQA(L)    | 15                        |         |
| 202  | Z1      | MISC-104100065350               | DIFFUSE LAMP ASSY DS14                     | 104100065350              | CQA(L)    | 80                        |         |
| 203  | Z1      | MISC-DCH-2720-5891-49000-950    | ANR HEAD GEAR                              |                           | Not Known | 17                        |         |
| 204  | Z1      | 5985-000048                     | ANTENNA ELEMENT GROUND 81MM LONG X 10MM    |                           | CQA(L)    | 61                        |         |
| 205  | Z1      | 5961-006534                     | TRANSISTOR TYPE T-304(DRG NO-VXL FA 4561   |                           | CQA(L)    | 64                        |         |
| 206  | Z1      | 5945-911002                     | ARMATURE 3-CHANGEOVER 12V COIL VOLTAGE     | JSS 50711 SKYPEE RYA OICP | CQA(L)    | 35                        |         |
| 207  | Z1      | 5950-040274                     | COIL, RADIO FREQUENCY, 100 UH, +/-10% AT   |                           | CQA(L)    | 25                        |         |
| 208  | Z1      | MISC-DCH-27202033340009 24      | ADAPTER SIZE#12                            |                           | CQA(L)    | 10                        |         |
| 209  | Z1      | MISC-DCH-27202068512009 25      | CABLE4-1                                   |                           | CQA(L)    | 12                        |         |
| 210  | Z1      | MISC-PC-90816-191               | W/T SET NO 19 COVER WATER PROOF NO 191     |                           | CQA(L)    | 9                         |         |
| 211  | Z1      | MISC-GOST-7113-66-1-100K +/-10% | RESISTOR OMLT-1-100K OHM +/-10%            |                           | CQA(L)    | 3                         |         |
| 212  | Z1      | 5950-002073                     | TRANSFORMER RADIO FREQUENCY MACHING 50 O   |                           | CQA(L)    | 32                        |         |
| 213  | Z1      | MISC-IND-2001-BR                | WHIP ANTENNA (UHF) 1/4 WAVE WITH 3M CABL   | IND-2001-BR               | CQA(L)    | 167                       |         |
| 214  | Z1      | MISC-IND20001BB                 | ANTENNA BUNKER FOR GP 338 IN UHF BANDS     | -IND20001BB               | CQA(L)    | 114                       |         |
| 215  | Z1      | MISC-ARL-04                     | RELAY REED 2 C/O DIP 12D                   |                           | CQA(L)    | 1                         |         |
| 216  | Z1      | MISC-DCH-27205879040009 25      | CD [CU / UU BURNING SOFTWARE]              |                           | CQA(L)    | 56                        |         |
| 217  | Z1      | 5975-065440                     | STUFFING TUBE                              | UGSWI--0062               | CQA(L)    | 21929                     |         |
| 218  | Z1      | 5961-409639                     | SEMICONDUCTOR DEVICE DIODE TYPE MMBD301    |                           | CQA(L)    | 2                         |         |
| 219  | Z1      | 5961-409642                     | SEMICONDUCTOR DEVICE DIODE TYPE JANTX1N5   |                           | CQA(L)    | 29                        |         |
| 220  | Z1      | MISC-DCH-27201779650009 25      | CD [VIC 500 SET UP CONFIGURATION SOFTWARE] |                           | CQA(L)    | 56                        |         |
| 221  | Z1      | MISC-DCH-27201779780009 24      | CD [COMPUTER BASED TRAINING PACKAGE BASE   |                           | CQA(L)    | 56                        |         |

| S.No | COS Sec | Part Number                         | Nomen                                     | Spec No               | ASHP   | Likely qty to be procured | Remarks |
|------|---------|-------------------------------------|-------------------------------------------|-----------------------|--------|---------------------------|---------|
| 222  | Z1      | 5961-005578                         | SEMI CONDUCTOR,DEVICE DIODE ZENER TYPE I  |                       | CQA(L) | 2                         |         |
| 223  | Z1      | 5950-005513                         | TRANSFORMER POWER , STEP DOWN CO-0-220-24 |                       | CQA(L) | 5                         |         |
| 224  | Z1      | MISC-DA1B2-000196-D1A2              | TRANSISTOR TYPE MPSA 42 NPN               | DA1B2 000196-D1-A2    | CQA(L) | 256                       |         |
| 225  | Z1      | MISC-8480475-Z03                    | FLEX CONTROLLER KEY PAD                   | 8480475Z03            | CQA(L) | 158                       |         |
| 226  | Z1      | 5961-002938                         | SEMICONDUCTOR DEVICE DIODE TYPE BZ X 79   |                       | CQA(L) | 2                         |         |
| 227  | Z1      | MISC-DCH-2720607900200925           | CD [PRC-550 SET UP CONFIGURATION SOFTWARE |                       | CQA(L) | 56                        |         |
| 228  | Z1      | MISC-DCH-2740335101001925           | HEADER, 6P SMT TOP ENTRY, BM06B-SRSS-TBT  |                       | CQA(L) | 9                         |         |
| 229  | Z1      | MISC-DCH-2740335106600925           | CONNECTOR, HEADER,34P,VERT KEYING, SMT,F  |                       | CQA(L) | 1                         |         |
| 230  | Z1      | MISC-AZRMN-4031B                    | HEAD LIGHT WEIGHT SWIVEL BOOM MICROPHONE  | AZRMN 4031B           | CQA(L) | 592                       |         |
| 231  | Z1      | 5962-003693                         | MICRO CIRCUIT LINEAR TYPE MAR-2           | IFD-5310              | CQA(L) | 6                         |         |
| 232  | Z1      | 5962-003723                         | MICROCIRCUIT DIGITAL BCD, SEVEN SEGMENT   |                       | CQA(L) | 9                         |         |
| 233  | Z1      | 5962-003724                         | MICROCIRCUIT DIGITAL LENEAS A/D CONVERTE  |                       | CQA(L) | 6                         |         |
| 234  | Z1      | 5961-001326                         | SEMI CONDUCTOR DEVICE DIODE TYPE S2 HR6   | HIND RECT TYPE S2 HR6 | CQA(L) | 10                        |         |
| 235  | Z1      | MISC-PMLN4987B                      | SINGLE UNIT RAPID TRICHEMISTRY BATTERY C  | PMLN-4025             | CQA(L) | 341                       |         |
| 236  | Z1      | MISC-PMTN-4025A                     | RPO SIGNAL UNIT CHARGER POC               |                       | CQA(L) | 165                       |         |
| 237  | Z1      | 5962-670309                         | MICROCIRCUIT LINEAR TYPE IFD-53110        | DP-033-015            | CQA(L) | 35                        |         |
| 238  | Z1      | 5962-670310                         | MICROCIRCUIT LINEAR TYPE MA 0435          | IC-HPMA-0435          | CQA(L) | 38                        |         |
| 239  | Z1      | 5962-670719                         | MICRO CIRCUIT DIGITAL CMOS SRAM 256K (32  | UGSIC-0002            | CQA(L) | 18                        |         |
| 240  | Z1      | MRPI-TAURUS-II-103-02-D002          | DIODE IN 4007                             | 10302D002             | CQA(L) | 69                        |         |
| 241  | Z1      | MRPI-TAURUS-II-103-02-L001          | RED LED                                   | 10302L001             | CQA(L) | 63                        |         |
| 242  | Z1      | MRPI-TAURUS-II-103-02-L002          | GREEN LED                                 | 10302L002             | CQA(L) | 113                       |         |
| 243  | Z1      | MRPI-TAURUS-II-103-02-L003          | YELLOW LED                                | 10302L003             | CQA(L) | 63                        |         |
| 244  | Z1      | MRPI-TAURUS-II-103-02-S001          | 8-WAY DIP SWITCH                          | 10302S001             | CQA(L) | 36                        |         |
| 245  | Z1      | MRPI-TAURUS-II-103-02-T001          | TRANSISTOR 5551                           | 103-02-T002           | CQA(L) | 53                        |         |
| 246  | Z1      | MRPI-TAURUS-II-103-02-T002          | TRANSISTOR 5551                           |                       | CQA(L) | 166                       |         |
| 247  | Z1      | MRPI-TAURUS-II-103-02-U001          | IC T03 4001D                              | 103-02-U001           | CQA(L) | 2                         |         |
| 248  | Z1      | MRPI-TAURUS-II-103-02-U002          | IC T03 2003D                              | 10302U002             | CQA(L) | 6                         |         |
| 249  | Z1      | MRPI-TAURUS-II-103-02-U003          | IC T03 2004D                              | 10302U003             | CQA(L) | 3                         |         |
| 250  | Z1      | MRPI-TAURUS-II-103-02-U004          | IC T031807D                               | 10302U004             | CQA(L) | 3                         |         |
| 251  | Z1      | MRPI-TAURUS-II-103-02-U005          | IC T032010D                               | 10302U005             | CQA(L) | 3                         |         |
| 252  | Z1      | MRPI-TAURUS-II-103-02-U006          | IC T030308D                               | 10302U006             | CQA(L) | 3                         |         |
| 253  | Z1      | MRPI-TAURUS-II-103-02-U007          | IC T03160A                                | 10302U007             | CQA(L) | 3                         |         |
| 254  | Z1      | MRPI-TAURUS-II-103-02-U008          | IC T031407A                               | 103-02-U008           | CQA(L) | 2                         |         |
| 255  | Z1      | MRPI-TAURUS-II-103-02-U009          | IC T032009A                               | 10302U009             | CQA(L) | 3                         |         |
| 256  | Z1      | MRPI-TAURUS-II-103-02-V001          | VARIABLE JJPOT 10K                        | 103-02-V001           | CQA(L) | 76                        |         |
| 257  | Z1      | MRPI-TAURUS-II-103-02-X001          | XTAL                                      | 10302X001             | CQA(L) | 50                        |         |
| 258  | Z1      | MRPI-TAURUS-II-103-02-Z001          | ZENER DIODE 3.9V                          | 10302Z001             | CQA(L) | 36                        |         |
| 259  | Z1      | MRPI-TAURUS-II-103-02-Z002          | ZENER DIODE 18V                           | 10302Z002             | CQA(L) | 52                        |         |
| 260  | Z1      | 7510-002155                         | TAPE PRESSURE SENSITIVE ADHESIVE POLYEST  | UGSMT-0029            | CQA(L) | 3                         |         |
| 261  | Z1      | 7510-002157                         | TAPE SEMICONDUCTING ELECTRICAL ADHESIVE   | UGSMT-0019            | CQA(L) | 10                        |         |
| 262  | Z1      | 5962-672955                         | MICROCIRCUIT LINEAR TYPE DG419DY          |                       | CQA(L) | 2                         |         |
| 263  | Z1      | MISC-OZH4-812-003TU-PANEL           | PANEL PLK 7-E-60                          |                       | CQA(L) | 3                         |         |
| 264  | Z1      | MISC-PTR-1000-137                   | LED GREEN 3MM DIA (TRANSPARENT)           | 1000137               | CQA(L) | 1                         |         |
| 265  | Z1      | MISC-PTR-1000-145-01                | RESISTOR VARIABLE 500 KILO OHMS 500MW     | 1000-145-01           | CQA(L) | 1                         |         |
| 266  | Z1      | MISC-FM-ACSOCKET                    | AC POWER SOCKET                           |                       | CQA(L) | 44                        |         |
| 267  | Z1      | 5962-000668                         | MICRO CUCUIT DIGITAL LN 124               |                       | CQA(L) | 74                        |         |
| 268  | Z1      | MRPI-TAURUS-II-G3808807G            | FET 2SK880GR TE85R                        | G3808807G             | CQA(L) | 50                        |         |
| 269  | Z1      | MRPI-TAURUS-II-G4070005 OR G4070012 | FET SGM2016M T7 OR FET SGM2016AM-T7       | G4070005 OR G4070012  | CQA(L) | 23                        |         |

| S.No | COS Sec | Part Number                         | Nomen                                | Spec No              | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-------------------------------------|--------------------------------------|----------------------|---------|---------------------------|---------|
| 270  | Z1      | MRPI-TAURUS-II-H-7900840            | CERAMIC OSC KBR-1000YTR17            | 7900840              | CQA(L)  | 32                        |         |
| 271  | Z1      | MRPI-TAURUS-II-H1102273             | XTAL FILLER 17T12B5                  | H1102273             | CQA(L)  | 63                        |         |
| 272  | Z1      | MRPI-TAURUS-II-H3900435             | CERAMIC FILTER CFWM450G              | H900435              | CQA(L)  | 98                        |         |
| 273  | Z1      | MRPI-TAURUS-II-J15811503            | POT-EVN-5ESX50B54                    |                      | CQA(L)  | 23                        |         |
| 274  | Z1      | MRPI-TAURUS-II-J51811103            | POT EVN-5ESX50B14                    | J51811103            | CQA(L)  | 63                        |         |
| 275  | Z1      | MRPI-TAURUS-II-P-1090654            | EXTERNAL SPEAKER JACK                | P1090654             | CQA(EW) | 124                       |         |
| 276  | Z1      | MRPI-TAURUS-II-P-1090984            | ANT CONNECTOR                        | P1090984             | CQA(EW) | 74                        |         |
| 277  | Z1      | MRPI-TAURUS-II-P-1090998            | CONNECTOR AE0031-00                  | P-1090998            | CQA(L)  | 4                         |         |
| 278  | Z1      | MRPI-TAURUS-II-P0090601             | CONNECTOR 1-Y-14P-S15T2-E            | P0090601             | CQA(L)  | 11                        |         |
| 279  | Z1      | MRPI-TAURUS-II-P0090609             | CONNECTOR SB20-02WS                  | P0090609             | CQA(L)  | 11                        |         |
| 280  | Z1      | MRPI-TAURUS-II-P0090610             | CONNECTOR SB20-03WS                  | P0090610             | CQA(L)  | 11                        |         |
| 281  | Z1      | MRPI-TAURUS-II-P0090646             | CONNECTOR IL-Y-8P-S15T2-EF           | P0090646             | CQA(L)  | 8                         |         |
| 282  | Z1      | MRPI-TAURUS-II-P0091200             | CONNECTOR B11B-ZR                    | P0091200             | CQA(L)  | 11                        |         |
| 283  | Z1      | MRPI-TAURUS-II-P0091201             | CONNECTOR IL-Y-12P-S15T2-EF          | P0091201             | CQA(L)  | 11                        |         |
| 284  | Z1      | MRPI-TAURUS-II-Q0000072             | CHIP FUSE F0805V OR 25F WTR          | Q0000072             | CQA(L)  | 99                        |         |
| 285  | Z1      | MRPI-TAURUS-II-Q9000534 OR Q9000721 | SURGE ABSORBER P6KE18 OR PK6KA 18    | Q9000534 OR Q9000721 | CQA(L)  | 4                         |         |
| 286  | Z1      | MRPI-TAURUS-II-RAOC-1330A           | KNOB VOLUME & POWER ON/OFF           | RAOC1330A            | CQA(EW) | 74                        |         |
| 287  | Z1      | MRPI-TAURUS-II-G2070118             | DIODE HSU277TRF                      | G2070118             | CQA(L)  | 25                        |         |
| 288  | Z1      | MRPI-TAURUS-II-G2070126             | DIODE 1SV230 TPH3                    | G2070126             | CQA(L)  | 22                        |         |
| 289  | Z1      | MRPI-TAURUS-II-G2070128             | DIODE RLS 135TE-11                   | G2070128             | CQA(L)  | 17                        |         |
| 290  | Z1      | MRPI-TAURUS-II-G2070160             | DIODE DAP202UT106                    | G2070160             | CQA(L)  | 13                        |         |
| 291  | Z1      | MRPI-TAURUS-II-G2070300             | DIODE 02CZ5.6YTE85R                  | G2070300             | CQA(L)  | 28                        |         |
| 292  | Z1      | MRPI-TAURUS-II-G2070318             | DIODE KV1470-TR00                    | G2070318             | CQA(L)  | 27                        |         |
| 293  | Z1      | MRPI-TAURUS-II-G2070320             | DIODE MA729-TX                       | G2070320             | CQA(L)  | 105                       |         |
| 294  | Z1      | MRPI-TAURUS-II-G2070380             | DIODE HVU350-TR                      | G2070380             | CQA(L)  | 15                        |         |
| 295  | Z1      | MRPI-TAURUS-II-T-9206675            | WIRE ASSY                            | T9206675             | CQA(EW) | 126                       |         |
| 296  | Z1      | MRPI-TAURUS-II-G2070420             | DIODE 1SV276 (TPH3)                  | G2070420             | CQA(L)  | 22                        |         |
| 297  | Z1      | MRPI-TAURUS-II-T-9206686            | CONNECTOR DISPLAY UNIT               | T9206686             | CQA(EW) | 47                        |         |
| 298  | Z1      | MRPI-TAURUS-II-G2070470             | DIODE 1SS355TE-17                    | G2070470             | CQA(L)  | 47                        |         |
| 299  | Z1      | MRPI-TAURUS-II-G2070474             | DIODE D1F20-4063                     | G2070474             | CQA(L)  | 62                        |         |
| 300  | Z1      | MRPI-TAURUS-II-T-9206688            | CONNECTOR MIC/VR UNIT                | T9206688             | CQA(EW) | 59                        |         |
| 301  | Z1      | MRPI-TAURUS-II-G2070534             | DIODE MA142WK (TX)                   | G2070534             | CQA(L)  | 62                        |         |
| 302  | Z1      | MRPI-TAURUS-II-G2070536             | DIODE MA 143 (TX)                    | G2070536             | CQA(L)  | 28                        |         |
| 303  | Z1      | MRPI-TAURUS-II-G2070562             | DIODE UN9957F/TR                     | G2070562             | CQA(L)  | 72                        |         |
| 304  | Z1      | MRPI-TAURUS-II-G2090408             | DIODE 1SS270                         | G2090408             | CQA(L)  | 35                        |         |
| 305  | Z1      | MRPI-TAURUS-II-G3070022             | TRANSISTOR DTB123EKT 146             | G3070022             | CQA(L)  | 20                        |         |
| 306  | Z1      | MRPI-TAURUS-II-G3070025             | TRANSISTOR IMZ1 T108                 | G3070025             | CQA(L)  | 10                        |         |
| 307  | Z1      | MRPI-TAURUS-II-G3070042             | TRANSISTOR DTC 323TKT 146            | G3070042             | CQA(L)  | 20                        |         |
| 308  | Z1      | MRPI-TAURUS-II-G3070045             | TRANSISTOR DTC 124EU T106            | G3070045             | CQA(L)  | 46                        |         |
| 309  | Z1      | MRPI-TAURUS-II-G3070066             | TRANSISTOR OR IMH6 T108              | G3070066             | CQA(L)  | 22                        |         |
| 310  | Z1      | MRPI-TAURUS-II-G3070156 OR G3070103 | TRANSISTOR DTB123YKT146 OR 113ZJT146 | G3070156 OR G3070103 | CQA(L)  | 23                        |         |
| 311  | Z1      | MRPI-TAURUS-II-G3115867Y            | TRANSISTOR 2SA1586Y TE85R            | G3115867Y            | CQA(L)  | 22                        |         |
| 312  | Z1      | MRPI-TAURUS-II-G333577              | TRANSISTOR 2SC3357-T2                | G333577              | CQA(L)  | 12                        |         |
| 313  | Z1      | MRPI-TAURUS-II-G3342267D            | TRANSISTOR 2SC4226-T2B R24           | G3342267D            | CQA(L)  | 50                        |         |
| 314  | Z1      | MRPI-TAURUS-II-G3351770             | TRANSISTOR 2SC5107-0 (TE85R)         | G3351770             | CQA(L)  | 4                         |         |
| 315  | Z1      | 5965-000445                         | HAND SET (1000-042-872-01)           | 1000-042-872-01      | CQA(L)  | 16                        |         |
| 316  | Z1      | MISC-TADIRAN-40128013010            | CAP FXD TANT 22 UF 100V              |                      | CQA(L)  | 117                       |         |

| S.No | COS Sec | Part Number                 | Nomen                                    | Spec No     | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-----------------------------|------------------------------------------|-------------|---------|---------------------------|---------|
| 317  | Z1      | 5985-001269                 | HAND CRANKABLE TELESCOPIC MAST (DRG NO-9 |             | CQA(L)  | 6                         |         |
| 318  | Z1      | MISC-PTR-1000-145-02        | RESISTOR VARIABLE1MEGA OHMS 500 MW       | 1000145-02  | CQA(L)  | 1                         |         |
| 319  | Z1      | MISC-PTR-1000-152           | TRANSISTOR TYPE 2N 5551                  | 1000-152    | CQA(L)  | 1                         |         |
| 320  | Z1      | MISC-PTR-1000-153           | IC HT 93214 A                            | 1000-153    | CQA(L)  | 1                         |         |
| 321  | Z1      | MRPI-TAURUS-II-103-02-005   | RESET SWITCH                             | 103-02-005  | CQA(EW) | 63                        |         |
| 322  | Z1      | MRPI-TAURUS-II-103-02-C001  | 16 PINS 2 ROW ST MALE CONNECTOR          | 10302C001   | CQA(L)  | 31                        |         |
| 323  | Z1      | MRPI-TAURUS-II-103-02-C002  | TVS MALE 15 PIN SINGLE ROW               | 10302C002   | CQA(L)  | 69                        |         |
| 324  | Z1      | MRPI-TAURUS-II-103-02-C003  | LCD CABLE ASSY 15 PIN TVS F-F            | 10302C003   | CQA(L)  | 94                        |         |
| 325  | Z1      | MRPI-TAURUS-II-103-02-C004  | 16 PIN 2 ROW FEMALE CONNECTOR            | 103-02-C004 | CQA(L)  | 23                        |         |
| 326  | Z1      | MRPI-TAURUS-II-103-02-C005  | 20 PIN 2 ROW RT MALE CONNECTOR           | 10302C005   | CQA(L)  | 36                        |         |
| 327  | Z1      | MRPI-TAURUS-II-103-02-C006  | CONTROLLER POWER CABLE ASSY              | 10302C006   | CQA(L)  | 24                        |         |
| 328  | Z1      | MRPI-TAURUS-II-103-02-D001  | DIODE 4148                               | 10302D001   | CQA(L)  | 80                        |         |
| 329  | Z1      | MISC-XL-67019               | AUDIO AMPLIFIER                          | XL-67019    | CQA(L)  | 2                         |         |
| 330  | Z1      | MISC-XL-67020               | 6 WATT SPEAKER                           | XL-67020    | CQA(L)  | 24                        |         |
| 331  | Z1      | MISC-XL-67026               | LED LIGHT SET CONSISTING OF 5 NOS        | XL-67026    | CQA(L)  | 1                         |         |
| 332  | Z1      | MISC-XL-92121               | ETHERNET SWITCH                          | XL-92121    | CQA(L)  | 2                         |         |
| 333  | Z1      | 6640-005615                 | SYRING LABORATORY                        | UGSPK-0065  | CQA(L)  | 1040                      |         |
| 334  | Z1      | MISC-UGS-UGPL-40020         | SPLICING KIT SECOTEC CABLE JOINING       | UGPL-40020  | CQA(L)  | 17                        |         |
| 335  | Z1      | BOF-6127233                 | CAPACITOR                                |             | CQA(L)  | 2                         |         |
| 336  | Z1      | MRPI-TAURUS-II-103-01-TR02  | TRANSFORMER TR2                          | 10301TR02   | CQA(L)  | 24                        |         |
| 337  | Z1      | MRPI-TAURUS-II-103-02-002   | POWER INPUT CONNECTOR                    | 103-02-002  | CQA(EW) | 18                        |         |
| 338  | Z1      | MRPI-TAURUS-II-103-02-003   | DISPLAY INTERFACE CONNECTOR              | 103-03-003  | CQA(EW) | 1                         |         |
| 339  | Z1      | MRPI-TAURUS-II-103-02-004   | BUZZER                                   | 103-02-004  | CQA(EW) | 6                         |         |
| 340  | Z1      | MISC-TADIRAN-40210022535    | MOSFET P-CH                              |             | CQA(L)  | 20                        |         |
| 341  | Z1      | MISC-TADIRAN-40210022614    | PWR MOSFET N-CH IRF 64                   |             | CQA(L)  | 289                       |         |
| 342  | Z1      | MISC-TADIRAN-40210022914    | POWER FET 200V/17M OHM                   |             | CQA(L)  | 9                         |         |
| 343  | Z1      | MISC-TADIRAN-40210031114    | P-CH 100V 35A                            |             | CQA(L)  | 416                       |         |
| 344  | Z1      | MISC-TADIRAN-40211031200    | ZENER 0.4W 12V 5% SMD                    |             | CQA(L)  | 37                        |         |
| 345  | Z1      | MISC-TADIRAN-40211041335    | ZENER 0.4W 33V 5%                        |             | CQA(L)  | 310                       |         |
| 346  | Z1      | MISC-TADIRAN-40212003604    | PWM VLTG REGUL 1524                      |             | CQA(L)  | 93                        |         |
| 347  | Z1      | MISC-TADIRAN-40212005904    | PWM VLTG REGUL 1525 A                    |             | CQA(L)  | 4                         |         |
| 348  | Z1      | MISC-TADIRAN-40212026164    | AMP AUDIO 2X10W + MUTE                   |             | CQA(L)  | 2433                      |         |
| 349  | Z1      | MISC-TADIRAN-40212200454    | 5V PWM REG                               |             | CQA(L)  | 713                       |         |
| 350  | Z1      | MISC-TE-1382-5-DIODE-71AMPS | DIODE 71 AMP, 400V, S4 BR 71             |             | CQA(L)  | 6                         |         |
| 351  | Z1      | 9012MISC-4976-000-430       | SN74ABT125D                              |             | CQA(L)  | 59                        |         |
| 352  | Z1      | MRPI-TAURUS II-G-3070195    | TRANSISTOR 2SB 1201 STP-FA-TL            | G-3070195   | CQA(L)  | 35                        |         |
| 353  | Z1      | MRPI-TAURUS II-G-3211430S   | TRANSISTOR 2SB 1143S                     | G-3211430S  | CQA(L)  | 62                        |         |
| 354  | Z1      | MRPI-TAURUS II-G-3342157Y   | TRANSISTOR OR 2SC4215Y TE85R             | G-3042157Y  | CQA(L)  | 4                         |         |
| 355  | Z1      | 9999-000849                 | INSULATION TAPE ELECTRICAL               | UGSPK-0066  | CQA(L)  | 2720                      |         |
| 356  | Z1      | MISC-TADIRAN-40210018035    | NPN DARL PWR                             |             | CQA(L)  | 263                       |         |
| 357  | Z1      | MISC-TADIRAN-40210022335    | N-CH MOSFET 5A 250V                      |             | CQA(L)  | 128                       |         |
| 358  | Z1      | AR5000-KE-07631             | TRANSISTOR KE 07631                      |             | CQA(EW) | 12                        |         |
| 359  | Z1      | MRPI-TAURUS-II-103-07-D001  | DIODE IN 5408                            | 103-07-D001 | CQA(L)  | 12                        |         |
| 360  | Z1      | MRPI-TAURUS-II-103-07-D002  | DIODE BA 159                             | 103-07-D002 | CQA(L)  | 12                        |         |
| 361  | Z1      | MRPI-TAURUS-II-103-07-D003  | DIODE T4148                              | 10307D003   | CQA(L)  | 7                         |         |
| 362  | Z1      | MRPI-TAURUS-II-103-07-D004  | DIODE PA10                               | 10307D004   | CQA(L)  | 22                        |         |
| 363  | Z1      | MRPI-TAURUS-II-103-07-D005  | S.K DIODE BYV02, 150                     | 103-07-D005 | CQA(L)  | 136                       |         |
| 364  | Z1      | 5999-050086                 | TAPE SHIELDING ELECTRICAL                | UGSOP-0008  | CQA(L)  | 27640                     |         |
| 365  | Z1      | MRPI-TAURUS-II-103-07-D006  | DIODE BA159                              | 10307D006   | CQA(L)  | 28                        |         |
| 366  | Z1      | MRPI-TAURUS-II-103-07-D007  | DIODE IN 4007                            | 10307D07    | CQA(L)  | 63                        |         |
| 367  | Z1      | MRPI-TAURUS-II-103-07-D008  | DIODE 6A4                                | 10307D008   | CQA(L)  | 63                        |         |

| S.No | COS Sec | Part Number                         | Nomen                                    | Spec No              | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-------------------------------------|------------------------------------------|----------------------|---------|---------------------------|---------|
| 368  | Z1      | MRPI-TAURUS-II-103-07-E001          | EMI/EMC FILTER                           | 103-07-E001          | CQA(EW) | 27                        |         |
| 369  | Z1      | MRPI-TAURUS-II-103-07-F001          | FUSE 10A                                 | 10307F001            | CQA(EW) | 41                        |         |
| 370  | Z1      | MRPI-TAURUS-II-103-07-F002          | FUSE 3.5 AMPS                            | 103-07-F002          | CQA(EW) | 131                       |         |
| 371  | Z1      | MRPI-TAURUS-II-103-07-L001          | LEDS WITH SINGLE CONNECTOR               | 10307L001            | CQA(EW) | 7                         |         |
| 372  | Z1      | MRPI-TAURUS-II-103-07-L002          | LED RED 5MM                              | 10307L002            | CQA(L)  | 12                        |         |
| 373  | Z1      | MRPI-TAURUS-II-103-07-M001          | MOSFET 6N80                              | 10307M001            | CQA(L)  | 319                       |         |
| 374  | Z1      | MRPI-TAURUS-II-103-07-P001          | POWER CORD                               | 10307P001            | CQA(EW) | 7                         |         |
| 375  | Z1      | MRPI-TAURUS-II-103-07-S001          | SWITCH                                   | 10307S001            | CQA(EW) | 33                        |         |
| 376  | Z1      | MRPI-TAURUS-II-103-07-SC01          | SCR XL68ST40/CR 100-6120                 |                      | CQA(L)  | 23                        |         |
| 377  | Z1      | MRPI-TAURUS-II-103-07-TRO1          | TRANSFORMER TR1                          | 103-07-TRO1          | CQA(L)  | 23                        |         |
| 378  | Z1      | MRPI-TAURUS-II-103-07-U001          | IC UC 3844                               | 10307U001            | CQA(L)  | 79                        |         |
| 379  | Z1      | MRPI-TAURUS-II-103-07-U002          | OPTO ISOLATOR PC 817                     | 10307U002            | CQA(L)  | 50                        |         |
| 380  | Z1      | MRPI-TAURUS-II-103-07-U003          | IC S431Z                                 | 103-07-U003          | CQA(L)  | 53                        |         |
| 381  | Z1      | MRPI-TAURUS-II-103-07-U004          | IC LM324N                                | 10307U004            | CQA(L)  | 87                        |         |
| 382  | Z1      | MRPI-TAURUS-II-103-07-Z001          | ZENER DIODE 4744AP                       | 10307Z001            | CQA(L)  | 81                        |         |
| 383  | Z1      | MRPI-TAURUS-II-103-12-001           | RADIO CONTROLLER INTERFACE CABLE D-TYPE  | 103-12-001           | CQA(EW) | 123                       |         |
| 384  | Z1      | MRPI-TAURUS-II-103-75-001           | IC KIT FOR CONT & RCU                    | 103-75-001           | CQA(L)  | 32                        |         |
| 385  | Z1      | MRPI-TAURUS-II-107-07-T001          | TRANSISTOR C337                          | 107-07-T001          | CQA(L)  | 219                       |         |
| 386  | Z1      | MRPI-TAURUS-II-G 3341167G           | TRANSISTOR 2SC4116 GRTE85R               | G 4341167G           | CQA(L)  | 36                        |         |
| 387  | Z1      | MRPI-TAURUS-II-G1090815             | IC TDA2003H                              | G1090815             | CQA(L)  | 63                        |         |
| 388  | Z1      | MRPI-TAURUS-II-G1090936             | ICHA 17805P                              | G1090936             | CQA(L)  | 53                        |         |
| 389  | Z1      | MRPI-TAURUS-II-G1090966             | IC RH5VL45AA-T1                          | G1090966             | CQA(L)  | 8                         |         |
| 390  | Z1      | MRPI-TAURUS-II-G1091454             | IC AN8005M (E1)                          | G1091454             | CQA(L)  | 8                         |         |
| 391  | Z1      | MRPI-TAURUS-II-G1091622             | IC M 67741 H-01                          | G1091622             | CQA(L)  | 387                       |         |
| 392  | Z1      | MRPI-TAURUS-II-G1091623             | ICM67741L-01                             | G1091623             | CQA(EW) | 697                       |         |
| 393  | Z1      | MRPI-TAURUS-II-G1091677             | IC NJM2904V-TE1                          | G1091677             | CQA(L)  | 39                        |         |
| 394  | Z1      | MRPI-TAURUS-II-G1091679             | IC NJM2900B-TE1                          | G1091679             | CQA(L)  | 20                        |         |
| 395  | Z1      | MRPI-TAURUS-II-G1091937             | IC SC370651 FR2                          | G1091937             | CQA(L)  | 11                        |         |
| 396  | Z1      | MRPI-TAURUS-II-G1092006             | IC BR93LC66RF-E2                         | G1092006             | CQA(L)  | 57                        |         |
| 397  | Z1      | MRPI-TAURUS-II-G1092195 OR G1092772 | IC MX 165BDW-TR OR ICMX 165CPW-TR        | G1092195 OR G1092772 | CQA(L)  | 7                         |         |
| 398  | Z1      | MRPI-TAURUS-II-G1092432             | IC MM1216ENRE                            | G1092432             | CQA(L)  | 4                         |         |
| 399  | Z1      | MRPI-TAURUS-II-G1092616 OR 1091605  | IC 5A4116FV-E2 OR IC TA31136FN (EL)      | G1092616 OR 1091605  | CQA(L)  | 12                        |         |
| 400  | Z1      | MRPI-TAURUS-II-G2070070             | DIODE HZM7C-TR                           | G2070070             | CQA(L)  | 62                        |         |
| 401  | Z1      | MRPI-TAURUS-II-G2070076             | DIODE 1SS321 TE85R                       | G2070076             | CQA(L)  | 80                        |         |
| 402  | Z1      | 5120-423776                         | NUT DRIVER                               | UGSHD-0147           | CQA(L)  | 2                         |         |
| 403  | Z1      | 5120-423832                         | SCREW DRIVER FLAT TIP                    | UGSHD-0121           | CQA(L)  | 9                         |         |
| 404  | Z1      | 5355-000814                         | KNOB SYNTHETIC RESIN PHENOLIC MOULDED 47 | CIL DRG 3056-7       | CQA(L)  | 67                        |         |
| 405  | Z1      | 5110-007461-BLADE                   | BLADE CABLE STRIPPER                     | UGSPE-0005           | CQA(L)  | 3                         |         |
| 406  | Z1      | MISC-1092-000-257-17                | SPIKE LIGHTENING ARRESTOR                | 1092-000-257-17      | CQA(L)  | 1                         |         |
| 407  | Z1      | MISC-1880619Z06                     | POTENTIOMETER VOLUME                     | 1880619Z06           | CQA(L)  | 20                        |         |
| 408  | Z1      | 5895-022439                         | MONITOR RADIO FREQUENCY                  | UGCM-20007           | CQA(L)  | 224                       |         |
| 409  | Z1      | 5905-009937                         | RESISTOR FIXED CARBON 220 K OHMS +/- 5%  |                      | CQA(L)  | 14                        |         |
| 410  | Z1      | MISC-4-52502-0000-P                 | TRANSISTOR 2N 6284                       | 4320-121-502-76      | CQA(L)  | 22                        |         |
| 411  | Z1      | 5820-007520                         | DETECTOR INSTRUSION PERSONNEL/VEHICLE SE | UGSPR-0008           | CQA(L)  | 722                       |         |
| 412  | Z1      | 5820-007546                         | KIT EQPT & ACCESSORIES RECEIVER (RM Z01) | UGCM-20013           | CQA(L)  | 222                       |         |
| 413  | Z1      | MISC-4648-005-101                   | BRIDGE RECTIFIER-BR68                    |                      | CQA(L)  | 303                       |         |
| 414  | Z1      | MISC-40211028135                    | SW DIODE 200V BAV 103                    |                      | CQA(L)  | 306                       |         |
| 415  | Z1      | MISC-40211029014                    | RECT FAST RECV 30A 400                   |                      | CQA(L)  | 454                       |         |

| S.No | COS Sec | Part Number                | Nomen                                    | Spec No                  | ASHP      | Likely qty to be procured | Remarks |
|------|---------|----------------------------|------------------------------------------|--------------------------|-----------|---------------------------|---------|
| 416  | Z1      | MISC-4017-2009-800         | CAP 1812 X 7R 1U 50V                     |                          | CQA(L)    | 237                       |         |
| 417  | Z1      | MISC-4018-600-1100         | BEAD EMI 1000 OHM                        |                          | CQA(L)    | 6                         |         |
| 418  | Z1      | MISC-4271-002-101          | TRANSISTOR,NPN BC846A                    |                          | CQA(L)    | 146                       |         |
| 419  | Z1      | MISC-4374-032-701          | TZM5248B-GS08                            |                          | CQA(L)    | 85                        |         |
| 420  | Z1      | MISC-4374-032-702          | TZM5258B-GS08                            |                          | CQA(L)    | 85                        |         |
| 421  | Z1      | 5340-173533                | PLATE MOUNTING BACK TOP RECEIVER MONITOR | UGSPK-0007               | CQA(L)    | 12                        |         |
| 422  | Z1      | MISC-1380525-Z01           | ESCUTCHEON TAP                           | 1380525 Z01              | CQA(L)    | 112                       |         |
| 423  | Z1      | MISC-1380528-Z01           | BEZEL SIDE CONTROL                       | 1380528-Z01              | CQA(L)    | 67                        |         |
| 424  | Z1      | 4920-000897                | CABLE ASSY INTERFACE DEVICE ELECTRICAL   | UGWI-4004                | CQA(L)    | 17                        |         |
| 425  | Z1      | MISC-1586335-Z12           | CABINET FRONT ASSY                       | 1586335Z12               | CQA(L)    | 111                       |         |
| 426  | Z1      | MISC-2187-127-0400         | CAP ELAL 220 HF ,250V.                   |                          | CQA(L)    | 19                        |         |
| 427  | Z1      | MISC-2187-127-0600         | CAP ELAL 10UF,350V                       |                          | CQA(L)    | 52                        |         |
| 428  | Z1      | MISC-2187-230-5100         | FUSE, 2A 5X 20                           |                          | CQA(L)    | 711                       |         |
| 429  | Z1      | 5905-008901                | RHEOSTAT 1 OHMS 15/18A(203X51MM)         | VIMAN DRG VI/2KW/COM-6   | CQA(L)    | 30                        |         |
| 430  | Z1      | 5820-007547                | MOUNGING ASSEMBLY PIR SCOPE(DETECTOR)    |                          | CQA(L)    | 16                        |         |
| 431  | Z1      | MISC-3280533-Z05           | WARIS TOP CONTROL SEAL RUBBER            | 3280533-Z05              | CQA(L)    | 134                       |         |
| 432  | Z1      | MISC-4648-004-901          | SPDT RELAY-6V                            |                          | CQA(L)    | 42                        |         |
| 433  | Z1      | MISC-40210053035           | P-CH 20V 3A 2V7                          |                          | CQA(L)    | 8                         |         |
| 434  | Z1      | MISC-4080523Z02            | SWITCH TACT                              | 4080523Z02               | CQA(L)    | 22                        |         |
| 435  | Z1      | MISC-4976-000-074          | LED                                      |                          | Not Known | 9                         |         |
| 436  | Z1      | MISC-4976-000-079          | 22E,RESISTANCE PACK                      |                          | Not Known | 53                        |         |
| 437  | Z1      | MISC-4976-000-157          | HSCX,SAB82526N                           |                          | Not Known | 2                         |         |
| 438  | Z1      | MISC-4976-000-164          | TRANSRCVR OPTICAL SCM7101-GC             |                          | CQA(L)    | 10                        |         |
| 439  | Z1      | MISC-4976-000-173          | MISC IC, RC7235                          |                          | CQA(L)    | 9                         |         |
| 440  | Z1      | MISC-4976-000-186          | TRF VOICE CEPT T1/E1 PORT                |                          | CQA(L)    | 9                         |         |
| 441  | Z1      | MISC-4947-000-901          | GD TUBE                                  |                          | CQA(L)    | 50                        |         |
| 442  | Z1      | MISC-4947-000-903          | COMM ON MODE CHOKE                       |                          | CQA(L)    | 79                        |         |
| 443  | Z1      | MISC-7580532-Z01           | SIDE CONTROL KEY PAD                     | -7580532-Z01             | CQA(L)    | 115                       |         |
| 444  | Z1      | MISC-4976-000-043          | CPLD(INDUSTRIAL)EPM240T100-I5N           |                          | CQA(L)    | 22                        |         |
| 445  | Z1      | 5961-017095                | TRANSISTOR TYPE 2N 5401(DRG NO.48 033 12 | CDIL TYPE NO 2N 5401     | CQA(L)    | 4                         |         |
| 446  | Z1      | 5961-003169                | TRANSISTOR PNP TYPE SK 100B              | HINDUSTAN CONDUCTORS LTD | CQA(L)    | 15                        |         |
| 447  | Z1      | 5961-002140                | TRANSISTOR TYPE SL 100B                  | PHILIPS 933396210703     | CQA(L)    | 32                        |         |
| 448  | Z1      | 5962-670757                | MICRO CIRCUIT DIGITAL TYPE ICPG-400      | UGPL-60020               | CQA(L)    | 38                        |         |
| 449  | Z1      | MISC-HLN-9820A             | DUST COVER                               | HLN9820A                 | CQA(L)    | 34                        |         |
| 450  | Z1      | 5962-673668                | MICROCIRCUIT DIGITAL CMOS 8 BIT MICROPRO | UGSIC-0060               | CQA(L)    | 11                        |         |
| 451  | Z1      | 5962-673709                | MICROCIRCUIT, LINEAR TYPE UM 91214B      | DA3B2701800B3C1          | CQA(L)    | 277                       |         |
| 452  | Z1      | 7025-000383                | PRINTER AUTOMATIC DATA PROCESSING DOT MA | UGSCP-0002               | CQA(L)    | 4                         |         |
| 453  | Z1      | 8105-000941                | BAG CLOTH CANVAS CARRYING RM 201 RECEIVE | UGCM-20034               | CQA(L)    | 26                        |         |
| 454  | Z1      | 5985-012704                | ANTENNA RADIO SET (R/M 201) RUBBER DUCKY | UGSCM-0003               | CQA(L)    | 61                        |         |
| 455  | Z1      | MISC-NAE-6483AR            | UHF HELICAL ANTENNA                      | HLE6483AR                | CQA(L)    | 228                       |         |
| 456  | Z1      | 5963-008141                | CHOPPER ELECTRONIC 5V DC TO 71V AC 490HZ | UGSIC-0005               | CQA(L)    | 6                         |         |
| 457  | Z1      | 6350-001230                | PROCESSOR SURVEILLANCE DATA              | MISCUGSUGCM20025         | CQA(L)    | 225                       |         |
| 458  | Z1      | 5965-003750                | HAND SET ELECTRICAL UGS                  | UGSPS-0018               | CQA(L)    | 132                       |         |
| 459  | Z1      | 5961-005426                | TRANSISTOR TYPE MPSA 92                  | DA1B-1000195-D1A2        | CQA(L)    | 1                         |         |
| 460  | Z1      | 5985-012487                | ANTENNA ROUND PLANE 108-1300-MHZ TYPE RA | UGCM-0001                | CQA(L)    | 29                        |         |
| 461  | Z1      | MISC-TADIRAN-40210022835   | P-CH 200V SMD -220                       |                          | CQA(L)    | 55                        |         |
| 462  | Z1      | MISC-TADIRAN-40210042035   | RF PWR MOS FET1                          |                          | CQA(L)    | 10                        |         |
| 463  | Z1      | MISC-TADIRAN-4021-104-0835 | ZENER 0.4W 7.5V 5% SMD                   |                          | CQA(L)    | 45                        |         |
| 464  | Z1      | 6130-003894                | CHARGER BATTERY LEAD ACID UGS            | UGS PS - 0016            | CQA(L)    | 76                        |         |
| 465  | Z1      | 6130-003895                | CHARGER BATTERY NI-CAD PG 400/RM 201 UGS | UGSPS-0017               | CQA(L)    | 536                       |         |
| 466  | Z1      | 6130-004165                | INVERTOR, POWER STATIC 400 HZ LPS SERIES | UGSPS-0009               | CQA(L)    | 340                       |         |

| S.No | COS Sec | Part Number                     | Nomen                                    | Spec No                 | ASHP    | Likely qty to be procured | Remarks |
|------|---------|---------------------------------|------------------------------------------|-------------------------|---------|---------------------------|---------|
| 467  | Z1      | AR5000-RES-20D5C-201-1          | ROTARY ENCODER RES 20D50-201-1           |                         | CQA(EW) | 16                        |         |
| 468  | Z1      | 5995-020536                     | CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICA | UGWI-40018              | CQA(L)  | 109                       |         |
| 469  | Z1      | 5995-020616                     | CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICA | UGSPK-90018             | CQA(L)  | 37                        |         |
| 470  | Z1      | AR-5000-17C-RD121A5-3P          | AC ADAPTER 17C-RD121 A5-3P               |                         | CQA(EW) | 20                        |         |
| 471  | Z1      | 5995-020534                     | CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICA | UGWI-40009              | CQA(L)  | 1                         |         |
| 472  | Z1      | 5995-020535                     | CABLE ASSEMBLY RF WHIP ANTENNA ADAPTER   | UGWI-40026              | CQA(L)  | 67                        |         |
| 473  | Z1      | AR-5000-NJM-2043M               | IF COMP NJM 2043M                        |                         | CQA(EW) | 20                        |         |
| 474  | Z1      | AR-5000-PVB-35-KC1NAI-2-24PCE   | ROTARY ENCORDER PVB35 KCINAI-2-24 PCE    |                         | CQA(EW) | 23                        |         |
| 475  | Z1      | AR-5000-RK-097-50KA             | POTENTIOMETER VOL RK 097-50KA            |                         | CQA(EW) | 32                        |         |
| 476  | Z1      | AR-5000-S-80840 ANUP            | AR 5 POW 3S-80840 ANUP/P11 COMPS-80840 A |                         | CQA(EW) | 42                        |         |
| 477  | Z1      | AR-5000-SK-HLAC                 | FUNCTION SWITCH SK HLAC                  |                         | CQA(EW) | 43                        |         |
| 478  | Z1      | AR-5000-SQL-RK-097-10KC         | POTENTIOMETER SQL-RK 097-10KC            |                         | CQA(EW) | 35                        |         |
| 479  | Z1      | AR-5000-TA79L05F                | IC TA79 L05F                             |                         | CQA(EW) | 45                        |         |
| 480  | Z1      | AR-5000-TC-4SU-69-F             | IC TC 4SU 69F                            |                         | CQA(EW) | 12                        |         |
| 481  | Z1      | AR-5000-TC-4W-53F               | IC TC 4W 53F                             |                         | CQA(EW) | 19                        |         |
| 482  | Z1      | AR-5000-UPC-78-M06-AHF          | IC UPC 78 M06 AHF                        |                         | CQA(EW) | 49                        |         |
| 483  | Z1      | AR-5000-UPD-78P064GF-3BA        | MICRO PROCESSOR IC UPD 78 PO 64 GF       |                         | CQA(EW) | 53                        |         |
| 484  | Z1      | AR5000-526-8694-010(2.5KHZ)-MF2 | FILTER 526-8694-010 (2.5KHZ) MF2         |                         | CQA(EW) | 1                         |         |
| 485  | Z1      | AR5000-CSALA4M60G58-BO          | P11 COMP CSALA 4M60G58-BO                |                         | CQA(EW) | 12                        |         |
| 486  | Z1      | AR-5000-2SC-1623                | TRANSISTOR 2SC 1623                      |                         | CQA(EW) | 12                        |         |
| 487  | Z1      | AR-5000-2SJ-330                 | TRANSISTOR 2SJ 330                       |                         | CQA(EW) | 69                        |         |
| 488  | Z1      | AR-5000-2SB-624                 | TRANSISTOR 2SB 624                       |                         | CQA(EW) | 35                        |         |
| 489  | Z1      | AR-5000-3SK-131                 | TRANSISTOR 3SK 131                       |                         | CQA(EW) | 26                        |         |
| 490  | Z1      | AR-5000-KE-07648                | TRANSFORMER KE-07648                     |                         | CQA(EW) | 15                        |         |
| 491  | Z1      | AR-5000-470-UH                  | COIL 470 UH                              |                         | CQA(EW) | 7                         |         |
| 492  | Z1      | AR-5000-LA-4425A                | IC (AUDIO POWER )LA 4425A                |                         | CQA(EW) | 83                        |         |
| 493  | Z1      | AR-5000-MB-1501-PF              | PLL-IC MB 1501 PF                        |                         | CQA(EW) | 28                        |         |
| 494  | Z1      | AR-5000-NIS-501                 | HYBIRD IC DBM1 NIS-501                   |                         | CQA(EW) | 10                        |         |
| 495  | Z1      | AR-5000-DTC-124 EK              | TRANSISTER DTC 124 EK                    |                         | CQA(EW) | 31                        |         |
| 496  | Z1      | AR-5000-FMC 5                   | TRANSISTOR FMC 5                         |                         | CQA(EW) | 109                       |         |
| 497  | Z1      | AR-5000-NIS-502                 | HYBIRD IC DBM2 NIS-502                   |                         | CQA(EW) | 15                        |         |
| 498  | Z1      | AR-5000-FSX-027-WF              | GAAS, FET FSX027 WF/RF COMP, FSX027WF    |                         | CQA(EW) | 25                        |         |
| 499  | Z1      | AR-5000-KE-04980                | IF COMP KE 04980 TRANSFORMER             |                         | CQA(EW) | 28                        |         |
| 500  | Z1      | 5962-673857                     | MICRO CKT DGTL MT 9041BP REF 74 HCT 244  | PEUD-0007-4244-000      | CQA(L)  | 6                         |         |
| 501  | Z16     | MISC-BPTA-BTT3-5252-000-600     | MOUNT , ENGINE A/V WHIRLWIND ASSEMBLY    | -BPTA-BTT3-5252-000-600 | CQA(S)  | 11                        |         |
| 502  | Z16     | MISC-BPTA-BTT3-6163-000-000     | HATCH, TOP REAR ASSEMBLY BANSHEE         | BTT3-6163-000-000       | CQA(S)  | 1                         |         |
| 503  | Z16     | MISC-BPTA-BTT3-6412-000-000     | HARNESS WING,                            | BPTA-BTT3-6412-000-000  | CQA(S)  | 1                         |         |
| 504  | Z16     | MISC-BPTA-38-000200             | ABB CLOTH EMERY (BR) CORR GRIT 100 (SAND | 38000200                | CQA(S)  | 522                       |         |
| 505  | Z16     | MISC-BPTA-BTT3-0320-000-000     | TAPE INSULATING ROLL                     | 320000000               | CQA(S)  | 12                        |         |
| 506  | Z16     | MISC-BPTA-81-000378             | CLIP HOSE 18-25MM                        | 81000378                | CQA(S)  | 3                         |         |
| 507  | Z16     | MISC-BPTA-81-000529-2           | ASSEMBLY, CARBURETTOR                    | -BPTA-81-000529-2       | CQA(S)  | 1                         |         |
| 508  | Z16     | MISC-BPTA-81-000700             | ELBOW SWIVEL PULSE PIPE                  | 81000700                | CQA(S)  | 1                         |         |
| 509  | Z16     | MISC-BPTA-BTT3-0133-000-000     | TAPE ALUMINIUM FOIL ROLL                 | -BPTA-BTT3-0133-000-000 | CQA(S)  | 2                         |         |

| S.No | COS Sec | Part Number                 | Nomen                                      | Spec No                   | ASHP   | Likely qty to be procured | Remarks |
|------|---------|-----------------------------|--------------------------------------------|---------------------------|--------|---------------------------|---------|
| 510  | Z16     | MISC-BPTA-BTT3-0206-100-200 | PLUG CAP IGNITION                          | -BPTA-BTT3-0206-100-200   | CQA(S) | 1                         |         |
| 511  | Z1      | 5910-005800                 | CAPACITOR FIXED PAPER DIELECTRIC 6UF.600   | FB004                     | CQA(L) | 183                       |         |
| 512  | Z1      | IZA-6541                    | RECTIFIER ASSEMBLY METALLIC                | BOF5067092                | CQA(L) | 72                        |         |
| 513  | Z1      | IZA-6829                    | MICRO SWITCH 15 AMP CURRENT MATING         | CIL-2883                  | CQA(L) | 156                       |         |
| 514  | Z1      | BOF-6104938                 | RESISTOR                                   | 6104938                   | CQA(L) | 110                       |         |
| 515  | Z1      | BOF-6104980-2               | RESISTOR                                   | 6104980-2                 | CQA(L) | 27                        |         |
| 516  | Z1      | 5910-005799                 | CAPACITOR FIXED PAPER DIELECTRIC 1MFD      | YC-2-67                   | CQA(L) | 40                        |         |
| 517  | Z1      | 5930-001504                 | SWITCH ROTARY WITH LONG SHAFT 16A 250V A   | BOF6168882                | CQA(L) | 180                       |         |
| 518  | Z6      | MISC-AL-107251              | LOC TITE -326                              | AL-107251                 | CQA(E) | 20                        |         |
| 519  | Z       | 5920-910336                 | FUSE QUICK ACTING                          |                           | CQA(L) | 49                        |         |
| 520  | Z4      | 5962-675134                 | MICRO CIRCUIT DIGITAL MEGA SIC MA 4G 3.5   |                           | CQA(L) | 46                        |         |
| 521  | Z6      | MISC-ECIL-08-1057-014       | AA ALKALINE BATTERIES NI-CD BATTERY PACK   | ECIL-08-1057-014          | CQA(L) | 1037                      |         |
| 522  | Z18     | 7025-000385(Z18)            | DISPLAY UNIT (A) GPS                       |                           | CQA(L) | 94                        |         |
| 523  | Z       | 4720-102-502-38             | INDUCTIVE PROXIMITY SWITCH FOR M18 METAL   |                           | CQA(L) | 2                         |         |
| 524  | Z       | 5910-905428                 | CAP FXD ELET SOLID TANTALUM 220 *          |                           | CQA(L) | 2                         |         |
| 525  | Z       | 5961-000258                 | SEMI COND DEVICE DIODE ZENER TYPE CAZ *    |                           | CQA(L) | 11                        |         |
| 526  | Z       | MISC-YE-18-366-304          | STOP                                       |                           | CQA(L) | 7                         |         |
| 527  | Z       | 5905-926914                 | RESISTOR FIXED FILM NON-INS 75 OHMS +/- 5  |                           | CQA(L) | 9                         |         |
| 528  | Z       | 5905-926915                 | RESISTOR FIXED FILM NON-INS 82 OHMS +/- 5  |                           | CQA(L) | 9                         |         |
| 529  | Z       | 1041-000-330-49             | SYNCHRO GEAR BOX ASSY-ELEVATION            |                           | CQA(A) | 3                         |         |
| 530  | Z       | 5910-930241(Z)              | CAPACITOR FIXED PLASTIC DIELEC.INS. TUB.1  |                           | CQA(L) | 2                         |         |
| 531  | Z       | 5905-974003                 | RESISTOR VAR WW 50 OHMS +/-10% 1W LINEAR   | SPECN : JSS 50502 RV W 21 | CQA(L) | 3                         |         |
| 532  | Z       | 5905-930427                 | RESISTOR WW 3.3K OHMS +/- 5% 2.5W          |                           | CQA(L) | 4                         |         |
| 533  | Z       | 5905-901861                 | RESISTOR FIXED FILM INS 51 OHMS +/-5% 0.   |                           | CQA(L) | 416                       |         |
| 534  | Z       | 5905-927528                 | RESISTOR FIXED FILM NON-INS 680-OHMS +/-   | JSS 50401 RFG 9-0.25      | CQA(L) | 2                         |         |
| 535  | Z       | 5905-927093                 | RESISTOR FIXED METAL FILM 1.0W +/-10% 82K  |                           | CQA(L) | 43                        |         |
| 536  | Z       | 5910-907552                 | CAPACITOR FIXED ELECTROLYTICAL 100 UF 10   | 4060-001-005-006          | CQA(L) | 17                        |         |
| 537  | Z       | 5940-99-011-9111            | CLIP ELECT INS 0.25 IN DIA GRIP            |                           | CQA(L) | 81                        |         |
| 538  | Z       | MISC-41308473R-4            | CAPACIATOR SUPPRESSION RF 1 0.5 MFD +/- 20 | KEC 41308473R4            | CQA(L) | 4                         |         |
| 539  | Z       | 5961-906021                 | SEMICONDUCTOR DEVICE DIODE TYPE 40 HMR 4   |                           | CQA(L) | 9                         |         |
| 540  | Z17     | MISC-69875-07-002           | CRYSTAL FILTER 75 MHZ                      |                           | CQA(L) | 18                        |         |
| 541  | Z17     | STENTOR-4525-402-601-79     | FREQ GEN VCXO SMA-12031 14.989625 MHZ      |                           | CQA(L) | 2                         |         |
| 542  | Z17     | MISC-4976-000-060           | CRYSTAL,(INDUST.)20MHZ                     |                           | CQA(L) | 51                        |         |
| 543  | Z17     | 5955-017817                 | CRYSTAL UNIT QUARTZ 11.059 MHZ +/- 0.005%  |                           | CQA(L) | 12                        |         |
| 544  | Z17     | 5955-017862                 | CRYSTAL UNIT QUARTZ 14.74560 MHZ           |                           | CQA(L) | 27                        |         |
| 545  | Z17     | MISC-4976-000-270           | CRYSTAL 20 MHZ                             |                           | CQA(L) | 11                        |         |
| 546  | Z17     | MISC-4976-000-348           | CRYSTAL 25 MHZ                             |                           | CQA(L) | 1                         |         |
| 547  | Z17     | MISC-4976-000-570           | CRYSTAL OSCILLATOR 16 MHZ                  |                           | CQA(L) | 40                        |         |
| 548  | Z17     | MISC-4976-000-061           | CRYSTAL 24.576MHZ                          |                           | CQA(L) | 4                         |         |
| 549  | Z17     | MISC-4976-000-178           | CRYSTAL                                    |                           | CQA(L) | 2                         |         |
| 550  | Z18     | MISC-1750-006-511-28        | CABLE ASSY 4                               |                           | CQA(S) | 2                         |         |
| 551  | Z18     | MISC-1750-006-505-46        | CABLE ASSY 2                               |                           | CQA(S) | 2                         |         |
| 552  | Z18     | 7025-000384(Z18)            | DISPLAY UNIT (M) GPS                       |                           | CQA(L) | 105                       |         |
| 553  | Z18     | MISC-1750-006-508-37        | CABLE ASSY 3                               |                           | CQA(S) | 19                        |         |
| 554  | Z2      | IZB-0176                    | SYPHON ACID NO 1516                        | NA                        | CQA(L) | 67                        |         |
| 555  | Z4      | MISC-6503-102-501-13        | AMMETER AC 0-40 AMP                        |                           | CQA(L) | 1                         |         |
| 556  | Z4      | 6625-002152                 | LOGIC TROUBLE SHOOTING KIT NAHP 5023A CO   | HP-5023A                  | CQA(L) | 2                         |         |
| 557  | Z4      | MISC-4740-400-808-71        | AC VOLT METER 0-600V MAKE AE 72S Q MM      | 4740-400-808-71           | CQA(L) | 4                         |         |
| 558  | Z4      | MISC-4740-400-809-68        | FREQUENCE METER DIGITAL MAKE MECO 72 SQ    |                           | CQA(L) | 4                         |         |
| 559  | Z4      | MISC-4740-400-810-65        | DC AMMETER 0-15 AMPS MECO MAKE             | 4740-400-810-65           | CQA(L) | 2                         |         |
| 560  | Z4      | MISC-4740-400-811-62        | DC VOLTMETER 0.50N MECO MAKE               | 4740-400-811-62           | CQA(L) | 6                         |         |
| 561  | Z4      | 6625-002401                 | AMMETER DC MC 0.1.5A FSD 65MM, BODY DIA    | NA                        | CQA(L) | 7                         |         |

| S.No | COS Sec | Part Number                | Nomen                                    | Spec No         | ASHP    | Likely qty to be procured | Remarks |
|------|---------|----------------------------|------------------------------------------|-----------------|---------|---------------------------|---------|
| 562  | Z4      | 6625-002402                | VOLTMETER DC MOVING COIL 0-50V FSD 65MM  | DEL-CM-166B     | CQA(L)  | 43                        |         |
| 563  | Z4      | 6625-000162                | SCREW B.A SPECIAL BRASS C'SK HD NO. 12 X |                 | CQA(L)  | 206                       |         |
| 564  | Z4      | IZD-1510                   | AMMETER AC MOVING IRON 0.25A 69MM ROUND  | NA              | CQA(L)  | 1                         |         |
| 565  | Z4      | MISC-TE-1676-15            | FREQUENCY METER 45-55 HZ 96 SQMM (REED T |                 | CQA(L)  | 1                         |         |
| 566  | Z4      | MISC-TV2-739-002SP         | METER 122-3/1 T-7M3(NV)                  |                 | CQA(L)  | 3                         |         |
| 567  | Z4      | MISC-MODEL-NO-4901-05-4010 | TRANSISTOR 2N 5401                       |                 | CQA(L)  | 23                        |         |
| 568  | Z4      | WY-2284                    | TESTER RESISTANCE EARTH NO.1 LOD 3366 (E |                 | CQA(L)  | 4                         |         |
| 569  | Z4      | 5999-006840                | PANEL PRINTED CIRCUIT EXTERNAL TRIGGER   |                 | CQA(L)  | 4                         |         |
| 570  | Z4      | MISC-4732-114-701-08       | MULTIMETER DGT L WITH ONE SET OF TEST *  |                 | CQA(L)  | 4                         |         |
| 571  | Z4      | 5995-020762                | CABLE ASSY SPL PURP ELECT 1M LONG *      |                 | CQA(L)  | 7                         |         |
| 572  | Z4      | 5995-000212                | CABLE ASSY SPECIAL PURPOSE ELECTRICAL 2A |                 | CQA(L)  | 23                        |         |
| 573  | Z4      | MISC-4730-401-505-51       | MICRO AMMETER PANEL MOUNTED              |                 | CQA(L)  | 2                         |         |
| 574  | Z4      | 1290-001026                | FUZE SETTER M15 A2 (51000 077/IND)       | 51000077/IND    | CQA(R)  | 1283                      |         |
| 575  | Z4      | 5935-000508                | JACK TIP                                 |                 | CQA(L)  | 27                        |         |
| 576  | Z4      | MISC-HP-NO-1854-0237       | TRANSISTOR 2N 37                         |                 | CQA(L)  | 1                         |         |
| 577  | Z4      | SANSAR-010-002             | TEST ADAPTOR (AM/I/F)                    |                 | CQA(L)  | 7                         |         |
| 578  | Z4      | 6625-003903                | VOLTMETER DC MC 0-60V 66.7MM BODY DIA HE | 2121-993-150-85 | CQA(L)  | 1                         |         |
| 579  | Z4      | 6625-003213                | VOLTMETER AC MI 0-300V 90MM SQ BODY FLUS | EL/S-1480-28-01 | CQA(L)  | 12                        |         |
| 580  | Z4      | 5920-99-059-0136           | FUSE LINK CARTRIDGE                      |                 | CQA(L)  | 20                        |         |
| 581  | Z5      | 6665-000166                | ELECTRONIC MODULE 2-3021(4.125.04.1031.0 |                 | CQA(L)  | 4                         |         |
| 582  | Z5      | 6665-000167                | ELECTRONIC MODULE 3022                   |                 | CQA(L)  | 2                         |         |
| 583  | Z5      | MISC-TM-245-052            | CONNECTOR 9 PIN DSUB MALE UNLOAD         | TM-245-052      | CQA(FE) | 11                        |         |
| 584  | Z5      | MISC-BF2909990519          | DUST COVER 6PIN MIL PLUG CAP WITH TETHER |                 | CQA(L)  | 6                         |         |
| 585  | Z5      | MISC-BF2902440123          | SHOULDER BELT BFL3                       |                 | CQA(L)  | 2                         |         |
| 586  | Z5      | MISC-BF2902440095          | TEST TUBE "GPR FLUSH "                   |                 | CQA(L)  | 13                        |         |
| 587  | Z5      | MISC-BF2902440094          | TEST TUBE "GPR DEEP"                     |                 | CQA(L)  | 13                        |         |
| 588  | Z5      | MISC-BF2902440075          | TEST PIECE "MINE HOUND FLUSH"            |                 | CQA(L)  | 13                        |         |
| 589  | Z5      | MISC-BF2902440026          | HEAD SET CPLT BFL3                       |                 | CQA(L)  | 7                         |         |
| 590  | Z5      | MISC-BF29E2830024          | SPARE PART KIT GPR CIRCUIT BOARD BFL3    |                 | CQA(L)  | 7                         |         |
| 591  | Z5      | MISC-BF2909990733          | NON MAGNETIC TEST PIECE                  |                 | CQA(L)  | 2                         |         |
| 592  | Z5      | MISC-BF8902290011          | SCREW BRAKE BFL3                         |                 | CQA(L)  | 2                         |         |
| 593  | Z5      | MISC-BF8902830007          | ARMREST BFL3                             |                 | CQA(L)  | 24                        |         |
| 594  | Z5      | MISC-BF2902830033          | DEHYDRATING CAPSULE                      |                 | CQA(L)  | 11                        |         |
| 595  | Z5      | MISC-BF5900001010          | BATTERY CHARGER CPLT WITH CABLE, 100-240 |                 | CQA(L)  | 13                        |         |
| 596  | Z5      | MISC-BF8902440070          | SEARCH HEAD CLIP                         |                 | CQA(L)  | 17                        |         |
| 597  | Z5      | MISC-BF2902440015          | THREADED CAP BFL3                        |                 | CQA(L)  | 9                         |         |
| 598  | Z5      | MISC-BF9030103010          | O-RING 36X1.5 HARDNESS 70 SHOR           |                 | CQA(L)  | 6                         |         |
| 599  | Z5      | MISC-BF29E2830014          | SET CONTROL UNIT WITH HOUSING BFL3       |                 | CQA(L)  | 6                         |         |
| 600  | Z5      | MISC-BF29E2830025          | SET POWER BOARD WITH MD-MODULE BFL3      |                 | CQA(L)  | 2                         |         |
| 601  | Z5      | MISC-BF6043001008          | FPGA (IC45) FOR MD PCB                   |                 | CQA(L)  | 6                         |         |
| 602  | Z5      | MISC-BF6041301008          | PROCESSOR (IC48)FOR MD PCB               |                 | CQA(L)  | 9                         |         |
| 603  | Z5      | MISC-BF6060401002          | BAT64-04 SOT23 SCHCTRKY DIODE ARRAY FOR  |                 | CQA(L)  | 6                         |         |
| 604  | Z5      | MISC-BF29E2830026          | SET BOTTOM WITH CARRY BAR & SEARCH HEAD  |                 | CQA(L)  | 9                         |         |
| 605  | Z5      | MISC-BF2902830020          | BATTERY CASING CPLT BEL3                 |                 | CQA(L)  | 6                         |         |
| 606  | Z5      | MISC-BF5110601020          | Snap-fit for connector                   |                 | CQA(L)  | 13                        |         |
| 607  | Z5      | MISC-BF8909990839          | HEXAGON SOCKET SCREW                     |                 | CQA(L)  | 22                        |         |
| 608  | Z5      | MISC-BF8902440073          | SEAL FOR SEARCH HEAD                     |                 | CQA(L)  | 18                        |         |
| 609  | Z5      | MISC-BF8902830016          | GASKET MMI                               |                 | CQA(L)  | 11                        |         |

| S.No | COS Sec | Part Number              | Nomen                                    | Spec No          | ASHP     | Likely qty to be procured | Remarks |
|------|---------|--------------------------|------------------------------------------|------------------|----------|---------------------------|---------|
| 610  | Z5      | MISC-BF29E2830029        | gasket for detector housing              |                  | CQA(L)   | 11                        |         |
| 611  | Z5      | MISC-BF9030601016        | FOAMED RUBBER GASKET 0.9M                |                  | CQA(L)   | 11                        |         |
| 612  | Z6      | 4858-001-363-32S         | PTFE WIRE 19 X 0.25                      |                  | CQA(L)   | 12                        |         |
| 613  | Z6      | MISC-ECIL-08-1057-039    | IC W 748                                 | 08-1057-039      | CQA(L)   | 2                         |         |
| 614  | Z6      | MISC-ECIL-08-1057-041    | IC M 734                                 | 08-1057-041      | CQA(AVL) | 6                         |         |
| 615  | Z6      | MISC-ECIL-08-1057-042    | 606 T MOSFET                             | 08-1057-042      | CQA(L)   | 3                         |         |
| 616  | Z6      | MISC-ECIL-08-1057-043    | IC DS 1644(RAM)                          | ECIL-08-1057-043 | CQA(AVL) | 3                         |         |
| 617  | Z6      | MISC-ECIL-08-1057-052    | TRANS EN ABSORBER (SMD) 16V              | 08-1057-052      | CQA(L)   | 47                        |         |
| 618  | Z6      | MISC-ECIL-08-1057-053    | ELECTROLYTE CAPACITOR 33UF 63V           | ECIL-08-1057-053 | CQA(L)   | 2                         |         |
| 619  | Z6      | MISC-ECIL-08-1057-056    | LED 3 LED WITH CONNECTOR 0.7V            | 08-1057-056      | CQA(L)   | 22                        |         |
| 620  | Z6      | MISC-ECIL-08-1057-057    | SINGLE LED 0.7V WITH SINGLE CONNECTOR    | ECIL-08-1057-057 | CQA(AVL) | 47                        |         |
| 621  | Z6      | MISC-ECIL-08-1058-004    | ASSY CLIP SUCTION CUP                    | 08-1058-004      | CQA(L)   | 345                       |         |
| 622  | Z6      | MISC-ECIL-08-1058-005    | LANYARD STRAP                            | 08-1058-005      | CQA(L)   | 177                       |         |
| 623  | Z6      | MISC-ECIL-08-1058-008    | BTY CLIP                                 | ECIL-08-1058-008 | CQA(L)   | 562                       |         |
| 624  | Z6      | MISC-ECIL-08-1058-014    | ANTENNA POLE SECTION 50 CM LENGTH        | 675-41-SB-114    | CQA(L)   | 54                        |         |
| 625  | Z6      | MISC-ECIL-08-1057-000    | GG SURVEYER RECEIVER (2 MB, 24 CHANNEL)  | ECIL-08-1057-000 | CQA(L)   | 109                       |         |
| 626  | Z6      | MISC-ECIL-08-1057-003    | HUSKY TO PC CABLE                        | MISC-08-1058-003 | CQA(L)   | 1                         |         |
| 627  | Z6      | MISC-ECIL-08-1058-033    | IR 9010                                  | ECIL-08-1058-033 | CQA(AVL) | 5                         |         |
| 628  | Z6      | MISC-ECIL-08-1058-034    | IC HC 4066                               | ECIL-08-1058-034 | CQA(L)   | 5                         |         |
| 629  | Z6      | MISC-ECIL-08-1058-037    | IC HC 139                                | ECIL-08-1058-037 | CQA(L)   | 14                        |         |
| 630  | Z6      | MISC-ECIL-08-1058-039    | CAPACITOR 0.1F/5.5V                      | ECIL-08-1058-039 | CQA(L)   | 7                         |         |
| 631  | Z6      | MISC-ECIL-08-1058-049    | PROMARK X DATA CONNECTOR                 | 08-1058-049      | CQA(L)   | 10                        |         |
| 632  | Z6      | MISC-ECIL-08-1058-051    | X-IAL 983 ECSL                           | 81058051         | CQA(L)   | 12                        |         |
| 633  | Z6      | MISC-ECIL-08-1058-052    | X-IAL NS 40042                           | 81058052         | CQA(L)   | 2                         |         |
| 634  | Z6      | MISC-ECIL-08-1058-053    | IC-MX COM MX 569 DW                      | ECIL-08-1058-053 | CQA(L)   | 42                        |         |
| 635  | Z6      | MISC-ECIL-08-1059-000    | TECHNICAL TOOL KIT (ELECTRONIC)          | ECIL-08-1059-000 | CQA(L)   | 19                        |         |
| 636  | Z6      | MISC-ECIL-08-1063-000    | DE-SOLDERING EQUIPMENT VACCUM SUCKING    | AD10007          | CQA(L)   | 24                        |         |
| 637  | Z6      | MISC-ECIL-08-1064-000    | CRIMPING TOOL                            | ECIL-08-1064-000 | CQA(L)   | 21                        |         |
| 638  | Z6      | MISC-ECIL-08-1065-000    | DIGITAL MULTIMETER                       | ECIL-08-1065-000 | CQA(L)   | 23                        |         |
| 639  | Z6      | MISC-488-WO-273-0040     | AV FOC-VIDEO MODEM AUDIO CABLE           |                  | CQA(R)   | 5                         |         |
| 640  | Z6      | MISC-MC-2C-2853          | BACK LIGHT INVERTOR                      |                  | CQA(AVL) | 2                         |         |
| 641  | Z6      | URAL-FIG-100-ITEM-14     | BODY ASSY 12-10                          |                  | CQA(AVL) | 33                        |         |
| 642  | Z6      | PB3-624-028              | CONTROL PANEL                            |                  | CQA(AVL) | 59                        |         |
| 643  | Z6      | 1015-000709              | TRAIL LEFT ASSY                          |                  | CQA(L)   | 6                         |         |
| 644  | Z6      | 6110-001177              | DISTRUBUTION BOX KR 175 IC               |                  | CQA(AVL) | 515                       |         |
| 645  | Z6      | 4933-000320#1            | TESTER FIRING CIRCUIT 105-IFG            |                  | CQA(AVL) | 535                       |         |
| 646  | Z6      | 6625-019161              | ENG SHUTDOWN UNIT (CONTROL INDICATOR *   | BOD-IS-000TU     | CQA(AVL) | 184159                    |         |
| 647  | Z6      | PINAKA-TPCL-107100019852 | 5V VICOR PCB ASSY                        |                  | CQA(L)   | 2                         |         |
| 648  | Z6      | PINAKA-TPCL-107100020337 | VICCOR 15V OUTPUT POWER SUPPLY MODULE PC |                  | CQA(R)   | 2                         |         |
| 649  | Z6      | PINAKA-TPCL-107100020434 | EM BRAKE DRIVE AND AMPLIFIER DISABLE COM |                  | CQA(R)   | 2                         |         |
| 650  | Z6      | PINAKA-TPCL-107100020531 | BAHM CONTROL PCB ASSY                    |                  | CQA(R)   | 2                         |         |
| 651  | Z6      | PINAKA-TPCL-107100020725 | AUX COMPUTER TRANSITION PCB ASSY         |                  | CQA(L)   | 3                         |         |
| 652  | Z6      | PINAKA-TPCL-107100020822 | KBD & MICRO CONTROLLER PCB ASSY          |                  | CQA(R)   | 2                         |         |
| 653  | Z6      | PINAKA-TPCL-107100020919 | OUTIRIGGER CONTROLLER IN OC PCB ASSY     |                  | CQA(R)   | 2                         |         |
| 654  | Z6      | PINAKA-TPCL-107100021016 | OPERATIONAL INTERLOCK PCB ASSY           |                  | CQA(R)   | 2                         |         |
| 655  | Z6      | PINAKA-TPCL-107100021113 | 12V VICOR PCB ASSY                       |                  | CQA(R)   | 2                         |         |
| 656  | Z6      | PINAKA-TPCL-107100021307 | SERIAL I/O ISOLATION PCB ASSY            |                  | CQA(R)   | 2                         |         |
| 657  | Z6      | PINAKA-TPCL-107100021404 | VME POWER SUPPLY PCB ASSY                |                  | CQA(R)   | 2                         |         |
| 658  | Z6      | PINAKA-TPCL-107100021986 | ANALOG IO INTERFACE PCB ASSY             |                  | CQA(L)   | 2                         |         |

| S.No | COS Sec | Part Number                  | Nomen                                    | Spec No              | ASHP     | Likely qty to be procured | Remarks |
|------|---------|------------------------------|------------------------------------------|----------------------|----------|---------------------------|---------|
| 659  | Z6      | PINAKA-TPCL-107100022277     | FCM CPU PCB ASSY                         |                      | CQA(R)   | 2                         |         |
| 660  | Z6      | PINAKA-TPCL-107100022374     | ROCKET FIRING DRIVER PCB ASSY            |                      | CQA(R)   | 2                         |         |
| 661  | Z6      | PINAKA-TPCL-107100022471     | FIRING INTERLOCK PCB ASSY                |                      | CQA(L)   | 2                         |         |
| 662  | Z6      | PINAKA-TPCL-107100022568     | FUSE INTERFACE AND DISTRIBUTION PCB ASSY |                      | CQA(R)   | 2                         |         |
| 663  | Z6      | PINAKA-TPCL-107100022665     | CALEX POWER SUPPLY PCB ASSY              |                      | CQA(R)   | 2                         |         |
| 664  | Z6      | PINAKA-TPCL-107100023247     | EM BRAKE CONTROL PCB ASSY                |                      | CQA(R)   | 2                         |         |
| 665  | Z6      | PINAKA-TPCL-107100023538     | EARTHING RESISTOR PCB ASSY               |                      | CQA(L)   | 2                         |         |
| 666  | Z6      | PINAKA-TPCL-107100023926     | POWER RELAY INTERFACE PCB ASSY           |                      | CQA(R)   | 2                         |         |
| 667  | Z6      | PINAKA-TPCL-107100024508     | ON-OFF VALVE DRIVER PCB ASSY             |                      | CQA(L)   | 2                         |         |
| 668  | Z6      | PINAKA-TPCL-107100027515     | LEVEL SENSOR DATA PROCESSING PCB ASSY    |                      | CQA(L)   | 2                         |         |
| 669  | Z6      | PINAKA-TPCL-107100028291     | MODE SELECTION RELAY PCB ASSY            |                      | CQA(R)   | 2                         |         |
| 670  | Z6      | MISC-ECIL-08-1057-054        | TWO WAY SWITCHES OR TOGGLE SWITCHES      | ECIL-08-1057-054     | CQA(AVL) | 12                        |         |
| 671  | Z6      | MISC-ECIL-PM3X-08-1080-02    | RS 232 CABLE LIMO TO DB9I/O,DC ADAPTER C | 8108002              | CQA(L)   | 46                        |         |
| 672  | Z6      | MISC-ECIL-PM3X-08-1080-03    | OFFICE MODULE (IO MODULE )               |                      | CQA(R)   | 7                         |         |
| 673  | Z6      | MISC-ECIL-PM3X-08-1080-04    | ELASTIC / VETERO HAND STRAP              |                      | CQA(R)   | 41                        |         |
| 674  | Z6      | MISC-ECIL-PM3X-08-1080-05    | MOBILE MAPPER OFFICE SOFTWARE ON CD      |                      | CQA(R)   | 9                         |         |
| 675  | Z6      | MISC-ECIL-PM3X-08-1080-07    | PROMARK 3X MANUAL ON CD                  |                      | CQA(R)   | 9                         |         |
| 676  | Z6      | MISC-ECIL-PM3X-08-1080-08    | LI-ION BATTERY ( 3.7V,3.960 AH)          | ECIL-PM3X-08-1080-08 | CQA(L)   | 742                       |         |
| 677  | Z6      | MISC-ECIL-PM3X-08-1080-09    | PDL ROVER CORRECTION MODEM (MODEL PDL 45 | 08-1080-09           | CQA(L)   | 77                        |         |
| 678  | Z6      | MISC-ECIL-PM3X-08-1080-11    | DATA CABLE FOR PROMARK 3X (USB CABLE)    |                      | CQA(R)   | 21                        |         |
| 679  | Z6      | MISC-ECIL-PM3X-08-1080-12A   | SWITCHING AC-ADOPTER(12 VDC, 1.66A) WITH |                      | CQA(R)   | 65                        |         |
| 680  | Z6      | MISC-ECIL-PM3X-08-1080-13    | PDL(POSITIONING DATA LINK ) MANUAL ON CD |                      | CQA(R)   | 23                        |         |
| 681  | Z6      | MISC-ECIL-PM3X-08-1080-14    | BACK PACK (CARRY BAG)                    |                      | CQA(R)   | 5                         |         |
| 682  | Z6      | MISC-ECIL-PM3X-08-1080-15    | STYLUS PEN (TOUCH PEN)                   | ECIL-PM3X-08-1080-15 | CQA(L)   | 247                       |         |
| 683  | Z6      | MISC-ECIL-PM3X-08-1080-16    | MODEM ADAPTER (FEMALE TO FEMALE)         |                      | CQA(R)   | 1                         |         |
| 684  | Z6      | MISC-ECIL-PM3X-08-1080-17A   | MODEM CABLE (POGO-DB9M)                  | 08-1080-17           | CQA(L)   | 69                        |         |
| 685  | Z6      | MISC-ECIL-PM3X-08-1080-3A    | USB CABLE                                |                      | CQA(R)   | 11                        |         |
| 686  | Z6      | MISC-ECIL-PM3X08-1080-06     | SWITCHING ADAPTER (12VDC,1A) WITH 4 NOS  | ECIL-PM3X08-1080-06  | CQA(L)   | 173                       |         |
| 687  | Z6      | PINAKA-TPCL-303000927494     | PLAIN WASHER ,SST M3                     |                      | CQA(L)   | 460                       |         |
| 688  | Z6      | PINAKA-TPCL-458710023652     | VAG SVGA-XGA-ZXGA AND VIDEO INFORMATION  |                      | CQA(R)   | 2                         |         |
| 689  | Z6      | PINAKA-TPCL-458710101640     | VME 64X BACK PLANE 6U J1/A2 9SLOT WITH A |                      | CQA(R)   | 2                         |         |
| 690  | Z6      | PINAKA-TPCL-472010250335     | INDUCTIVE PROXIMITY SWITCH TYPE NO -II 5 |                      | CQA(R)   | 2                         |         |
| 691  | Z6      | MISC-PANEL MOUNT BNC         | VIDEO CONNECTOR                          |                      | CQA(L)   | 2                         |         |
| 692  | Z6      | MISC-TFCS-1B-4360-117-503-06 | IC CD 4049 UBI                           |                      | CQA(AVL) | 7                         |         |
| 693  | Z6      | MISC-ECIL-08-1058-023        | CAPACITOR (TANTALUM 10 UF)               | 81058023             | CQA(L)   | 6                         |         |
| 694  | Z6      | MISC-ECIL-08-1058-027        | IC TC 5185 12 AFT-70                     | ECIL-08-1058-027     | CQA(AVL) | 36                        |         |
| 695  | Z6      | MISC-ECIL-08-1058-028        | ICSP 310 ACT                             | ECIL-08-1058-028     | CQA(L)   | 21                        |         |
| 696  | Z6      | MISC-ECIL-08-1058-029        | IC LM 339D                               | ECIL-08-1058-029     | CQA(AVL) | 7                         |         |
| 697  | Z6      | MISC-ME-ASB-01               | ARM SUPPORT BRACKET                      |                      | CQA(R)   | 10                        |         |
| 698  | Z6      | MISC-ME-CTTL-01              | CHAIN TIGHTENING TOOL                    |                      | CQA(R)   | 10                        |         |

| S.No | COS Sec | Part Number               | Nomen                                    | Spec No                       | ASHP     | Likely qty to be procured | Remarks |
|------|---------|---------------------------|------------------------------------------|-------------------------------|----------|---------------------------|---------|
| 699  | Z6      | MISC-ME-WTTL-01           | WHEEL NUT TIGHTENING TOOL                |                               | CQA(R)   | 10                        |         |
| 700  | Z6      | MISC-ECIL-08-1057-011     | HI ROD                                   | 08-1057-011                   | CQA(L)   | 7                         |         |
| 701  | Z6      | MISC-ECIL-08-1057-017     | RECEIVER COMMUNICATION SOFTWARE          | 81057017                      | CQA(L)   | 20                        |         |
| 702  | Z6      | MISC-ECIL-08-1057-018     | PDL HIGH POWER BASE 35 WATT              | ECIL081057018                 | CQA(L)   | 32                        |         |
| 703  | Z6      | MISC-ECIL-08-1057-022     | ANTENNA MOUNT PLATE 8.5 INCH             | 08-1057-022                   | CQA(AVL) | 22                        |         |
| 704  | Z6      | MISC-ECIL-08-1057-024     | DATA POWER CABLE 35W MODEM TO PC         | 81057024                      | CQA(L)   | 17                        |         |
| 705  | Z6      | MISC-PP-SAK-01            | SHORT ALLEN KEYS                         |                               | CQA(R)   | 10                        |         |
| 706  | Z6      | MISC-PTU-46-17-5W         | PAN-TILT PLATFORM (PTP)                  | 4081280000000                 | CQA(E)   | 6                         |         |
| 707  | Z6      | MISC-PTU-D-46             | PAN TILT CONTROLLER WITH CABLE (PTC)     |                               | CQA(E)   | 3                         |         |
| 708  | Z6      | PINAKA-L&T-DD-400456-1    | SAV HARNESS                              | W-10035                       | CQA(A)   | 2                         |         |
| 709  | Z6      | PINAKA-L&T-DD-400458      | INVERTOR 400 HZ HARNESS                  | W-10035                       | CQA(A)   | 2                         |         |
| 710  | Z6      | PINAKA-L&T-DD-400460      | BAHM INTERNAL HARNESS                    | W-10035                       | CQA(A)   | 2                         |         |
| 711  | Z6      | PINAKA-L&T-DD-400461      | LCU HARNESS                              | W-10035                       | CQA(A)   | 2                         |         |
| 712  | Z6      | PINAKA-L&T-DD-400462      | RTFU HARNESS                             |                               | CQA(A)   | 2                         |         |
| 713  | Z6      | PINAKA-L&T-DD-900486      | RT FU CARD                               | W-10035                       | CQA(L)   | 5                         |         |
| 714  | Z6      | PINAKA-L&T-XL-92143       | TEMPERATURE CONTROLLER CARD              |                               | CQA(L)   | 1                         |         |
| 715  | Z6      | PINAKA-L&TDD-60004        | SERVO MOTOR                              |                               | CQA(L)   | 8                         |         |
| 716  | Z6      | PINAKA-L&TDD-900454-1-00  | PDU-RP                                   |                               | CQA(L)   | 2                         |         |
| 717  | Z6      | PINAKA-L&TDD-900456-1-00  | SERVO AMPLIFIER UNIT                     |                               | CQA(L)   | 10                        |         |
| 718  | Z6      | PINAKA-L&TDD-900463       | SERVO CONTROLLER CARD                    |                               | CQA(L)   | 6                         |         |
| 719  | Z6      | PINAKA-L&TDD-900481-1-00  | DISPLAY UNIT                             |                               | CQA(A)   | 3                         |         |
| 720  | Z6      | PINAKA-L&TDD-900539       | GATE DRIVER CARD                         |                               | CQA(L)   | 1                         |         |
| 721  | Z6      | PINAKA-L&TDD-900565       | 400 HZ INVERTER CARD                     |                               | CQA(R)   | 1                         |         |
| 722  | Z6      | PINAKA-TPCL-104100044107  | CPU (PENTIUM) MODULE ASSY                |                               | CQA(L)   | 2                         |         |
| 723  | Z6      | PINAKA-TPCL-107100018979  | PWM CONTROLLER PCB ASSY                  |                               | CQA(L)   | 2                         |         |
| 724  | Z6      | MISC-ECIL-08-1058-012     | UHF ROVER ANTENNA                        | ECIL-08-1058-012              | CQA(L)   | 60                        |         |
| 725  | Z6      | MISC-ECIL-08-1058-036     | IC TC 5185 12AFT-70                      | ECIL-08-1058-036              | CQA(AVL) | 19                        |         |
| 726  | Z6      | MISC-ECIL-08-1057-021     | CABLE ASSY N/BNC RG 8X15FT               | 080-1057-021                  | CQA(L)   | 68                        |         |
| 727  | Z6      | MISC-T-90S-7064-03-00-002 | GASKET                                   |                               | CQA(AVL) | 106                       |         |
| 728  | Z6      | MISC-ECIL-08-1058-017     | BATTERY CHARGER WITH CABLE               | ECIL081058017                 | CQA(L)   | 504                       |         |
| 729  | Z9      | IZB-0049                  | CARRIER BATTERY SECONDARY PORTABLE IZ.A  |                               | CQA(L)   | 22                        |         |
| 730  | Z9      | IZJ-0080                  | CLIP ELECTRICAL BUILD OG M.S. CAD PLATED | F-016301/01                   | CQA(L)   | 11                        |         |
| 731  | Z9      | IZJ-0081                  | CLIP ELECTRICAL BUILD OG M.S. CAD PLATED | E-016301/2                    | CQA(L)   | 13                        |         |
| 732  | Z9      | MISC-F-6-834-001          | STRAP(FOR PACKING THE INSTRUMENT)        |                               | CQA(L)   | 10                        |         |
| 733  | Z       | 5910-907556               | CAPACITOR ELECTROLYTIC 470 UFD-10% +50%  | APLAB DP-026-35               | CQA(L)   | 20                        |         |
| 734  | Z6      | 5990-000079               | SYNCHRO CONTROL TRANSFORMER TYPE 23 CT 4 |                               | CQA(L)   | 1119                      |         |
| 735  | Z6      | 6115-000538               | GENERATOR HAND FIRING 105, IFG MK II     | LRDE DGN SK 649G LRDE TS 2479 | CQA(R)   | 1747                      |         |
| 736  | Y3      | 7510-000144               | TAPE ADHE SIVE RUBBER WATER PROOF TRANSP |                               | CQA(L)   | 685                       |         |
| 737  | Y3      | 5970-001034               | INSULATION TAPE ELECL PVC ADHESIVE 25 MM |                               | CQA(L)   | 5417                      |         |
| 738  | Y3      | 6145-950001(Y3)           | CO-AXIAL CABLE ONE END CROC CLIP RF WRA- | 4.876E+11                     | CQA(L)   | 22                        |         |
| 739  | Y1      | 5965-003840               | HAND SET PTT EM 300-1 MC 300-2 6PIN CONN | 1.10002E+11                   | CQA(L)   | 28778                     |         |
| 740  | Y2      | 9330-002419               | MOUNT RESISANT GENERAL PURPOSE SHOCK MOU | PMAP-SHIMOOTLP-001            | CQA(L)   | 8                         |         |
| 741  | Y3      | 5975-025105               | SLEEVE IDENTIFICATION CABLE YELLOW 5.5MM |                               | CQA(L)   | 6351                      |         |
| 742  | Y3      | 8110-000066               | DRUM CABLE WHEEL 2A                      | YDAK-995635                   | CQA(L)   | 44                        |         |
| 743  | Y2      | 7530-000004               | PAPER TELEPRINTER ROLL SINGLE PLY 1A     | Y2/YB-5339                    | CQA(L)   | 27633                     |         |
| 744  | Y3      | 5975-025106               | SLEEVE IDENTIFICATION CABLE YELLOW 2.5MM |                               | CQA(L)   | 172291                    |         |
| 745  | Y3      | 5975-025104               | SLEEVE IDENTIFICATION CABLE YELLOW5-0MM  |                               | CQA(L)   | 7394                      |         |
| 746  | Y3      | 5935-005081               | CONNECTOR FREE ELECTRICAL 6 PIN          |                               | CQA(L)   | 230                       |         |

| S.No | COS Sec | Part Number      | Nomen                                     | Spec No                    | ASHP   | Likely qty to be procured | Remarks |
|------|---------|------------------|-------------------------------------------|----------------------------|--------|---------------------------|---------|
| 747  | Y3      | 6145-000978      | CABLE TELEPHONE INCODUCTOR THIRSTED 0.4M  |                            | CQA(L) | 16                        |         |
| 748  | Y3      | 5970-910292      | SLEEVEING ELECTRICAL PVC 20 MM ID 0.85MM  | RA-2006                    | CQA(L) | 448                       |         |
| 749  | Y3      | 6145-006287      | CABLE ELECT RUBBER INS SHEATHED X 10-10-  |                            | CQA(L) | 4830                      |         |
| 750  | Y3      | 6145-000270      | CABLE POWER ELECTRICAL ATC 4 SQ MM ELAST  | IS: 9968/1981 PT-I, TABLE- | CQA(L) | 2632                      |         |
| 751  | Y3      | 5999-003578      | CLIP ELECTX11-11-J-310                    |                            | CQA(L) | 324                       |         |
| 752  | Y3      | 5999-003587      | CLIP ELECTRICAL CABLE X11-11-ASP-15.5     | CIL-SIG 904                | CQA(L) | 238                       |         |
| 753  | Y3      | 5999-003574      | CLIP ELECT CABLE X12-5-26                 |                            | CQA(L) | 100                       |         |
| 754  | Y3      | 5999-003576      | CLIP ELECT X11-11-J-18                    | 1800-100-310-52            | CQA(L) | 534                       |         |
| 755  | Y3      | 5999-003577      | CLIP ELECTX11-11-J-212                    |                            | CQA(L) | 547                       |         |
| 756  | Y2      | 5995-021381      | CABLE ASSY SPL PURPOSE ELECTRICAL LAN NM  |                            | CQA(L) | 5                         |         |
| 757  | Y3      | 6145-000167      | CORD ELECTRIC Q 22 MKI                    |                            | CQA(L) | 66107                     |         |
| 758  | Y3      | 5940-001797      | FERRULE ELECT CONDUCTOR X11-12-3          |                            | CQA(L) | 14717                     |         |
| 759  | Y3      | 5940-001798      | FERRULE ELECT CONDUCTOR X11-12-7          | CIL-P-112                  | CQA(L) | 4483                      |         |
| 760  | Y3      | 5975-025102      | SLEEVE IDENTIFICATION CABLE YELLOW7-0MM   | JSS54801/1979 RA 2006      | CQA(L) | 1699                      |         |
| 761  | Y3      | 5970-910149      | SLEEVE ELECTRICAL PVC 6MM 1D 0-50MM THIC  |                            | CQA(L) | 777                       |         |
| 762  | Y1      | YA-0921          | LABEL LINE-G                              |                            | CQA(L) | 26820                     |         |
| 763  | Y1      | 3895-000061      | APPARATUS CABLE LAYING NO 6C              | BOOK NO 3014(METRI         | CQA(L) | 684                       |         |
| 764  | Y3      | 5970-910236      | SLEEVEING ELECT PVC 13MM ID & 0.85MM THK  |                            | CQA(L) | 99                        |         |
| 765  | Y3      | 8130-000013      | DRUM CABLE NO 7 MK 5-1                    | WB-2581                    | CQA(L) | 695                       |         |
| 766  | Y3      | IYC-0181         | SHEATH INSULATING X 13-1-16 BL            |                            | CQA(L) | 144                       |         |
| 767  | Y3      | 5970-910288      | SLEEVEING ELECTRICAL PVC 20 MM ID AND 0.8 |                            | CQA(L) | 634                       |         |
| 768  | Y3      | 5975-025103      | SLEEVE IDENTIFICATION CABLE YELLOW 3-5MM  |                            | CQA(L) | 2471                      |         |
| 769  | Y3      | 6145-000026      | CABLE ELECTRIC J TWIN FLAT LOW 045 0.145  | IS 434 TABLE-VII           | CQA(L) | 46                        |         |
| 770  | Y1      | 3895-000058      | KNUCKLE MALE ACL NO 11A                   | BK 4372 METRIC, BN 53767   | CQA(L) | 2                         |         |
| 771  | Y3      | 6145-000288      | CABLE ELECTRIC ALUMNIUM CONDUCTOR 16MMZ   |                            | CQA(L) | 903                       |         |
| 772  | Y3      | 6145-000239      | CORD POWER ELECTRICALATC 2.5SQ MM ELASTO  | IS:9968/PT-I/1988, TABLE-  | CQA(L) | 1245                      |         |
| 773  | Y3      | 5975-000009      | SLEEVES CABLE JOINTING 1A                 | 1800-100-310-52            | CQA(L) | 10131                     |         |
| 774  | Y3      | 5975-000307      | SLEEVE ELECTRICAL ALUMINIUM 225 MM O-A L  |                            | CQA(L) | 306                       |         |
| 775  | Y3      | 6145-000023      | CABLE ELECTRIC J TWIN FLAT LOW .0045      | IS:434 TABLE-VII           | CQA(L) | 70878                     |         |
| 776  | Y3      | 6145-000104      | CABLE ELECTRIC N TWIN FLAT LOW 0.01       | IS:9968/1988               | CQA(L) | 283                       |         |
| 777  | Y3      | 6145-000168      | CORD POWER ELECTRIC ELECTRICAL SINGLE CO  | IS9968/PT1                 | CQA(L) | 33046                     |         |
| 778  | Y3      | 5975-000002      | SLEEVE JOINTING MC INTYPE 150 LBS         |                            | CQA(L) | 7                         |         |
| 779  | Y3      | 6145-021705      | WIRE ELECTRICAL TIN PLATED COPPER WIRE    | 1800-100-310-52            | CQA(L) | 1913                      |         |
| 780  | Y3      | 6145-007416      | CORD POWER ELECTRICAL TINNED ANNEALED CO  | IS:9968/1988               | CQA(L) | 45066                     |         |
| 781  | Y3      | 5970-002144      | INSULATION SHEET ELECTRICAL WASHER CIRCU  |                            | CQA(L) | 7                         |         |
| 782  | Y3      | 6145-006262      | CABLE POWER ELECTRICAL PVC 7-029 BLACK    |                            | CQA(L) | 140                       |         |
| 783  | Y3      | 6145-951221      | WINDING WIRE COPPER ROUND JEREPHOLATE PO  |                            | CQA(L) | 766                       |         |
| 784  | Y3      | 6145-007503      | CABLE POWER ELECTRICAL COPPER CONDUCTOR   | IS:694                     | CQA(L) | 158                       |         |
| 785  | Y3      | 6145-007488      | CABLE ELECTRIC WITH COPPER CONDUCTOR 1D   | IS:694/90, TABLE-5         | CQA(L) | 11814                     |         |
| 786  | Y3      | 5970-99-940-0573 | INSULATION ROD EBONITE H.T. LOODED UNPOL  |                            | CQA(L) | 4                         |         |
| 787  | Y3      | IYC-0841         | INSULATION SHEET MICA 0.8MM THICK (SIZE   | IS-1175-1957               | CQA(L) | 66                        |         |
| 788  | Y3      | MISC-OTDR        | OTDR                                      |                            | CQA(L) | 9                         |         |
| 789  | Y3      | MISC-74B-713     | WATER DETECTION CAPSULE                   |                            | CQA(L) | 4241                      |         |
| 790  | Y3      | 6145-000174      | CORD POWER ELECTRICAL ATC 0.5 MM2 ELASTO  | IS:694/1990, TABLE-6       | CQA(L) | 94886                     |         |
| 791  | Y3      | 6145-000172      | CORD POWER ELECTRICAL ATC 4 MM2 ELASTOME  | IS: 9968(P-T-I) 1988       | CQA(L) | 73123                     |         |
| 792  | Y3      | 6145-000294      | CABLE VEHICLE , ELECTRIC SINGLE CONDUCTO  | BS 1862/59                 | CQA(L) | 6676                      |         |
| 793  | Y3      | 6145-000152(Y3)  | CORD POWER ELECTRICAL ATC 2-5 SQ MM ELAS  | IS:9968/1988               | CQA(L) | 88                        |         |
| 794  | Y3      | 6145-000030      | CABLE ELECTRIC J 3-CORE CIRCULAR MEDIUM   | BS-7/73 TABLE XXIV         | CQA(L) | 1946                      |         |
| 795  | Y3      | 6145-000041      | CABLE ELECTRIC J SINGLE MEDIUM 0.0145 RE  |                            | CQA(L) | 373                       |         |
| 796  | Y3      | 6145-001262      | CABLE POWER ELECTRIC ATC 1-5 SQ MM ELAST  | IS-9968/PART-1, 1988, TAB  | CQA(L) | 267                       |         |
| 797  | Y3      | 6145-006477      | WIRE ELECTRICAL COPPER JOINTING WINDING   | BS-176/76                  | CQA(L) | 4910                      |         |
| 798  | Y3      | 6145-007493      | CORD POWER ELECTRICAL FLEXBLE COPPER CON  |                            | CQA(L) | 85544                     |         |
| 799  | Y3      | 6145-007552      | CABLE SPECIAL PURPOSE ELECTRICAL VEHICLE  | IS:2465/1984, TABLE-I      | CQA(L) | 5973                      |         |
| 800  | Y3      | 5970-001797      | THEMBLE CABLE XII-12-7                    |                            | CQA(L) | 5                         |         |
| 801  | Y3      | 5970-001940      | SLEEVE INSULATION ELECTRICAL JOINTING 15  |                            | CQA(L) | 7866                      |         |
| 802  | Y3      | IYC-0002         | WIRE ELECTRIC GALVANISED IRON 43-2KG-KM   |                            | CQA(L) | 1437                      |         |
| 803  | Y3      | 5970-910110      | SLEEVE ELECTRICAL PVC 3-5MM ID- 0-5MM TH  |                            | CQA(L) | 186                       |         |

| S.No | COS Sec | Part Number            | Nomen                                    | Spec No                   | ASHP   | Likely qty to be procured | Remarks |
|------|---------|------------------------|------------------------------------------|---------------------------|--------|---------------------------|---------|
| 804  | Y1      | MISC-DL-15632-B        | TERMINAL ASSEMBLY                        | DL-15632B,DTC-1504        | CQA(L) | 202                       |         |
| 805  | Y1      | MISC-EDX-001N 4148-D60 | 1N 4148                                  |                           | CQA(L) | 2                         |         |
| 806  | Y1      | MISC-EUD-L0007414-000  | HEX SCHMITT TRIGGER INVERTER             |                           | CQA(L) | 2                         |         |
| 807  | Y1      | MISC-EUD-L0074163-000  | ICS 4 BIT BINARY CONTER WITH SYNE        |                           | CQA(L) | 2                         |         |
| 808  | Y1      | IYA-1766               | MICROPHONE AND RECEIVER HEADGEAR ASSY 10 | ITEM IS OBE (DGQA APPL 17 | CQA(L) | 33                        |         |
| 809  | Y1      | IYA-2746               | BAR CARRYING DRUM CABLE 5&8, 1A          | IRES/M/4985(METRIC)IV SHE | CQA(L) | 610                       |         |
| 810  | Y1      | 3895-000036            | APPARATUS CABLE LAYING NO. 11A           | IRES/M/4985(METRIC)IV SHT | CQA(L) | 88                        |         |
| 811  | Y1      | MISC-KE-190-CS-06(Y1)  | KIT FOR CUP SEAL (SIZE 250 300 350 *     |                           | CQA(L) | 58                        |         |
| 812  | Y1      | MISC-KE-190-TG-08(Y1)  | KIT FOR TEFLON FOR GUIDE COLLER (SIZE *  |                           | CQA(L) | 58                        |         |
| 813  | Y1      | 5965-720465648         | HEAD SET ASSY RS PRC 6020 (HX)           |                           | CQA(L) | 1                         |         |
| 814  | Y1      | 5965-720465649         | HEADSET ASSY (RS STARS V)                |                           | CQA(L) | 1                         |         |
| 815  | Y1      | 5965-720465650         | HEAD SET ASSY RS VPS MK-III (LUP-291)    |                           | CQA(L) | 1                         |         |
| 816  | Y1      | 5930-000947            | LEAD ELECT COPPER BRADEDI METER LG. *    |                           | CQA(L) | 1                         |         |
| 817  | Y1      | MISC-1000-043-601      | FLOAT CUM BOOST CHG (FCBC)(230V AC *     |                           | CQA(L) | 14                        |         |
| 818  | Y1      | MISC-1000-034-901      | HARNESS FOR ULNB MK III                  |                           | CQA(L) | 7                         |         |
| 819  | Y1      | IYA-BL-38154A          | MOUTH PIECE                              | ITEM IS OBE (DGQA APPL 17 | CQA(L) | 61                        |         |
| 820  | Y1      | IYA-2608               | APPRATUS CABLE LAYING 9A                 | ITEM IS OBE (DGQA APPL 17 | CQA(L) | 2                         |         |
| 821  | Y1      | IYA-2083               | ROD EARTHING STELL 325 X 57 X 12.5 *     | ITEM IS OBE (DGQA APPL 17 | CQA(L) | 7                         |         |
| 822  | Y1      | IYA-1750               | BLOCK CARBON PROTECTOR IA                |                           | CQA(L) | 2                         |         |
| 823  | Y1      | MISC-79B-4233-018-2    | HEAD GEAR ASSEMBLY SUMMER                |                           | CQA(L) | 16                        |         |
| 824  | Y1      | MISC-4360-114-502-85B  | IC 54 LS 10                              |                           | CQA(L) | 4                         |         |
| 825  | Y1      | MISC-4805-002-201      | LAPTOP POWER CHARGING CABLE              |                           | CQA(L) | 12                        |         |
| 826  | Y1      | MISC-1000-109-201      | TOOL KIT                                 |                           | CQA(L) | 2                         |         |
| 827  | Y1      | MISC-1000-108-901      | CABLE ASSY (ULNB MK-III - FCBC)          |                           | CQA(L) | 7                         |         |
| 828  | Y1      | MISC-DC4F5-200604-A2A3 | 6 PIN CONNECTOR PLUGKPSE 06F 10-6P *     |                           | CQA(L) | 2                         |         |
| 829  | Y1      | MISC-1000-115-501      | EARTHING ROD                             |                           | CQA(L) | 2                         |         |
| 830  | Y1      | MISC-DC-762020210-A1A1 | MICRO SWITCH                             |                           | CQA(L) | 6                         |         |
| 831  | Y1      | 5440-000001            | LADDER EXTENSION LIGHT WEIGHT IA         | ITEM IS OBE (DGQA APPL 17 | CQA(L) | 4591                      |         |
| 832  | Y1      | 5975-000518            | PICKET GUY, TELGRAPH 1A                  | RS-1286(M)                | CQA(L) | 3366                      |         |
| 833  | Y1      | IYA-2881               | BRAKE LEVER IA                           | ISS-38 A/7 (METRIC)       | CQA(L) | 58                        |         |
| 834  | Y1      | 5120-001360            | STICK CROOK 4.3M BOTTOM LENGTH           |                           | CQA(L) | 13                        |         |
| 835  | Y1      | 5120-001365            | STICK CROOK JOINTED, 2A                  | RE - 942(M)               | CQA(L) | 818                       |         |
| 836  | Y1      | 5120-001366            | STICK CROOK JOINTED, 2A INTERMEDIATE LEN | IE ME/L/3013(M)REV        | CQA(L) | 133                       |         |
| 837  | Y1      | 5120-001368            | STICK CROOK JOINTED 2A TOP LENGTH        | IEME-L/3013M (REVISED)    | CQA(L) | 13                        |         |
| 838  | Y1      | IYA-0125               | APPARATUS AERIAL SIGNALLING:- EXTENTION  | ITEM IS OBE (DGQA APPL 17 | CQA(L) | 22                        |         |
| 839  | Y1      | MISC-4976-000-001      | CPU CARD                                 |                           | CQA(L) | 117                       |         |
| 840  | Y1      | MISC-4976-000-130      | E1 CARD                                  |                           | CQA(L) | 122                       |         |
| 841  | Y1      | MISC-4976-000-314      | DATA CARD                                |                           | CQA(L) | 118                       |         |
| 842  | Y1      | MISC-4976-000-397      | ISDN BRI CARD                            |                           | CQA(L) | 103                       |         |
| 843  | Y1      | MISC-4976-000-483      | UTC-12 CARD                              |                           | CQA(L) | 213                       |         |
| 844  | Y1      | MISC-4976-000-511      | OPERATOR CARD                            |                           | CQA(L) | 149                       |         |
| 845  | Y1      | MISC-4976-000-599      | MOTHER BOARD                             |                           | CQA(L) | 1503                      |         |
| 846  | Y1      | MISC-4976-000-701      | PSU CARD                                 |                           | CQA(L) | 278                       |         |
| 847  | Y1      | IYA-2405               | CAP HAND SET HARANYLE TYPE 66,55,50 MM D | ITEM IS OBE (DGQA APPL 17 | CQA(L) | 2938                      |         |
| 848  | Y1      | IYA-2431               | MICROPHONE NOICE CANCELLATION TYPE       | DL-38017B                 | CQA(L) | 80                        |         |
| 849  | Y1      | 5440-000003            | LADDER EXTENSION LIGHT WEIGHT IA UPPER S |                           | CQA(L) | 4                         |         |
| 850  | Y1      | 5510-000467            | POLE, LINE CONSTRUCTION WOOD 4.8 MTR OCT |                           | CQA(L) | 2537                      |         |
| 851  | Y1      | 5815-004218            | TABLE TELEPRINTER CODE RECORDER WOODEN F |                           | CQA(L) | 26                        |         |
| 852  | Y1      | 5830-000006            | CABLE ASSY SPECIAL PURPOSE ELECTRICAL 7  |                           | CQA(L) | 1                         |         |
| 853  | Y1      | 5340-179022            | STRAP WEBBING CARRYING                   | PTR-1000-058              | CQA(L) | 8530                      |         |
| 854  | Y1      | 5965-000504            | HAND SET ASSY, COMPLETE WITH CORD AND CO | 1.1E+11                   | CQA(L) | 14                        |         |
| 855  | Y1      | 5995-002431            | CABLE ASSEMBLY POWER ELECTRICAL          |                           | CQA(L) | 7                         |         |

| S.No | COS Sec | Part Number          | Nomen                                    | Spec No                   | ASHP   | Likely qty to be procured | Remarks |
|------|---------|----------------------|------------------------------------------|---------------------------|--------|---------------------------|---------|
| 856  | Y1      | 5965-000744          | HEAD SET MICROPHONE ASSEMBLY COMPLETE WI | 1100-006-827-29           | CQA(L) | 9281                      |         |
| 857  | Y1      | 5965-003789          | EARPHONE                                 |                           | CQA(L) | 72                        |         |
| 858  | Y1      | 5965-003790          | MICROPHONE CRYSTAL                       |                           | CQA(L) | 26                        |         |
| 859  | Y1      | 5965-003841          | HEAD SET MICROPHONE VOICE OPERATED ED 30 | 1.71E+11                  | CQA(L) | 137                       |         |
| 860  | Y1      | 5965-003926          | HAND SET 17A WITH CARBON MICROPHONE      | SAHS-894                  | CQA(L) | 130                       |         |
| 861  | Y1      | 5995-021561          | CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICA |                           | CQA(L) | 50                        |         |
| 862  | Y1      | 5965-720-465147      | HAND SET SAHM -975                       |                           | CQA(L) | 25                        |         |
| 863  | Y1      | 5970-001197          | INSULATOR STAND OFF 25.6MM DIA 25.5MM H  | IRES/S/483(M)             | CQA(L) | 3090                      |         |
| 864  | Y1      | 3895-000038          | SPRING RESTORINGBRAKE LEVER 1A           | BK NO 4371(M), 53741(M)   | CQA(L) | 14                        |         |
| 865  | Y1      | IYA-0687             | HANDLE                                   | ITEM IS OBE (DGQA APPL 17 | CQA(L) | 102                       |         |
| 866  | Y1      | 8415-000764          | MITTEN, LEATHER CABLE, LAYING 3A         | CIL-253(C)                | CQA(L) | 1356                      |         |
| 867  | Y1      | MISC-1160-013-370-81 | EARTHING BRAID IMT (1600+/-50)MM         |                           | CQA(L) | 64                        |         |
| 868  | Y1      | MISC-3131-027-001-36 | DRIVER,CROSS RECESSED M 2.5/M3           |                           | CQA(L) | 55                        |         |
| 869  | Y1      | IYA-2745             | PAD FELT IA                              | IRES-M4701-XIX-4 DET NO 2 | CQA(L) | 274                       |         |
| 870  | Y1      | IYA-2747             | BAR CARRYING LIGHT WEIGHT DRUM CABLE 5,  | BOOK NO 4866(M)           | CQA(L) | 262                       |         |
| 871  | Y1      | IYA-2783             | APPARATUS CABLE LAYING (EX-BULGARIA)     |                           | CQA(L) | 9                         |         |
| 872  | Y1      | MISC-4690-055-203    | IPM PCB                                  |                           | CQA(L) | 273                       |         |
| 873  | Y1      | PTR-1000-020-001     | HAND SET SOCKET TOOL                     |                           | CQA(L) | 13                        |         |
| 874  | Y1      | PTR-1000-020-002     | LINE TERMINAL                            |                           | CQA(L) | 13                        |         |
| 875  | Y1      | PTR-1000-020-003     | SYSTEM AND VOLUME SWITCH                 |                           | CQA(L) | 13                        |         |
| 876  | Y1      | PTR-1000-030-005     | COMPOSITE TEST JIG SET TWO UNITS         |                           | CQA(L) | 3                         |         |
| 877  | Y1      | IYA-3286             | ELECTRO MEGAPHONE MICROPHONE SPARE       |                           | CQA(L) | 1                         |         |
| 878  | Y1      | 3895-000040          | BRACKET SUUPORTING ACL NO 11A            | CIL 237(C)                | CQA(L) | 2                         |         |
| 879  | Y1      | 3895-000042          | SLINGS CARRYING ACL NO 11A               | CIL 237(C)                | CQA(L) | 113                       |         |
| 880  | Y1      | 3895-000043          | HANDLE WINDING ACL NO 11A                | PNO 53736 METR            | CQA(L) | 5                         |         |
| 881  | Y1      | IYA-0138             | APPARATUS AERIAL SIGNALLING:- GROUND IND |                           | CQA(L) | 34                        |         |
| 882  | Y1      | IYA-0145             | APPARATUS AERIAL SIGNALLING:- GROUND IND |                           | CQA(L) | 3                         |         |
| 883  | Y1      | IYA-2985             | APPARATUS CABLE LAYING, 3E               |                           | CQA(L) | 1                         |         |
| 884  | Y1      | MISC-1000-033-801    | CARRYING CASE FOR UL5B MK III            |                           | CQA(L) | 14                        |         |
| 885  | Y1      | MISC-1100-019-894-16 | LIGHT WEIGHT HEAD SET WITH VOX           |                           | CQA(L) | 1262                      |         |
| 886  | Y1      | 3920-000053          | SPRING FOR SPINDLE BRACKET PLUNGER 1A    |                           | CQA(L) | 1                         |         |
| 887  | Y1      | 4240-000029          | BELT LINE MAN SAFETY RUNNER BRASS        |                           | CQA(L) | 2574                      |         |
| 888  | Y1      | 5120-004025          | SPANNER WRENCH GRIP CABLE JAW            |                           | CQA(L) | 1                         |         |
| 889  | Y1      | 5140-000089          | BAG , CANVAS LINEMANT DUCK COTTON 476 GM |                           | CQA(L) | 1491                      |         |
| 890  | Y1      | 4950-132-101-87      | POWER TRANSFORMER 1800VA                 |                           | CQA(L) | 3                         |         |
| 891  | Y1      | 4950-132-701-33      | POWER TRANSFORMER                        |                           | CQA(L) | 2                         |         |
| 892  | Y1      | 5120-001358          | STICK CROOK 4.3M                         | IRES/M/3897(M), IENE/L/30 | CQA(L) | 22                        |         |
| 893  | Y1      | 5310-000205          | WASHER SMALL BRASS 3.55MM ID X 6.80M M O |                           | CQA(L) | 408                       |         |
| 894  | Y1      | MISC-D45-33-62Z      | COVER FOR TANK HEAD SET                  |                           | CQA(L) | 2                         |         |
| 895  | Y1      | MISC-4333-000-201    | ACDC CONVERTER                           |                           | CQA(L) | 143                       |         |
| 896  | Y1      | MISC-PTR-1000-141    | RF FILTER TYPE FCC                       |                           | CQA(L) | 35                        |         |
| 897  | Y1      | MISC-PTR-1000-142    | RF FILTER TYPE T                         |                           | CQA(L) | 29                        |         |
| 898  | Y1      | MISC-4461-002-101    | LCD DISPLAY                              |                           | CQA(L) | 94                        |         |
| 899  | Y1      | Y1-MISC-4286410-ZO1  | RETAINER SPEAKER                         |                           | CQA(L) | 28                        |         |
| 900  | Y1      | 4333-740-501-61      | DC-DC CONVERTER MODULE                   | 4.33374E+11               | CQA(L) | 2                         |         |
| 901  | Y1      | MISC-4547-001-001    | PSU MODULE                               |                           | CQA(L) | 18                        |         |
| 902  | Y2      | MISC-500937          | TRANSISTOR SI NPN 2N 2222A TO-18         |                           | CQA(L) | 1                         |         |
| 903  | Y2      | MISC-513728          | PHILIPS SCREW DRIVER SIZE 1-80           |                           | CQA(L) | 16                        |         |
| 904  | Y2      | 7530-000023          | PAPER TELEPRINTER ROLL TWO 3PLY 1A       |                           | CQA(L) | 9908                      |         |
| 905  | Y2      | 7530-000067          | PAPER PRINTING AND HEAT DEVELOPING (THER |                           | CQA(L) | 2220                      |         |
| 906  | Y2      | 5120-002865          | SPANNER BENT SINGLE ENDED OPEN JAW 6 X 7 |                           | CQA(L) | 94                        |         |
| 907  | Y2      | 5120-002866          | SPANNER BENT SINGLE ENDED OPEN JAW 7 X 7 |                           | CQA(L) | 94                        |         |
| 908  | Y2      | 5120-002867          | SPANNER BENT SINGLE ENDED OPEN JAW 8 X 7 |                           | CQA(L) | 94                        |         |
| 909  | Y2      | 5120-002868          | SPANNER BENT SINGLE ENDED OPEN JAW 9 X 7 |                           | CQA(L) | 94                        |         |
| 910  | Y2      | 5120-002869          | SPANNER BOX (5 X5 X 190 MM)              |                           | CQA(L) | 94                        |         |
| 911  | Y2      | 5120-002870          | SPANNER 60 X (6 X 6 X 156 MM)            |                           | CQA(L) | 94                        |         |
| 912  | Y2      | 5120-002871          | SPANNER 60 X (8 X 8 X 200 MM)            |                           | CQA(L) | 94                        |         |

| S.No | COS Sec | Part Number             | Nomen                                     | Spec No                    | ASHP   | Likely qty to be procured | Remarks |
|------|---------|-------------------------|-------------------------------------------|----------------------------|--------|---------------------------|---------|
| 913  | Y2      | 5120-002872             | SPANNER STRAIGHT & BENT DE OPEN JAW       |                            | CQA(L) | 94                        |         |
| 914  | Y2      | MISC-544745             | STEEL ROPE OL 5"                          |                            | CQA(L) | 14                        |         |
| 915  | Y2      | MISC-DTC-0965229-A01-PE | UPS 500 VA FOR KMT                        |                            | CQA(L) | 16                        |         |
| 916  | Y2      | MISC-PCA-6407-A1        | POWER SUPPLY CARD                         |                            | CQA(L) | 2                         |         |
| 917  | Y2      | 6150-006768             | LEAD ELECT WITH PWR SUPPLY/ MUX END *     |                            | CQA(L) | 2                         |         |
| 918  | Y2      | MISC-507390             | HEX KEY 4MM                               |                            | CQA(L) | 23                        |         |
| 919  | Y2      | 5120-001548#1           | SPANNERS OPEN JAW DOUBLE ENDED BRITISH    |                            | CQA(L) | 203                       |         |
| 920  | Y2      | MISC-DE528259-A7        | PROGRAMMING STATION (KEY MANAGEMENT TERM  |                            | CQA(L) | 16                        |         |
| 921  | Y3      | 5940-002244             | TERMINAL LUG INSULATED                    |                            | CQA(L) | 4                         |         |
| 922  | Y3      | 6145-901847             | EQPT WIRE UNSHEETHED PVC INS SIZE 16-0-2  | JSS-51001                  | CQA(L) | 676                       |         |
| 923  | Y3      | 6145-900776             | WIRE ELECTRICAL EQPT 750 VDC INCREASED U  |                            | CQA(L) | 1634                      |         |
| 924  | Y3      | 6145-900974             | WIRE 1500 DC 24/020MM UNSCREENED INSULATE |                            | CQA(L) | 384                       |         |
| 925  | Y3      | 5940-000928             | TERMINAL STRIP 8 PAIR                     | JSS-52720                  | CQA(L) | 6241                      |         |
| 926  | Y3      | 5940-000929             | TERMINAL STRIP LONG SHANK                 |                            | CQA(L) | 19                        |         |
| 927  | Y3      | 5940-001597             | CABLE DRUM NO 5 MK 1                      |                            | CQA(L) | 654                       |         |
| 928  | Y3      | 5940-001601             | TERMINAL LUG                              |                            | CQA(L) | 92                        |         |
| 929  | Y3      | 5940-001795             | BLOCK CONNECTION TERMINAL XII-1-5         |                            | CQA(L) | 8                         |         |
| 930  | Y3      | MISC-1100-001-301-20    | PACK BATTERY RECHARGEABLE 24V 4AH         |                            | CQA(L) | 79                        |         |
| 931  | Y3      | IYC-0382                | CABLE ELECT PVC INS 250V GRADE 25-212 *   |                            | CQA(L) | 173                       |         |
| 932  | Y3      | 6145-002553             | CABLE ELECT WITH ALUMINI CONDCUTOR *      |                            | CQA(L) | 99                        |         |
| 933  | Y3      | 6145-000048             | CABLE ELECTRIC J SINGLE MEDIUM 0.20       |                            | CQA(L) | 52                        |         |
| 934  | Y3      | 6145-007501             | CABLE PWR ELECT COPPER CODNCTOR 50 *      |                            | CQA(L) | 163                       |         |
| 935  | Y3      | 6145-000204             | CABLE ELECT 8 CORE 70-193MM *             | SES NO 17                  | CQA(L) | 287                       |         |
| 936  | Y3      | 5970-001471             | INSULATION TAPE ELECT 30MM WIDTHX 70 *    |                            | CQA(L) | 7                         |         |
| 937  | Y3      | MISC-YE14-850-008       | CABLE                                     |                            | CQA(L) | 4                         |         |
| 938  | Y3      | 5940-000924             | TERMINAL STRIP 2 WIRE                     |                            | CQA(L) | 4                         |         |
| 939  | Y3      | 6145-002925             | CABLE ELECT WITH ALUMINIUM CONDUCTOR *    |                            | CQA(L) | 4                         |         |
| 940  | Y3      | 6145-004906             | CABLE ELECT ATC 95MM HLASTOMER INS TWIN   |                            | CQA(L) | 2                         |         |
| 941  | Y3      | 5970-910230             | SLEEVEING ELECT PVC WHITE 12-0 MM ID *    |                            | CQA(L) | 2956                      |         |
| 942  | Y3      | 5970999400557           | INSULATOIN ROD VULCANIZED FIBRE *         | BS 934/1940 57/11/1970     | CQA(L) | 19                        |         |
| 943  | Y3      | 6145-007485             | CABLE PWR ELECT COPPER CONDUCTOR 1-5 *    |                            | CQA(L) | 1237843                   |         |
| 944  | Y3      | 6145-000299             | WIRE ELECTAL EQUIPMENT19-0 -3-MM WHITE    |                            | CQA(L) | 41                        |         |
| 945  | Y3      | 6145-007555#1           | CORD PWR ELECT FLEXIBLE TINNED *          |                            | CQA(L) | 968                       |         |
| 946  | Y3      | 6230-000012#1           | LAN TERAN ELECTRIC 1A                     | 1800-100-310-52            | CQA(L) | 1141                      |         |
| 947  | Y3      | 9330-000026#1           | STRIP PLASTIC PVC PERFORMED 2.4MM DIA *   |                            | CQA(L) | 63                        |         |
| 948  | Y3      | 6145-000151#1           | CORD PWR ELECT ATC 2.5MM 2 TWIN CORE *    | IS:9968/88 PT-1 TABLE-9    | CQA(L) | 6150                      |         |
| 949  | Y3      | 6145-000009             | CABLE ELECT SINGLE                        |                            | CQA(L) | 11328                     |         |
| 950  | Y3      | 6135-000006#            | BTY DRY 1.5V NO3 (METAL CLAD)             |                            | CQA(L) | 181075                    |         |
| 951  | Y3      | 5120-001480#            | TOOLS SLEEVE FIXING SMALL                 |                            | CQA(L) | 2                         |         |
| 952  | Y3      | 5970-000577#            | INSULATION TAPE ELECT SELF ADHESIVE *     |                            | CQA(L) | 7102                      |         |
| 953  | Y3      | 6145-007497#            | CABLE PWR ELECT COPPER CONDUCTOR 6 *      |                            | CQA(L) | 1236                      |         |
| 954  | Y3      | 5935-004661             | MOUNTING ACC PROTICTIVE CAP WITH CHAIN B  |                            | CQA(L) | 36                        |         |
| 955  | Y3      | 5940-000208             | TERMINAL SPRING LEAD 43-MM LONG O-A CAPT  | 1800-100-310-52            | CQA(L) | 46                        |         |
| 956  | Y3      | 6145-000169             | CORD POWER ELECTRICAL ATC 1-0 SQ MM ELAS  | IS:9968/1988               | CQA(L) | 16950                     |         |
| 957  | Y3      | 5940-000703             | CLIP ELECT BATTERY CHARGING 50A           | 5940-99-940-0859           | CQA(L) | 4201                      |         |
| 958  | Y3      | 6145-000284             | CABLE , ELECTRIC , LT , UNNYVIN, TYPE B,  | IS:9968/1988               | CQA(L) | 188                       |         |
| 959  | Y3      | 6145-000292             | CABLE ELECTRIC SINGLE 7/2.24 MM ALUMINIU  | IS : 434/53                | CQA(L) | 6269                      |         |
| 960  | Y3      | 6145-000293             | CABLE VEHICLE ELECTRIC COPPER CONDUCTOR   | IS:2465/1984, TABLE-1      | CQA(L) | 1392                      |         |
| 961  | Y3      | 6145-000295             | CABLE-SPECIAL PURPOSE ELECTRIC VEHICLE C  | BS-1862/59, IS:2466/1984   | CQA(L) | 2259                      |         |
| 962  | Y3      | 6145-000298             | WIRE ELECTRICAL , EQUIPMENT 12-0 -2-MM, W |                            | CQA(L) | 460                       |         |
| 963  | Y3      | 6145-000233             | CABLE ELECT POWER FLEXIBLE ATC - 25MM2 TW | IS:9968/PT-I               | CQA(L) | 1249                      |         |
| 964  | Y3      | 6145-000237             | CABLE ELECTRIC ATC 10MM SQ ELASTOMER INS  | IS:9968 (PART-1)           | CQA(L) | 83                        |         |
| 965  | Y3      | 6145-000238             | CORD POWER ELECTRICAL ATC CONDUCTOR 16X1  | IS:9968/PT-1, 1988, TABLE- | CQA(L) | 2103                      |         |
| 966  | Y3      | 5940-000731             | TERMINAL INSTRUMENT DOUBLE M-3.5          |                            | CQA(L) | 1471                      |         |
| 967  | Y3      | 6145-000455             | BRAID EARTHING COPPER 12-TMM WX 1-6MM TH  |                            | CQA(L) | 2                         |         |
| 968  | Y3      | 6145-000467             | WIRE 2 WIRES TWISTED IN OPEN FORMATION 1  |                            | CQA(L) | 3                         |         |
| 969  | Y3      | 6145-000485             | WIRE ELECTRICAL SOLID COPPER PVC INSULAT  |                            | CQA(L) | 250                       |         |

| S.No | COS Sec | Part Number         | Nomen                                     | Spec No                              | ASHP   | Likely qty to be procured | Remarks |
|------|---------|---------------------|-------------------------------------------|--------------------------------------|--------|---------------------------|---------|
| 970  | Y3      | 6145-000256         | CORD POWER ELECTRIACAL 1-0SQ MM ELASTOME  |                                      | CQA(L) | 263                       |         |
| 971  | Y3      | 6145-000274         | CABLE POWER ELECTRICAL ATC 16 MM2 ELASTO  | IS-9968/PT-I,1988, TABLE-            | CQA(L) | 28                        |         |
| 972  | Y3      | 6145-000277         | CABLE ELECTRIC ATC SINGLE CORE 25 MM2 EL  | IS:9968/1988 TABLE                   | CQA(L) | 311                       |         |
| 973  | Y3      | 5975-000094         | SLEEVE JOINTING MC INTYRE 200 LE (54.74K  |                                      | CQA(L) | 48                        |         |
| 974  | Y3      | 5975-000298         | BINDING WIRE ALUMINIUM CIRCULAR CROSS SE  | ITD N0 SK/107A                       | CQA(L) | 29                        |         |
| 975  | Y3      | 5975-000299         | TAPE ARMOUR ALUMINIUM RECTANGULAR CROSS   |                                      | CQA(L) | 7                         |         |
| 976  | Y3      | 5120-99-413-2034    | TOOL JOINTING CENTRE TWIST ST 1-IN X 3.3  |                                      | CQA(L) | 15                        |         |
| 977  | Y3      | 6145-900979         | WIRE ELECTRICAL EQPT PVC INSULATED 24-0-  |                                      | CQA(L) | 421                       |         |
| 978  | Y3      | 6145-001182         | WIRE ELECTRICAL COPPER SOFT 11-11 MM STR  |                                      | CQA(L) | 362                       |         |
| 979  | Y3      | 6145-001184         | WIRE ELECTRICAL COPPER 1-25MM DIA 18 KG   |                                      | CQA(L) | 343                       |         |
| 980  | Y3      | 6145-000154         | CORD POWER ELECTRIC ATC UNKINKABLE 0.5 S  | IS9968/FT1TA                         | CQA(L) | 8240                      |         |
| 981  | Y3      | 6145-000156         | CORD POWER ELETRIC AT ATC 1 SQ MM ELASTO  | IS:9968/1988, PT-I, TABLE-           | CQA(L) | 505                       |         |
| 982  | Y3      | 6145-000001         | CABLE ELECTRIC P.V.C INSULATED SINGLE 0.  | SES-17 SEC-17 PT-VI                  | CQA(L) | 2888                      |         |
| 983  | Y3      | 6145-000027         | CABLE ELECTRIC J TWIN FLAT LOW .0225      | IS 9968                              | CQA(L) | 99                        |         |
| 984  | Y3      | 6145-000052         | CABLE ELECTRIC K SINGLE LOW .003          | IS:434-TABLE - XI                    | CQA(L) | 1487                      |         |
| 985  | Y3      | 6145-000103         | CABLE ELECTRIC ELASTOMER INS FLAT TWIN C  |                                      | CQA(L) | 8850                      |         |
| 986  | Y3      | 6145-000108         | CABLE ELECTRICAL N TWIN FLAT LOW 0.04 AT  | IS:9968-/PT-I/1988, TABLE            | CQA(L) | 3571                      |         |
| 987  | Y3      | 6145-000129         | CORD POWER ELECTRICAL COPPER CONDUCTOR 5  | IS:694/90, Table - 6                 | CQA(L) | 5648                      |         |
| 988  | Y3      | 6145-000130         | CABLE ELECTRIC SINGLE PVC INSUALTED AND   | SES NO 17 PT-VI TABLE-4              | CQA(L) | 3114                      |         |
| 989  | Y3      | 6145-000131         | CABLE ELECT 2 CORE PVC INS AND SCREENED   | SES NO 17                            | CQA(L) | 8209                      |         |
| 990  | Y3      | 6145-000137         | CORD POWER ELECTRICAL COPPER CONDUCTOR 0  |                                      | CQA(L) | 259                       |         |
| 991  | Y3      | 6145-001213         | CABLE ELECTRIC WITH COPPER CONDUCTOR VUL  | IS:9968/PT-I/88, TABLE-1             | CQA(L) | 267                       |         |
| 992  | Y3      | 6145-001222         | CABLE ELECTRICAL WITH COPPER CONDUCTOR V  |                                      | CQA(L) | 56                        |         |
| 993  | Y3      | 6145-970257         | CABLE POWER ELECTRICAL TWIN AND MULTICOR  | JGS 6145-03-TABLE & 6145-99-921-6894 | CQA(L) | 303                       |         |
| 994  | Y3      | 5975-025096         | SLEEVE IDENTIFICATION CABLE WHITE 2.2 MM  | IYC-0149                             | CQA(L) | 14                        |         |
| 995  | Y3      | 6145-000173         | CORD ELECTRIC SINGLE , CORE ELASTOMER IN  | IS-9968, PT-I                        | CQA(L) | 418                       |         |
| 996  | Y3      | 6145-000175         | CORD ELECTRIC U TWIN 0-001, 0.75 MM2, 23  | -                                    | CQA(L) | 976                       |         |
| 997  | Y3      | 6145-000178         | CORD POWER ELECTRICAL 3 CORE ATC 1.0MM 2  | IS:9968/PT-I 1988, TABLE-            | CQA(L) | 3314                      |         |
| 998  | Y3      | 6145-000200         | CABLE ELECTRIC 4 CORE VR INSULATED PCP S  | IS:9968/1988                         | CQA(L) | 535                       |         |
| 999  | Y3      | 6145-000201         | CABLE ELECTRIC 4 CORE VR INSULATED PCP S  | SBS NIO.17/PT-1 TABLE9/5             | CQA(L) | 182                       |         |
| 1000 | Y3      | 6145-020843         | CABLE RADIO FREQ CO-AXIAL, 75 OHMS TYPE   |                                      | CQA(L) | 1                         |         |
| 1001 | Y3      | 6145-021696         | WIRE, ELECTRICAL                          |                                      | CQA(L) | 54                        |         |
| 1002 | Y3      | 6145-021704         | WIRE ELECTRICAL TWISTED CONNECTING WIRE   | 4854-400-302-18                      | CQA(L) | 5                         |         |
| 1003 | Y3      | 6145-022242         | CABLE, RADIO FREQ COAXIAL, 3GHZ, 50 OHMS  | 1800-100-310-52                      | CQA(L) | 27                        |         |
| 1004 | Y3      | 6145-006549         | CABLE POWER ELECTRICAL WELDING COPPER CO  | IS:9857/1990, TABLE - 3              | CQA(L) | 1222                      |         |
| 1005 | Y3      | 6145-006550         | CABLE ELECRICAL 2 CORE AP 13956           | SES-16/17                            | CQA(L) | 806                       |         |
| 1006 | Y3      | 6145-007418         | CORD POWER ELECTRICAL FLEXIBLE TINED ANN  |                                      | CQA(L) | 1344                      |         |
| 1007 | Y3      | 6145-007419         | CABLE POWER ELECTRICAL FLEXIBLE TINNED A  | BIS:IS:9968, PART-1 1981             | CQA(L) | 10420                     |         |
| 1008 | Y3      | 6145-007421         | CORD POWER ELECTRICAL FLEXIBLE TINNED AN  | IS:9968/1988, PT-I TABLE-            | CQA(L) | 85319                     |         |
| 1009 | Y3      | 6145-007422         | CABLE POWER ELECTRICAL FLXIBLE TINNED AN  | IS:9968(P-T-I), TABLE-8              | CQA(L) | 81                        |         |
| 1010 | Y3      | 6145-913903         | WIRE ELECTRICAL EQPT 1000V UNSCREENDE &   | MAIN EQPT - OBE                      | CQA(L) | 22                        |         |
| 1011 | Y3      | 5970-042263         | INSULATION SHEET ELECTRICAL PRESS BOARD   | BISIS1576/1992                       | CQA(L) | 209                       |         |
| 1012 | Y3      | 6145-951216         | WIRE WW 2A WINDING TEREPHTRHALATE POLY B  | JSS; 4700                            | CQA(L) | 7                         |         |
| 1013 | Y3      | 6145-006263         | CABLE ELECTRICAL PVC 7/0.29 RED           |                                      | CQA(L) | 20                        |         |
| 1014 | Y3      | 6145-006282         | CABLE ELECTRICAL COPPER CONDUCTOR C INSU  |                                      | CQA(L) | 36                        |         |
| 1015 | Y3      | 6145-951226         | WINDING WIRE TEREPHTHALATE POLYSTER BASE  |                                      | CQA(L) | 6                         |         |
| 1016 | Y3      | 5970-910165         | SLEEVEING ELECT PVC WHITE 7-0 MM ID 0-65M |                                      | CQA(L) | 9854                      |         |
| 1017 | Y3      | 6145-006333->310970 | CABLE SPECIAL PURPOSE ELECRICAL VEHICLE   |                                      | CQA(L) | 134                       |         |
| 1018 | Y3      | 6145-006487         | CABLE POWER ,ELECTRICAL ATC 6 MM 2 ELSOT  | IS:9968(P-T-I)/1988, 15434           | CQA(L) | 148                       |         |
| 1019 | Y3      | 5970-99-901-4361    | INSULATION SLEEVEING ELECTRICAL PVC 4MM I | 1800-100-310-52                      | CQA(L) | 59                        |         |

| S.No | COS Sec | Part Number                 | Nomen                                    | Spec No                    | ASHP   | Likely qty to be procured | Remarks |
|------|---------|-----------------------------|------------------------------------------|----------------------------|--------|---------------------------|---------|
| 1020 | Y3      | 5970-99-915-6090            | INSULATION SLEEVING ELECTRICAL PV 6.0 MM | JSS-54801/1979             | CQA(L) | 65                        |         |
| 1021 | Y3      | 6145-007492                 | CORD POWER ELECTRICAL FLEXIBLE COPPER CO | IS:694/1990                | CQA(L) | 23977                     |         |
| 1022 | Y3      | 6145-007494                 | CABLE POWER ELECTRICAL FLEXBLE COPPER CO | IS : 694                   | CQA(L) | 170                       |         |
| 1023 | Y3      | 6145-007495                 | CABLE POWER ELECTRICAL COPPER CONDUCTOR  | IS:694/1990, TABLE-5       | CQA(L) | 2480                      |         |
| 1024 | Y3      | 6145-007496                 | CABLE POWER ELECTRICAL COPPER CONDUCTOR  | 1800-100-310-52            | CQA(L) | 1742                      |         |
| 1025 | Y3      | 6145-007498                 | CABLE ,POWER ELECTRICAL ,COPPER CONDUCTO | IS:694/90, TABLE-6         | CQA(L) | 1374                      |         |
| 1026 | Y3      | 6145-007499                 | CABLE POWER ELECTRICAL COPPER CODNCTOR 2 | IS:694/90, TABLE -5        | CQA(L) | 192                       |         |
| 1027 | Y3      | 6145-007500                 | CABLE POWER ELECTRICAL COPPER CODNCTOR 1 | IS:694/1990, TABLE-5       | CQA(L) | 3873                      |         |
| 1028 | Y3      | 6145-007553                 | CABLE-SPL PURPOSE ELECTRICAL IGNITION TI |                            | CQA(L) | 102676                    |         |
| 1029 | Y3      | 6145-007603                 | CORD POWER ELECTRICAL FLEIBLE TINNED ANN | IS:9968/PT-I               | CQA(L) | 27413                     |         |
| 1030 | Y3      | IYC-1044                    | TAPE ADHESIVE INDUSTRIAL CLOTH SELF STIC |                            | CQA(L) | 617                       |         |
| 1031 | Y3      | IYC-1059                    | CABLE ELECTRIC FLAT 18 CORE 570 MM LG    |                            | CQA(L) | 116                       |         |
| 1032 | Y3      | 5970-000727                 | INSULATION SHEET SYNTHETIC RESIN BONDED  | IS:2036                    | CQA(L) | 488                       |         |
| 1033 | Y3      | 5970-000032                 | INSULATION SLEEVING ELECTRICAL PVC 2-MM  |                            | CQA(L) | 116                       |         |
| 1034 | Y3      | 5970-000878                 | INSUSATION SLEEVING ELECTRICAL PVC 9MM 1 |                            | CQA(L) | 2                         |         |
| 1035 | Y3      | 5970-001032                 | INSULATION TAPE ELECL PVC ADHESIVE 15 MM |                            | CQA(L) | 410                       |         |
| 1036 | Y3      | 5970-001793                 | BLOCK CONNECTION TERMINAL XII 1-3        |                            | CQA(L) | 7                         |         |
| 1037 | Y3      | 5970-001952                 | INSULATION PAPER 22 MM WIKE 0.10MM 0.13M |                            | CQA(L) | 1                         |         |
| 1038 | Y3      | 5970-001953                 | INSULATING PAPER 50 MM                   |                            | CQA(L) | 58                        |         |
| 1039 | Y3      | 5970-001997                 | SLEEVE INSULATION ELECTRIAL JOINTING NO- |                            | CQA(L) | 4                         |         |
| 1040 | Y3      | WB-0279                     | DRUMS CABLE COMMERCIAL HEAVY             |                            | CQA(L) | 41                        |         |
| 1041 | Y3      | 6145-007434                 | CABLE POWER ELECTRICLA FLEXIBLE TINNED A | IS:9968/PT-1 1988, TABLE-  | CQA(L) | 766                       |         |
| 1042 | Y3      | 6145-007468                 | CABLE POWER ELECTRICAL ALUMINIUM CONDUCT | IS:694/1990, TABLE-5       | CQA(L) | 126                       |         |
| 1043 | Y3      | 6145-007481                 | CABLE ,POWER ELECTRICAL ALUIMINIUM CONDU |                            | CQA(L) | 123                       |         |
| 1044 | Y3      | 6145-007483                 | CABLE ,POWER ELECTRICAL ALUIMINIUM CONDU |                            | CQA(L) | 2632                      |         |
| 1045 | Y3      | 6145-007486                 | CABLE POWER ELECTRICAL COPPER CONDUCTOR  | IS:594/90, TABLE-5         | CQA(L) | 44821                     |         |
| 1046 | Y3      | 6145-007489                 | CABLE POWER ELECTRICAL FLEXIBLE COPPER C | IS:694/1990, TABLE-6       | CQA(L) | 163989                    |         |
| 1047 | Y3      | IYC-0833                    | TORCH, HAND ELECTRIC BATTERY OPERATED TU |                            | CQA(L) | 13                        |         |
| 1048 | Y3      | IYC-0837                    | CORD POWER ELECTRICAL ATC 0.75 SQ MM ELA | 6145-000235                | CQA(L) | 12045                     |         |
| 1049 | Y3      | IYC-0839                    | INSULATION TAPE ELECTRICAL PVC ADHESIVE  |                            | CQA(L) | 52172                     |         |
| 1050 | Y3      | IYC-M1-92400-32525          | PLUG-SPARKING -                          |                            | CQA(L) | 7                         |         |
| 1051 | Y3      | CORA-4997                   | EARTHING CABLE 15M                       | SGL                        | CQA(L) | 15                        |         |
| 1052 | Y3      | MISC-H7-750-091             | PLUG END PIECE ADOPTER                   |                            | CQA(L) | 16                        |         |
| 1053 | Y3      | IYC-0878                    | REEL CABLE MS CHECKS WOOD CORE 276MM FLA | 1800-100-310-52            | CQA(L) | 2710                      |         |
| 1054 | Y3      | IYC-0912                    | CABLE , ELECTRIC, TWIN SLAT, 32-0-2MM PV |                            | CQA(L) | 65                        |         |
| 1055 | Y3      | AGD-NIV-SLEEVING PLASTIC-30 | SLEEVING PLASTIC 30MM                    |                            | CQA(L) | 229                       |         |
| 1056 | Y3      | MISC-MAIN-PACK-HARNESS      | MAIN PACK HARNESS (500M DRUMS)           |                            | CQA(L) | 41                        |         |
| 1057 | Y3      | 6145-002367                 | CABLE ELECTRICAL COPPER CONDUCTOR, 4 MM  | IS:694/1990                | CQA(L) | 1735                      |         |
| 1058 | Y3      | 6145-002368                 | CABLE ELECTRICAL WITH COPPER CONDUCTOR,  | IS : 694 PT-I              | CQA(L) | 16                        |         |
| 1059 | Y3      | 6145-002412                 | CABLE ELECTRICAL WITH COPPER CONDUCTOR,  |                            | CQA(L) | 144                       |         |
| 1060 | Y3      | IWB-0043(Y3)                | CABLE ELECTRIC 'N' SINGLE MEDIUM 0.2     |                            | CQA(L) | 132                       |         |
| 1061 | Y3      | IWB-0064                    | CONNECTOR CABLE 4A                       |                            | CQA(L) | 380                       |         |
| 1062 | Y3      | IWB-0065                    | CONNECTOR CABLE 5A                       |                            | CQA(L) | 178                       |         |
| 1063 | Y3      | IWB-0066                    | CONNECTOR CABLE 6A                       |                            | CQA(L) | 125                       |         |
| 1064 | Y3      | IWB-0147                    | TORCH HAND TRADE PATERN 3 CELL           |                            | CQA(L) | 82                        |         |
| 1065 | Y3      | 6145-001404                 | CABLE ELECTRICAL ELASTOMER INSULATED 3 C | IS:9968/1988, PT-I, TABLE- | CQA(L) | 477                       |         |
| 1066 | Y3      | 6145-001414                 | CABLE ELECTRICAL WITH COPPER CONDUCTOR V | IS:9968/PT-I               | CQA(L) | 1107                      |         |
| 1067 | Y3      | 6145-001688                 | CABLE ELECTRICAL SINGLE 141.03 MM PVC IN |                            | CQA(L) | 441                       |         |
| 1068 | Y3      | IYC-0381                    | TUBING INSULATING                        |                            | CQA(L) | 15                        |         |
| 1069 | Y3      | IYC-0731                    | CABLE POWER ELECTRICAL ATC CONDUCTOR 25S | IRES/M/4213(METRIC)E ME    | CQA(L) | 35                        |         |
| 1070 | Y3      | IYC-0812                    | CLIP JOINT 38MM                          | 1800-100-310-52            | CQA(L) | 2474                      |         |
| 1071 | Y3      | MISC-RDL-934                | POLYSULPHIDE SEALANT (TINS 250 GM)       |                            | CQA(L) | 25                        |         |

| S.No | COS Sec | Part Number           | Nomen                                    | Spec No                   | ASHP   | Likely qty to be procured | Remarks |
|------|---------|-----------------------|------------------------------------------|---------------------------|--------|---------------------------|---------|
| 1072 | Y3      | MISC-SPLICING-MACHINE | SPLICING MACHINE                         |                           | CQA(L) | 16                        |         |
| 1073 | Y3      | YC-00382              | CABLE ELECT SINGLE 35/012 METER PVC INSU |                           | CQA(L) | 145                       |         |
| 1074 | Y3      | MISC-32B-989          | TAPE JOHNSON & JOHNSON (ROLL 5 MTR LENGT |                           | CQA(L) | 19                        |         |
| 1075 | Y3      | 9330-000006           | SHEETS POLYMETHYL METHAERY LATE 3.20MM T |                           | CQA(L) | 171                       |         |
| 1076 | Y3      | 9330-000009           | SHEETS POLYLATE 0.004 MM                 | IS-7569-1987              | CQA(L) | 1741                      |         |
| 1077 | Y3      | 6230-000007           | TORCH HAND ELECTRIC 3 CELLS 1-5V WATER T |                           | CQA(L) | 45                        |         |
| 1078 | Y3      | 6230-000021           | LANTERN ELECTRIC                         |                           | CQA(L) | 28                        |         |
| 1079 | Y3      | 6230-000026           | COVER TORCH HAND ELECTRIC 3 CELL & LANTE |                           | CQA(L) | 66                        |         |
| 1080 | Y3      | 6230-000095           | LANTERN ELECTRIC HAND PORTABLE 1A        | CIL 2535(B) A             | CQA(L) | 134                       |         |
| 1081 | Y3      | 6230-000121           | TORCH HAND ELECTRIC 3 CELLS              |                           | CQA(L) | 709                       |         |
| 1082 | Y3      | 6240-00-635-9800      | LAMP INDICATOR 3V 0.19 AMPIC 2R TUNG FIL |                           | CQA(L) | 138                       |         |
| 1083 | Y3      | 8110-000167           | DRUM CABLE MS 560 MM O-A DIA             |                           | CQA(L) | 13                        |         |
| 1084 | Y3      | 8130-000011           | DRUM CABLE COMMERCIAL LIGHT              | GCF-ASK-797               | CQA(L) | 280                       |         |
| 1085 | Y3      | 8130-99-943-3507      | REEL CABLE SOFTWOOD, WITH METAL SPIDER 2 | WB-2580                   | CQA(L) | 42                        |         |
| 1086 | Y3      | 6145-003672           | WIRE ELECTRICAL EQPT TYPE 2,14/0.193 MM  |                           | CQA(L) | 709                       |         |
| 1087 | Y3      | 6145-003675           | WIRE ELECTRICAL EQPT TYPE 2, 23/0.193 MM | JSS- 5100                 | CQA(L) | 899                       |         |
| 1088 | Y3      | 6145-004187           | CABLE ELECTRICAL POLYETHYLENE INSULATED, |                           | CQA(L) | 1460                      |         |
| 1089 | Y3      | 6145-004653           | ELECTRICAL WIRE COPPER ROUND, DOUBLE COT | IS:7391(PT-I)1974         | CQA(L) | 73                        |         |
| 1090 | Y3      | 6145-004893           | CORD ELECTRIC SINGLE CORE ATC VR INSULAT | IS: 9968/1988, PT-I, TABL | CQA(L) | 7496                      |         |
| 1091 | Y3      | 6145-004904           | CORD POWER ELECTRICAL 0.5 SQ MM ELASPOIN | IS:9968/1988, PT-I, TABLE | CQA(L) | 18                        |         |
| 1092 | Y3      | 6145-004911           | CORD ELECTRICA 6 CORE CAB TYRE LOW 0-2 M |                           | CQA(L) | 91                        |         |
| 1093 | Y3      | 6145-004933           | CORD POWER ELECTRICAL COPPER CONDUCTOR P |                           | CQA(L) | 475                       |         |
| 1094 | Y3      | 6145-004937           | CABLE ELECTRICAL ATC 48-0.2 MM ASBESTOS  |                           | CQA(L) | 3922                      |         |
| 1095 | Y3      | 6145-005416           | CORD POWER ELECTRICAL ATC ELASTOMER INSU | IS:9968/88                | CQA(L) | 4439                      |         |
| 1096 | Y3      | 6145-005428           | CABLE ELECTRICAL ATC ELASTOMER INSULATED | IS : 9968/81 PT-I, TABLE- | CQA(L) | 844                       |         |
| 1097 | Y3      | 6145-005956           | CABLE ELETRICAL HT-P-3 1A                |                           | CQA(L) | 3707                      |         |
| 1098 | Y3      | 6145-005957           | CABLE ELETRICAL HT P5,1A.                | CQAL-535                  | CQA(I) | 2296                      |         |
| 1099 | Y3      | 6145-005958           | CABLE ELETRICAL HTP13,1A.                | CQAL/535                  | CQA(L) | 101886                    |         |
| 1100 | Y3      | 6145-006010           | CABLE POWER ELECTRICAL SINGLE 128-0-2 MM | IS : 694, PT - I          | CQA(L) | 847                       |         |
| 1101 | Y3      | 6145-006186           | CABLE ELECTRONIC 3 CORE 32-02MM PVC INS  |                           | CQA(L) | 3032                      |         |
| 1102 | Y3      | 6145-006187           | CABLE POWER ELECTRICAL SINGLE 32/0.2MM P |                           | CQA(L) | 23120                     |         |
| 1103 | Y3      | IYC-1300              | INSULATION TAPE ELECTRICAL RUBBER NON AD | RS-1698(METRC)            | CQA(L) | 429                       |         |
| 1104 | Y3      | MISC-CAT-6-UTP-CABLE  | CAT 6 UTP CABLE                          |                           | CQA(L) | 62                        |         |
| 1105 | Y3      | 5940-008618           | POST BINDING TERMINAL BRASS (39.0 X 11.0 | DTC-15041 A2              | CQA(L) | 624                       |         |
| 1106 | Y3      | 6145-901810           | EQPT WIRE 1500PVC UNSCREENED UNSHEATED P |                           | CQA(L) | 59                        |         |
| 1107 | Y3      | 5940-001174           | TERMINAL BOARD 7 WAY 122 MM X 40MM X 52M | BCF-6181496               | CQA(L) | 93                        |         |
| 1108 | Y3      | 6145-000253           | CABLE POWER ELECTRICAL ATC 6MM CONDUCTOR | IS:9968/PT-I/1988, TABLE- | CQA(L) | 35003                     |         |
| 1109 | Y3      | 5975-025097           | SLEEVE IDENTIFICATION CABLE WHITE 3.5MM  | BOF ER-SX101/3VT/COAL-60  | CQA(L) | 1546                      |         |
| 1110 | Y3      | 5975-025098           | SLEEVE IDENTIFICATION CABLE WHITE 5.5MM  | X-10-1/5 VT CQAL-1601     | CQA(L) | 4826                      |         |
| 1111 | Y3      | 5999-003569           | CLIP ELECT X11-11-KK8                    | 1800-100-310-52           | CQA(L) | 2046                      |         |
| 1112 | Y3      | 5999-003571           | CLIP ELECT X 11-11-J-12                  |                           | CQA(L) | 347                       |         |
| 1113 | Y3      | 5999-003572           | CLIP ELECT CABLE X12-5-14                | X12-5-14 CIL-SK-906       | CQA(L) | 428                       |         |
| 1114 | Y3      | 5999-003573           | CLIP ELECTRICAL CABLE X12-5-16           | 4854-400-509-76           | CQA(L) | 351                       |         |
| 1115 | Y3      | 5999-003579           | CLIP ELECTRICAL CABLE X 12-5-8           | ISS-752(M)                | CQA(L) | 159                       |         |
| 1116 | Y3      | 6145-006695           | CABLE ELECTRICAL RUBBER INSULATED 2X 0.7 | BO FORS 6181694           | CQA(L) | 998                       |         |
| 1117 | Y3      | 6145-006288           | CABLE-SPL PURPOSE ELECT RUBBER INS X-10- | CQAL-594                  | CQA(L) | 866                       |         |
| 1118 | Y3      | 5970-910175           | SLEEING ELECTRICAL PVC 8.0MM ID 0.65MM   |                           | CQA(L) | 286                       |         |
| 1119 | Y3      | 5970-910188           | SLEEING ELECTRICAL PVC 9MM 1D-0-65MM TH  |                           | CQA(L) | 388                       |         |
| 1120 | Y3      | 5970-910214           | SLEEVE ELECTRICAL PVC 1MM 1D 0.65MM THIC | JSS-54801/1979 RA 2006    | CQA(L) | 1172                      |         |
| 1121 | Y3      | 5970-910240           | SLEEING ELECTRICAL PVC BLUE 14MM ID AND  |                           | CQA(L) | 103                       |         |
| 1122 | Y3      | 5970-910253           | SLEEING ELECTRICAL PVC 14MM 1D 0-85MM T  |                           | CQA(L) | 156                       |         |
| 1123 | Y3      | 5970-001915           | INSULATOR PLATE EPOXY RESIAN 1.6W EFOLAS |                           | CQA(L) | 66                        |         |
| 1124 | Y3      | IYC-0143              | CABLE ELECTRIC RUBBER INSULATED X 10-10- | X10-10 CQAL-594 METER     | CQA(L) | 629                       |         |
| 1125 | Y3      | IYC-0221              | BLOCK CONNECTION TERMINAL X 11-1-1       |                           | CQA(L) | 37                        |         |
| 1126 | Y3      | IYC-0224              | CLIP ASEA A 28500                        | ASEA A 28500              | CQA(L) | 351                       |         |

| S.No | COS Sec | Part Number                             | Nomen                                     | Spec No                        | ASHP      | Likely qty to be procured | Remarks |
|------|---------|-----------------------------------------|-------------------------------------------|--------------------------------|-----------|---------------------------|---------|
| 1127 | Y3      | IYC-0148                                | WIRE COUPLING SINGLE CONDUCTOR X 10-16-6  | CIL/PROV/71                    | CQA(L)    | 2814                      |         |
| 1128 | Y3      | IYC-0202                                | SHEATH INSULATING X 13-1-28 BL            | CIL/D178/BOFORS X-13-1(A)      | CQA(L)    | 195                       |         |
| 1129 | Y3      | 5970-910162                             | SLEEVEING ELECTRICAL PVC 7MM ID 0.65MM TH |                                | CQA(L)    | 324                       |         |
| 1130 | X3      | IXC-GL-710-1901-013                     | BANJO BOLT, PUMP INLET (NRV)              | -                              | CQA(EE)   | 80                        |         |
| 1131 | X2      | 5920-001217                             | FUSE LINK CARTRIDGE IBRC 16A              |                                | CQA(L)    | 21                        |         |
| 1132 | X2      | 8105-000124                             | BAG CANVAS                                | 3YWAK-1010-125                 | CQA(L)    | 278                       |         |
| 1133 | X3      | IXC-GL-TUBE-89                          | SPANNER BOX TUBLAR 8 MM X 9 MM            | -                              | CQA(EE)   | 1                         |         |
| 1134 | X2      | 6150-004348                             | CABLE ASSY ELECTRICAL POWER, 3CORE ANNEA  | 31507891                       | CQA(L)    | 487                       |         |
| 1135 | X2      | 6140-000351                             | LEAD, SECONDARY BTY POSITIVE PVC 60/0.03  | GREAVES DRG NO-3WYAK-1010-482  | CQA(L)    | 1281                      |         |
| 1136 | X2      | MISC-PEPL-001-877                       | PIPE FUEL FLXIBLE ARMoured WITH BANJO AT  |                                | CQA(L)    | 6                         |         |
| 1137 | X2      | MISC-2.5KVA-D-42349                     | BULB FOR PANEL LAMP                       | D-42349                        | CQA(L)    | 417                       |         |
| 1138 | X3      | 5120-004211                             | SPANNER DOUBLE ENDED A/F ON ZONE 11-5MM   |                                | CQA(EE)   | 3                         |         |
| 1139 | X3      | IXC-AV500                               | STARTING ROPE                             | -                              | CQA(EE)   | 63                        |         |
| 1140 | X2      | MISC-2.5KVA-D-41738                     | LEAD SECONDARY BATTERY 1.5M LONG WITH BT  | D-41738                        | CQA(L)    | 33                        |         |
| 1141 | X2      | MISC-0137530174                         | FUSE WIRE 15 AMPS                         |                                | CQA(L)    | 211                       |         |
| 1142 | X2      | 5930-002531                             | SWITCH SENSITIVE, 15A KAYCEE TYPE K1      | IZA-12757-                     | CQA(L)    | 157                       |         |
| 1143 | X2      | MISC-PEPL-001-876                       | PIPE FUEL FLEXIBLE ARMORED WITH BANJO AT  |                                | CQA(L)    | 19                        |         |
| 1144 | X2      | 5930-001998(X2)                         | SWITCH ROTARY 2 POLE ON/OFF 440V AC 16A   | KEC TYPE SRPM-123              | CQA(L)    | 16                        |         |
| 1145 | X2      | MISC-2.5KVA-D-41737                     | LEAD, SEC BTY 1.5M LONG WITH BTY TERMINA  | D-41737                        | CQA(L)    | 40                        |         |
| 1146 | X2      | 6145-006576                             | LEAD ELECTRICAL UNIPRINE, 150A, INTERCON  | EL/DV/856C                     | CQA(L)    | 152                       |         |
| 1147 | X2      | 6140-000158                             | LEAD SECOND BATTERY 4M SINGLE CORE 110/0  | KEC 31518182/R1                | CQA(L)    | 3600                      |         |
| 1148 | X2      | 6140-000271                             | LEAD SEC BTY (INTER-CONNECTING 0.6M LG W  |                                | CQA(L)    | 2744                      |         |
| 1149 | X3      | IXC-KR-140901                           | HANDLE STARTING                           |                                | CQA(EE)   | 6                         |         |
| 1150 | X2      | 6150-000261                             | CABLE ASSY POWER ELECT 3 CORE 8 MTR LG W  |                                | CQA(L)    | 116                       |         |
| 1151 | X2      | 5975-001461                             | ROD EARTHING COMPLETE WITH MS BOLT AND W  | KEC DRG NO 5.5/II/70/054       | CQA(L)    | 3                         |         |
| 1152 | X2      | 5920-000878                             | FUSE LINK CARTRIDGE GLASS 30MM LONG X7MM  |                                | CQA(L)    | 884                       |         |
| 1153 | X2      | 2990-000463                             | PIPE EX- HAUST EXTENSION 1500MM LONG 82M  | -                              | CQA(L)    | 17                        |         |
| 1154 | X2      | 5935-000220                             | PLUG ELECTRICAL FREE BRASS 2 POLE 15A 25  | KID BK-9801-                   | CQA(L)    | 11                        |         |
| 1155 | X2      | 5920-001065                             | FUSE LINK ELECTRICAL CARTRIDGE 32MM X 6M  | MALNED TYPE GOQ/1 5KW-760-4615 | CQA(L)    | 14                        |         |
| 1156 | X2      | MISC-2.5KVA-SK-5494                     | FUSE GLASS CARTRIDGE (1A)                 |                                | CQA(L)    | 1193                      |         |
| 1157 | X3      | IXC-GL-9-2300-53                        | SPANNER OPEN JAN FIXED DONBLE ENDED NOMI  |                                | CQA(EE)   | 138                       |         |
| 1158 | X2      | 5920-001059                             | FUSE HOLDER PORCELAIN 25A, 500V, TYPE D   | CIL 4122                       | CQA(L)    | 39                        |         |
| 1159 | X3      | PINAKA-LV-ENG-L&T-XL-61048              | DRAW WIRE SENSOR                          |                                | CQA(EE)   | 27                        |         |
| 1160 | X2      | MISC-XL-14301                           | LEVER TYPE LIMIT SWITCH                   |                                | Not Known | 21                        |         |
| 1161 | X2      | MISC-XL-14303                           | PROXIMITY SWITCHES                        |                                | Not Known | 3                         |         |
| 1162 | X2      | MISC-XL-91034                           | BATTERY CHARGER                           |                                | Not Known | 3                         |         |
| 1163 | X2      | MISC-LNR-DD-900629                      | JB RP                                     |                                | CQA(A)    | 3                         |         |
| 1164 | X2      | IXB-0026                                | LIGHTING SET MOBILE OPERATING THEATOR 1A  | -                              | CQA(L)    | 65                        |         |
| 1165 | X2      | 5935-406679                             | CONNECTOR FREE ELECTRICAL MALE/CO-AXIAL   | CN-0068                        | CQA(L)    | 5                         |         |
| 1166 | X2      | MISC-XL-14253                           | PLUNGER TYPE LIMIT SWITCH                 |                                | Not Known | 11                        |         |
| 1167 | X2      | 5930-028542(X2)                         | SWITCH PUSH BUTTON 5A 250V,TYPE ZMS 70 7  | -                              | CQA(L)    | 5                         |         |
| 1168 | X2      | MISC-7810-0308-3A-III-5XP-GOST-17199-71 | SCREW DRIVER                              | -                              | CQA(L)    | 42                        |         |
| 1169 | X2      | 5930-001170(X2)                         | SWITCH TOGGLE SPST 6A, 250V.AC,15A,28V.D  | KEC TYPE KT-1021 A             | CQA(L)    | 132                       |         |
| 1170 | X2      | 6105-000285                             | MOTOR AC 3PH 220V 50HZ 2900RPM 3.5KW TEF  | CIL NO 3052-2                  | CQA(L)    | 15                        |         |
| 1171 | X2      | IXB-2209                                | END PLUG                                  |                                | CQA(L)    | 2280                      |         |
| 1172 | X2      | 5935-004324                             | CONNECTOR FIXED ELECTRICAL SOCKET 18 POL  |                                | CQA(L)    | 1100                      |         |
| 1173 | X2      | MISC-80-057-059-0353                    | FUSE LINK 5 AMPS                          | 8.00571E+11                    | CQA(L)    | 43                        |         |
| 1174 | X2      | 5930-002455                             | SWITCH SENSITIVE X 20-14                  |                                | CQA(L)    | 276                       |         |
| 1175 | X5      | 6240-000382                             | LAMP FILAMENT 12V,2W,MCC,CLEAR            |                                | CQA(L)    | 1306                      |         |
| 1176 | X2      | MISC-LNR-DD-400454                      | PDU RP HARNESS                            |                                | CQA(A)    | 3                         |         |
| 1177 | X2      | 5920-002010                             | FUSE LINK ENCLASD ELEMENT RED COLOUR 10   | BAFER DRG NO X 24-5-10         | CQA(L)    | 15502                     |         |
| 1178 | X2      | 6140-000169                             | LEAD SECONDARY BATTERY INTER CONNETION S  | TE/1382/9                      | CQA(L)    | 2743                      |         |

| S.No | COS Sec | Part Number                     | Nomen                                     | Spec No                   | ASHP      | Likely qty to be procured | Remarks |
|------|---------|---------------------------------|-------------------------------------------|---------------------------|-----------|---------------------------|---------|
| 1179 | X2      | 5930-001991                     | SWITCH ROTARY 2 POLE 4 WAY, 6A 250V AC T  | DEL/CM/212                | CQA(L)    | 23                        |         |
| 1180 | X2      | 5935-406708                     | ADAPTOR CONNECTOR BNC TO TNC              |                           | CQA(L)    | 13                        |         |
| 1181 | X2      | MISC-2020-0904330               | DC CABLE FO BC-2188 CX -4720/T            |                           | CQA(L)    | 509                       |         |
| 1182 | X2      | 6110-000510                     | PANEL CONTROL FOR GENERATOR SET DIESEL E  | NOT KNOWN                 | CQA(L)    | 9                         |         |
| 1183 | X2      | 5920-002468                     | FUSE LINK 100MA                           |                           | CQA(L)    | 44                        |         |
| 1184 | X2      | 5935-406704                     | ADAPTOR CONNECTOR UHF PLUG TO BNC         | CN 0097                   | CQA(L)    | 17                        |         |
| 1185 | X2      | OWFS-6265-001-008-00            | FUSE 0.5A , 5X20 T MODEL 5369             |                           | CQA(L)    | 262                       |         |
| 1186 | X2      | MISC-PMTN-4028                  | BTY CHG MULTI UNIT RAPIDRATE *            |                           | Not Known | 23                        |         |
| 1187 | X2      | IXB-2762                        | FAN AIRYS 220-230V AC 31W 225/MM SWEEP    |                           | CQA(L)    | 97                        |         |
| 1188 | X2      | MISC-8480549-ZO6                | FLEX UNIVERSAL CONNECTOR                  | -                         | CQA(L)    | 338                       |         |
| 1189 | X3      | IXC-ACE-FLT-490B41001000        | FAN BELT                                  | 490B4100100               | CQA(L)    | 10                        |         |
| 1190 | X3      | IXC-ACE-FLT-CX0708760000        | FUEL FILTER                               | CX0708760000              | CQA(L)    | 10                        |         |
| 1191 | X3      | IXC-ACE-FLT-DX-200ME-000000     | WATER SEPARATOR FILTER                    | DX200M000000              | CQA(L)    | 10                        |         |
| 1192 | X3      | IXC-ACE-FLT-JX85100C0000        | OIL FILTER                                | JX85100C0000              | CQA(L)    | 46                        |         |
| 1193 | X3      | IXC-ACE-KW-1634X00000           | AIR FILTER ELEMENT                        | KW1634X00000              | CQA(L)    | 4                         |         |
| 1194 | X2      | 5920-000431                     | FUSE CARRIDGE 1-A LINK ELECTRICAL GLASS,  | -                         | CQA(L)    | 2                         |         |
| 1195 | X2      | 5935-406798                     | CONNECTOR FXD ELECTRICAL PCB EURO PLUG R  | -                         | CQA(L)    | 4                         |         |
| 1196 | X2      | 5935-406799                     | CONNECTOR FXD ELECTRICAL PLUG 7 CONTACTS  |                           | CQA(L)    | 2                         |         |
| 1197 | X2      | 5920-001408                     | FUSE LINK CARTRIDGE GLASS TIME LAG 2.5A   |                           | CQA(L)    | 2348                      |         |
| 1198 | X2      | 5920-001409                     | FUSE LINK ELECTRICAL HRL 10A 415VAC 86MM  | DC5A3-100002A1A1          | CQA(L)    | 1764                      |         |
| 1199 | X2      | 6145-006785                     | LEAD SECONDARY BTY SINGLE CORE 44/0.32PV  | V1/2KVA/ACC4              | CQA(L)    | 516                       |         |
| 1200 | X2      | 6145-006786                     | LEAD SECONDARY BTY SINGLE CORE 44/0.32PV  | V1/2KVA/ACC6              | CQA(L)    | 228                       |         |
| 1201 | X2      | 5935-002477                     | SOCKET ELECTRICAL BRASS FREE STRAIGHT 3P  | KEC 5.5/II/70/105 TYPE NO | CQA(L)    | 115                       |         |
| 1202 | X1      | XA-7946                         | GAUGE LAMP ALIGNMENT.                     |                           | CQA(L)    | 73                        |         |
| 1203 | X1      | XA-8174                         | SIGHT A.A. BINOCULAR MK-1                 |                           | CQA(L)    | 2                         |         |
| 1204 | X2      | 6110-000189                     | PANEL INDICATOR 3A.                       | EL 1 DV 607A              | CQA(L)    | 8                         |         |
| 1205 | X2      | 6130-000338                     | CHARGER BATTERY INPUT AC 240V, 50HZ,SP O  |                           | CQA(L)    | 2                         |         |
| 1206 | X2      | 6130-000361                     | COVER PANEL AL ALLOY 312MM X 9MM THK      | 721/22                    | CQA(L)    | 6                         |         |
| 1207 | X2      | MISC-1041-000-650-59            | VOLTAGE STABILISER MODULE (DC-DC CONVERTO | -                         | CQA(L)    | 1                         |         |
| 1208 | X2      | 6130-000645                     | CHARGER BTY IN PUT 230V, 50HZ, OUTPUT 11  |                           | CQA(L)    | 5                         |         |
| 1209 | X2      | MISC-1071-000-285-82            | DC-DC CONVERTOR PCB (12V 400W)            |                           | CQA(L)    | 1                         |         |
| 1210 | X2      | 8105-000128                     | BAG, CLOTH CANVAS, SPARES EMPTY 228.6 MM  | -                         | CQA(L)    | 306                       |         |
| 1211 | X2      | 8105-000129                     | BAGS CANVAS CH BTY CHARGING NICD BATTERI  |                           | CQA(L)    | 88                        |         |
| 1212 | X2      | 8105-000165                     | BAG CLOTH CANVAS EMPTY 335MM WIDTH WITH   | -                         | CQA(L)    | 138                       |         |
| 1213 | X2      | 6110-001245                     | SWITCH BOARD ELECTRICAL POWER ALTERNATOR  |                           | CQA(L)    | 11                        |         |
| 1214 | X2      | 6110-002846                     | CONTROL REMOTE SWITCHING (REMOTE CONTROL  | 31508387                  | CQA(L)    | 95                        |         |
| 1215 | X2      | 6115-000052                     | LEAD, ELECTRICAL, SINGLE, RED, 3M, LONG   | -                         | CQA(L)    | 35                        |         |
| 1216 | X2      | 6115-000053                     | LEAD, ELECTRICAL, SINGLE, BLUE, 3M LONG   | -                         | CQA(L)    | 52                        |         |
| 1217 | X2      | IXB-USSR-PES-100-NAO-360-011 TU | SINGLE POLE ON -OFF SWITCH BUTTON CK-3-1  |                           | CQA(L)    | 2                         |         |
| 1218 | X2      | IXB-USSR-PES-100-5DE-887-011    | KEY FOR BODY HATCHES                      |                           | CQA(L)    | 2                         |         |
| 1219 | X2      | IXB-USSR-PES-100-5DE-887-012    | KEY FOR BODY                              |                           | CQA(L)    | 2                         |         |
| 1220 | X2      | 5935-003561                     | CONNECTOR FREE ELECTRICA BRASS 3 CONTACT  |                           | CQA(L)    | 1435                      |         |
| 1221 | X2      | 6310-000488                     | LENS INDICATOR LIGHT RED TO DRY NO CIP-1  | CIP-13                    | CQA(L)    | 42                        |         |
| 1222 | X2      | 5935-912402                     | CONNECTOR ELECTRICAL CIRCULAR THREADED C  |                           | CQA(L)    | 1                         |         |
| 1223 | X2      | 6350-001136                     | BUSZZER PIRZO 4.2 KHZ 3-16 VDC 7MA AT 12  | AU-0002                   | CQA(L)    | 6                         |         |
| 1224 | X2      | 6115-000576                     | BAG SPARES CANVAS SIZE 267MM X 260MM WIT  | SK-4433                   | CQA(L)    | 59                        |         |
| 1225 | X2      | 5935-913051                     | CONNECTOR RECEPTACLE ELECTRICAL SHELL SI  | CN-0097                   | CQA(L)    | 3                         |         |
| 1226 | X2      | 5935-913155                     | CONNECTOR LP CIRCULAR SEALED BREYNMET CO  |                           | CQA(L)    | 34                        |         |

| S.No | COS Sec | Part Number                            | Nomen                                    | Spec No            | ASHP   | Likely qty to be procured | Remarks |
|------|---------|----------------------------------------|------------------------------------------|--------------------|--------|---------------------------|---------|
| 1227 | X2      | IXB-3424                               | CABLE ASSY POWER ELECTRICAL 2 CONDU OTOR |                    | CQA(L) | 2                         |         |
| 1228 | X2      | 6150-000051                            | LEAD ELECTRICAL RED, 3M LONG TWO WIRE WI | C22750/8C          | CQA(L) | 57                        |         |
| 1229 | X2      | 6150-000052                            | LEAD ELECTRICAL BLACK, 3M LONG TWO WIRE  | C227540/8D         | CQA(L) | 39                        |         |
| 1230 | X2      | MISC-0060015027                        | PAD LOCK NAVTAL GODREJ MAKE SIZE 35MM WI |                    | CQA(L) | 6                         |         |
| 1231 | X2      | IXB-4931                               | MEASURE LIQUID A1 1 LITER CAPACITY 140MM | EL/DV/847          | CQA(L) | 219                       |         |
| 1232 | X2      | IXB-508                                | GASKET RUBBER FUEL TANK CAP 60MM OD MM I | -                  | CQA(L) | 2                         |         |
| 1233 | X2      | MISC-41505386-R1                       | PIPE FUEL RUBBER WIRE BRAIDED 12.5MM OD. | 41505386/R1        | CQA(L) | 17                        |         |
| 1234 | X2      | MISC-41507985                          | TYPE FUEL-PIPE INJECTOR OVERFLOW TO TANK | 41507985           | CQA(L) | 19                        |         |
| 1235 | X2      | 5935-409169                            | SOCKET PLUG IN ELECTRONIC COMPONENT 1A,3 |                    | CQA(L) | 171                       |         |
| 1236 | X2      | 6145-001031                            | LEAD SECONDARY BATTERY 2.086 METRE LONG  | -                  | CQA(L) | 2                         |         |
| 1237 | X2      | 6145-006360                            | LEAD ELECTRICAL SINGLE 1/2MTR LONG CLIP  | -                  | CQA(L) | 596                       |         |
| 1238 | X2      | 6145-006596                            | BRAID WIRE EARTHING COPPER 5M LONG WITH  | CIL/DGN/SK-227     | CQA(L) | 384                       |         |
| 1239 | X2      | 6145-006713                            | BRAID EARTHING COPPER 5 MTR LG WITH TERM | YADAK-995-1128     | CQA(L) | 194                       |         |
| 1240 | X2      | 6145-006787                            | LEAD SECONDARY BTY INTERCONNECTING SINGL | VII/2KVA/ACC7      | CQA(L) | 1649                      |         |
| 1241 | X2      | MISC-4080710Z01                        | CHANNEL SWITCH                           | 4080710Z01         | CQA(L) | 247                       |         |
| 1242 | X2      | 6145-99-942-4343                       | FUSE, WIRE 20A, OR TINNED COPPER NO 24 S |                    | CQA(L) | 1177                      |         |
| 1243 | X2      | 6145-99-942-4344                       | FUSE, WIRE 10A, OR TINNED COPPER NO26SWG |                    | CQA(L) | 1579                      |         |
| 1244 | X2      | 6145-99-942-4349                       | FUSE WIRE 3A                             |                    | CQA(L) | 479                       |         |
| 1245 | X2      | 6145-99-942-4351                       | FUSE WIRE, TIN NO.33 S.W.G CARRYING 1-A, |                    | CQA(L) | 298                       |         |
| 1246 | X2      | 6230-000205                            | LIGHT EXTENSION CABLE TWIN CORE 1 METER  | HI-150-406         | CQA(L) | 311                       |         |
| 1247 | X2      | 6230-000222(X2)                        | LIGHT EXTENTION 24V,30W BC LAMP HOLDER   | EL/DV/869(6)       | CQA(L) | 23                        |         |
| 1248 | X2      | 6230-000246                            | LAMP HAND INSPECTION 12V, 18W, DC WITH C | 5.5 II/70/050      | CQA(L) | 327                       |         |
| 1249 | X2      | IXB-3173                               | TAPE TEFFON 1M LONG                      |                    | CQA(L) | 3712                      |         |
| 1250 | X2      | 6230-000286                            | INSPECTION LAMP ASSY C/W LAMP FILAMENT 1 | 31500386R          | CQA(L) | 31                        |         |
| 1251 | X2      | MISC-42202282-1                        | TUBE INSULATING SPINDLE BAKELITE ID 0.38 | KEC D-42202282/1   | CQA(L) | 6                         |         |
| 1252 | X2      | IXB-3248                               | CABLE ASSY SPEAD PURPOSE ELECTRICAL 2 M  | SK-702/9           | CQA(L) | 1713                      |         |
| 1253 | X2      | IXB-3263                               | LEAD ELECTRICAL SINGLE RED 2 M LONG LUG  | -                  | CQA(L) | 36                        |         |
| 1254 | X2      | MISC-4805-111-103-39                   | BLADE FUSE 15A,58V                       |                    | CQA(L) | 680                       |         |
| 1255 | X2      | 6150-000130                            | CABLE ASSY ELECT POWER 2 CORE 128/0.2MM  | TE/774-24          | CQA(L) | 1238                      |         |
| 1256 | X2      | DUNLOP MAKE A SERIES                   | MOUNT RESILIENT DUNLOP MAKE A SERIES     |                    | CQA(L) | 12                        |         |
| 1257 | X2      | 6150-000136                            | CABLE ASSY, ELECTRICAL FOUR CORE WITH RE |                    | CQA(L) | 362                       |         |
| 1258 | X2      | 6150-000137                            | CABLE ASSY WITH CABLE ELECT: 2 CORE PVC  |                    | CQA(L) | 149                       |         |
| 1259 | X2      | 6150-000138                            | CABLE ASSY POWER ELECT 3 CORE WITH LEAD  | DEL/CM/128         | CQA(L) | 476                       |         |
| 1260 | X2      | MISC-BCP-PINAKA-PP - 104100064962 TATA | POWER CONTROL AND INPUT FILTER MODULE    |                    | CQA(L) | 1                         |         |
| 1261 | X2      | 6150-000233                            | CABLE ASSY SPL PURPOSE ELECTRICAL 4 CORE | GREAVES DRG NO SK- | CQA(L) | 132                       |         |
| 1262 | X2      | 6150-000234                            | CABLE ASSY SPL PURPOSE ELECT 3 CORE 110/ |                    | CQA(L) | 2                         |         |
| 1263 | X2      | 6150-004350                            | CABLE ASSY POWER ELECTRICAL 3 CORE 50 MT | TE-795-30A         | CQA(L) | 142                       |         |
| 1264 | X2      | 6150-000235                            | CABLE REMOTE OPERATING TRS INSULATED 4 C | KEC-31500776/R2    | CQA(L) | 18                        |         |
| 1265 | X2      | MISC-HI-150-304                        | WASHER FLAT NEOPRENE OD 40MM ID 28MM FUE |                    | CQA(L) | 2                         |         |
| 1266 | X2      | IXB-3746                               | FUNNEL LUBOSTEELRECHANGBLE 0/4 LIGHT 151 |                    | CQA(L) | 17                        |         |
| 1267 | X2      | IXB-3759                               | SPANNER BOX TUBULAR DOUBLE END 18MM X 19 |                    | CQA(L) | 669                       |         |
| 1268 | X2      | 5995-000355                            | LEAD ELECTRICAL,RED,3M LONG WITH SPADE T | 12301/SA/10/1      | CQA(L) | 195                       |         |
| 1269 | X2      | 5995-000356                            | LEAD ELECTRICAL BLACK 3M LONG WITH SPADE | 12301/SA/10/2      | CQA(L) | 5                         |         |
| 1270 | X2      | FRT(WZT-2)BN-74-3681-03                | FUSE 8A                                  | J                  | CQA(L) | 23                        |         |
| 1271 | X2      | 6150-000491                            | CABLE ASSY ELECT 4 CORE 100M LONG 4 POLE | GP/TCA/VII/149     | CQA(L) | 54                        |         |
| 1272 | X2      | IXB-2471                               | CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICA | YDAK-995-773       | CQA(L) | 25                        |         |
| 1273 | X2      | IXB-5265                               | WIRE STEEL 0.254MM DIA X 153 MM LG       | IZHR-2085 REF 1    | CQA(L) | 32                        |         |

| S.No | COS Sec | Part Number                              | Nomen                                     | Spec No                   | ASHP      | Likely qty to be procured | Remarks |
|------|---------|------------------------------------------|-------------------------------------------|---------------------------|-----------|---------------------------|---------|
| 1274 | X2      | IXB-5405                                 | COVER CANVAS DUST PROTECTED OLIVE GREEN   |                           | CQA(L)    | 57                        |         |
| 1275 | X2      | MISC-2R-24                               | RELAY DIAMOND H"TYPE 2 POLE CHANGE OVER   |                           | CQA(L)    | 2                         |         |
| 1276 | X2      | IXC-ET-EL-DV-869                         | FUNNEL FOR FUEL OIL                       | -                         | CQA(L)    | 49                        |         |
| 1277 | X2      | IXC-ET-EL-HYD-3036                       | COVER PROTECTIVE ADJUSTABLE               | ET-EL-HYD-3036            | CQA(L)    | 137                       |         |
| 1278 | X2      | IXE-0056                                 | LAMP FILAMENT 12V MES CLEAR               |                           | CQA(L)    | 46                        |         |
| 1279 | X2      | IXE-5045                                 | PLUG ELECTRICAL                           |                           | CQA(L)    | 2                         |         |
| 1280 | X2      | MISC-2502                                | CONN 996 PIN FEMALE V42254-B-2135-C-96    |                           | CQA(L)    | 2                         |         |
| 1281 | X2      | MISC-21503186R4                          | COVER CANVAS GENERATOR SET DUCK COTTON O  |                           | CQA(L)    | 71                        |         |
| 1282 | X2      | MISC-IND-PSU-003M                        | AC/DC SMPS ADAPTOR FOR RAPID CHARGER      | -                         | CQA(L)    | 293                       |         |
| 1283 | X2      | MISC-EFF-00000300-000 (FUSE 0.3A)        | FUSE 0.3A                                 |                           | CQA(L)    | 39                        |         |
| 1284 | X2      | MISC-PCB-1041-000-652-53                 | REMOTE CONTROL MODULE(CONTAINS REMOTE CO  |                           | CQA(L)    | 1                         |         |
| 1285 | X2      | MISC-SU-A-3855-2                         | PLUG ELECTRICAL BRASS FREE 2 POLE 30A 50  | -                         | CQA(L)    | 40                        |         |
| 1286 | X2      | MISC-TE 369-64A                          | PUMP ROTARY HAND COMPLETE                 |                           | CQA(L)    | 16                        |         |
| 1287 | X2      | MISC-TE-1483-9                           | BOX, TOOL, MS                             |                           | CQA(L)    | 2                         |         |
| 1288 | X2      | MISC-OYUO-481-003TU-6.3A                 | FUSE LINK VP 2B-IV 6.3A 250V              |                           | CQA(L)    | 35                        |         |
| 1289 | X2      | MISC-GKS-250-501                         | BOX TOOL PORTABLE MS GEN SET 2.5 KVA, 9A  | GSK-250-501               | Not Known | 7                         |         |
| 1290 | X2      | MISC-811-014-02                          | BTY CHARGER (811-004-02)                  |                           | CQA(L)    | 4                         |         |
| 1291 | X2      | MISC-TY16-545-362-81                     | LAMP SM 28-4.8                            |                           | CQA(L)    | 3                         |         |
| 1292 | X2      | MISC-UGS-UGSCN-0064                      | JACK POWER PANEL MOUNT PC MOUNT, RIGHT E  | NELCO-UGSCN-0064          | CQA(L)    | 8                         |         |
| 1293 | X2      | MISC-GKS-400-301A-4KVA                   | GUARD FRAME ASSY GEN SET 4KVA (COMM)      | -                         | CQA(L)    | 137                       |         |
| 1294 | X2      | MISC-EFF-00010000-000                    | FUSE 10A                                  |                           | CQA(L)    | 72                        |         |
| 1295 | X2      | MISC-POWERPLANT11.2KVA-41504388-1SRLNO1  | LENS RED POLY CARBON TYKPE J-10           |                           | CQA(L)    | 17                        |         |
| 1296 | X2      | MISC-POWERPLANT2 X11.2KVA-31516190/CD647 | FIRST AID BOX                             |                           | CQA(L)    | 1                         |         |
| 1297 | X2      | MISC-EVD-949098(X2)                      | MICRO SWITCH                              |                           | CQA(L)    | 4                         |         |
| 1298 | X2      | MISC-PEPL-001-1134                       | REEL CABLE FOR REMOTE CONTROL CABLE       |                           | CQA(L)    | 83                        |         |
| 1299 | X2      | MISC-PEPL-001-1154                       | CABLE ASSY, ELECT, 3 CORE WITH REMOTE CO  | -                         | CQA(L)    | 243                       |         |
| 1300 | X2      | MISC-PEPL-001-862                        | COVER CANVAS BUCK COTTON OLIVE GREEN 215  | PARAS DRG NO PEPL-001-862 | CQA(L)    | 8                         |         |
| 1301 | X2      | MISC-PINAKA-DD-900587                    | PDU-RP CARD                               |                           | CQA(A)    | 1                         |         |
| 1302 | X2      | MISC-150W-1-216                          | KIT MOUNTING CHG SET 150 W 12A *          | 1/216                     | CQA(L)    | 5                         |         |
| 1303 | X2      | 6115-000478                              | GENERATOR AC 4KVA , 230V, SINGLE PHASE .5 | 230V SP 50HZ 6A, 0.9PF    | CQA(L)    | 7                         |         |
| 1304 | X2      | 6110-000183                              | SWITCH BOARD ELECTRICAL POWER MASTER 3A   | EL/DV/606                 | CQA(L)    | 9                         |         |
| 1305 | X2      | 6110-000676                              | PANEL CONTROL DISTRIBUTION POWER GEN SET  | 21518883R                 | CQA(L)    | 4                         |         |
| 1306 | X2      | 6110-000187                              | SWITCH BOARD ELECTRICAL POWER MASTER 1B.  |                           | CQA(L)    | 2                         |         |
| 1307 | X2      | 6115-003800                              | GENERATOR ALTERNATING CURRENT BRUSHLESS   | TE-ALT-1483/1             | CQA(L)    | 1                         |         |
| 1308 | X2      | 6115-000357                              | GEN AC 30 KVA 230V 0.8PF 3PH 50HZ 5A.     |                           | CQA(L)    | 4                         |         |
| 1309 | X2      | IXB-2658                                 | SCREW DRIVE 12" LONG (POLYLHERE HANDLE )  |                           | CQA(L)    | 2                         |         |
| 1310 | X2      | IXB-2661                                 | SPANNER DOUBLE END ED 17 X 19 MM          |                           | CQA(L)    | 25                        |         |
| 1311 | X2      | IXB-3091                                 | SPIKE EARTHING STEEL 50.8 MM LONG FOR *   | -                         | CQA(L)    | 16                        |         |
| 1312 | X2      | IXC-LVC-2625-0460                        | GROMMET BUSH RUBBER 11.1MMX15.8MM *       |                           | CQA(E)    | 4                         |         |
| 1313 | X2      | 5310-001400                              | WASHER SPRING STEEL SGL COIL 3.1MM *      |                           | CQA(L)    | 322                       |         |
| 1314 | X2      | 5935-003532                              | CONNECTOR FREE ELECT FXD 3 PIN 15A *      |                           | CQA(L)    | 2                         |         |
| 1315 | X2      | 2910-002931                              | TANK FUEL ENGINE                          | 4600-431-501-36           | CQA(L)    | 2                         |         |
| 1316 | X2      | 6210-000255                              | INDICATOR LIGHT GREEN                     | BEL-A403122/IG            | CQA(L)    | 23                        |         |
| 1317 | X2      | 6115-001179                              | GENERATING SET GASOLINE ENG MOUNTED *     |                           | CQA(L)    | 6                         |         |
| 1318 | X2      | 6250-000133                              | LAMP HOLDER BC METAL CASED 250V           |                           | CQA(L)    | 16                        |         |
| 1319 | X2      | MISC-SKW-552-5226                        | CABLE ASSY 4 CORE COMPLETE FOR REMOTO *   |                           | CQA(L)    | 10                        |         |
| 1320 | X2      | 6140-000161                              | LEAD SEC BTY SGL CORE 294/0.305MM *       | 5.5II/70/139              | CQA(L)    | 12                        |         |
| 1321 | X2      | MISC-2247-530-755                        | INTER CONNECTING CABLE C/W CLAMPS *       | -                         | CQA(L)    | 48                        |         |
| 1322 | X2      | MISC-D45-33-236                          | BREAST CHANGE OVER SWITCH WITH CABLE *    |                           | CQA(L)    | 230                       |         |

| S.No | COS Sec | Part Number                              | Nomen                                    | Spec No                   | ASHP      | Likely qty to be procured | Remarks |
|------|---------|------------------------------------------|------------------------------------------|---------------------------|-----------|---------------------------|---------|
| 1323 | X2      | 5935-406399                              | CONNECTOR FXD ELECTRICAL PCB RDPT PIN    |                           | CQA(L)    | 2                         |         |
| 1324 | X2      | MISC-POWER PLANT-2X11-2KVA-TE-795-30     | CABLE ASSY REMOTE ELECT L *              | -                         | CQA(L)    | 2                         |         |
| 1325 | X2      | MISC-POWER PLANT 2X11.2KVA-41502090      | TESTER LINE 500V                         |                           | CQA(L)    | 4                         |         |
| 1326 | X2      | 5920-910518                              | FUSE LINK ELECT CARTRIDGE SLOW BLOW *    |                           | CQA(L)    | 53                        |         |
| 1327 | X2      | MISC-UGS-UGS-CH-0010                     | CONNECTOR 6 PIN CAP CIRCULAR RECEPTACLE  |                           | CQA(L)    | 2                         |         |
| 1328 | X2      | 6115-001017                              | COVER GEN SET CANVAS DUCK COTTON *       |                           | CQA(L)    | 12                        |         |
| 1329 | X2      | MISC-11-2KVA-POWER PLANT-41504388-1-SNO2 | LENS GREEN POLY CARBONATE TYPE JB-24     |                           | Not Known | 11                        |         |
| 1330 | X2      | MISC-LNR-PINAKA-GEN-MISCITEMS-XL91006L&T | HOOTER                                   |                           | Not Known | 2                         |         |
| 1331 | X2      | 6140-000188                              | LEAD ELECT SEC BTY UNIPRENE 150A *       | 154184R3/3                | CQA(L)    | 227                       |         |
| 1332 | X2      | MISC-474010266272                        | Connector-2 4-Pin, Genset ACCS           |                           | CQA(L)    | 17                        |         |
| 1333 | X2      | 5920-000540                              | FUSE LINK, 2A ,250V AC/DC 6MM X 31MM     | -                         | CQA(L)    | 23                        |         |
| 1334 | X2      | 5920-000040                              | FUSE LINK 2A , 250V AC/DC 6MMX 31M TF-2  |                           | CQA(L)    | 428                       |         |
| 1335 | X2      | 5920-000343                              | FUSE LINK 7A 440VAC 230 VDC              |                           | CQA(L)    | 1147                      |         |
| 1336 | X2      | 5920-000444                              | FUSE ELECTRICAL 0.16 A 250V, TYPE NO 0.1 | 4568-100-503-14           | CQA(L)    | 28                        |         |
| 1337 | X2      | 5920-000515                              | FUSE LINK ELECTRICAL GLASS CARTRIDGE SLO |                           | CQA(L)    | 6                         |         |
| 1338 | X2      | 5920-000528                              | FUSE LINK ELECTRICAL GLASS CARTRIDGE 1.5 | C-227540/44/1 4568-001-00 | CQA(L)    | 57                        |         |
| 1339 | X2      | 5920-001073                              | FUSE HOLDER SLYDLOCK 15A TYPE            | TE 1382/20-               | CQA(L)    | 488                       |         |
| 1340 | X2      | 5935-002569                              | SOCKET ELETRICAL BRASS FREQ STRAIGHT, 3  | HCQ-31138                 | CQA(L)    | 75                        |         |
| 1341 | X2      | 5930-002359                              | SWITCH TOGGLE 15A 250V AC                |                           | CQA(L)    | 6                         |         |
| 1342 | X2      | 5935-004321                              | CONNECTOR FINER ELECTRIC SOCKET ELECT 3  |                           | CQA(L)    | 2                         |         |
| 1343 | X2      | 5935-003447                              | CONNECTOR FREE ELECTRICAL 3 PIN 250V 15  | IXB-4110                  | CQA(L)    | 97                        |         |
| 1344 | X2      | 5920-001075                              | FUSE HOLDER STUD LOCK 250 VDC 5A TYPE SL | -                         | CQA(L)    | 111                       |         |
| 1345 | X2      | 5935-406800                              | CONNECTORFXD ELECTRICAL STRAIGHT 36 CNTA |                           | CQA(L)    | 8                         |         |
| 1346 | X2      | 5920-001335                              | FUSE LINK CARTRIDGE CERAMIC 20A          |                           | CQA(L)    | 8                         |         |
| 1347 | X2      | 4020-000414                              | ROPE STARTING (ASSY) DIA 7.5MM O/A LENGT |                           | CQA(L)    | 445                       |         |
| 1348 | X2      | 5140-000083                              | BAG , TOOLS SATCHEIS CANVES GEN SET 4KVA | -                         | CQA(L)    | 254                       |         |
| 1349 | X2      | 5140-000084                              | BAG SPRES CANVES (GEN SET 4KVA ) FOR SPA | -                         | CQA(L)    | 168                       |         |
| 1350 | X2      | 5140-000144                              | TOOL BOX PORTABEL EMPTY MS 455MM LG 225  | -                         | CQA(L)    | 6                         |         |
| 1351 | X2      | 5140-000146                              | ROLL CANVAS SPARS EMPTY                  |                           | CQA(L)    | 3                         |         |
| 1352 | X2      | 5140-001146                              | COVER CANVAS FOR GEN SET 4KVA            |                           | CQA(L)    | 28                        |         |
| 1353 | X2      | 5920-001023                              | FUSE LINK CARTRIDGE GLASS FAST ACTING 10 | -                         | CQA(L)    | 102                       |         |
| 1354 | X2      | 5920-001063                              | FUSE HOLDER, 35MM LG 1X15.00MM DIA PANEL | DD7E2-000001A1A1          | CQA(L)    | 95                        |         |
| 1355 | X2      | 5920-001383                              | FUSE LINK ELECTRICAL CARTRIDGE GLASS 4A  |                           | CQA(L)    | 336                       |         |
| 1356 | X2      | 5935-406680                              | CONNECTOR FREE ELECTRICAL RF PLUG UHF/RG |                           | CQA(L)    | 1                         |         |
| 1357 | X2      | 5935-406689                              | CONNECTOR FIXED ELECTRICAL SOCKET 10 PIN | CN-0075                   | CQA(L)    | 13                        |         |
| 1358 | X2      | 5930-002550                              | SWITCH ROTARY 2POLE 2WAY 250V, 25A       |                           | CQA(L)    | 2                         |         |
| 1359 | X2      | 5925-000180                              | CIRCUIT BREAKER MINIATURE SP 15A 440 V A |                           | CQA(L)    | 17                        |         |
| 1360 | X2      | 5930-016357                              | SWITCH 4 POLE 2 WAY PUSE OFF AND TYPE 10 | D-35001                   | CQA(L)    | 3                         |         |
| 1361 | X2      | 5935-020409                              | SOCKET ADAPTER ELECTRICAL SOCKET TO SOCK |                           | CQA(L)    | 1                         |         |
| 1362 | X2      | 5930-002553                              | SWITCH ROTARY SINGLE POLE 3WAY 250V 25A  |                           | CQA(L)    | 14                        |         |
| 1363 | X2      | 5920-001397                              | FUSE WIRE COPPER 22 SWG 25AMP            | YDAK-995-948              | CQA(L)    | 534                       |         |
| 1364 | X2      | 5920-001398                              | FUSE WIRE COPPER 25 SWG 15A              | YDAK-995-949              | CQA(L)    | 2157                      |         |
| 1365 | X2      | 5920-001399                              | FUSE WIRE COPPER 35 SWG 5A               |                           | CQA(L)    | 1737                      |         |
| 1366 | X2      | 5920-001415                              | FUSE LINK ELECTRICAL CARTRIDGE HRC 440V  | KSD 16 108                | CQA(L)    | 740                       |         |
| 1367 | X2      | 5920-001441                              | FUSE LINK ELECTRICAL CARTRIDGE 440V/2A   | -                         | CQA(L)    | 20                        |         |
| 1368 | X2      | 6115-000577                              | BAG TOOLS CANVAS SIZE 230MM X 190MM WITH | SK-4432,GREVEAS           | CQA(L)    | 171                       |         |
| 1369 | X2      | 5920-910342                              | FUSE VOLTAGE GLASS QUICK ACTING 3.15A    | JSS-51907 STYLE FA-02A    | CQA(L)    | 557                       |         |
| 1370 | X2      | 5920-001810                              | FUSE HOLDER PANEL MOUNTING TYPE FH-4     |                           | CQA(L)    | 1                         |         |
| 1371 | X2      | 6115-000635                              | COVER ELECTRICAL GEN PROTECTED OLIVE GRE | EL/DV/858                 | CQA(L)    | 190                       |         |
| 1372 | X2      | 6115-000636                              | COVER ELECTRICAL GENERATOR CANVAS DUST P |                           | CQA(L)    | 502                       |         |

| S.No | COS Sec | Part Number                  | Nomen                                    | Spec No                   | ASHP   | Likely qty to be procured | Remarks |
|------|---------|------------------------------|------------------------------------------|---------------------------|--------|---------------------------|---------|
| 1373 | X2      | 6115-000680                  | BAG CANVAS TOOLS EMPTY 385MM X 380MM     | CIP-48                    | CQA(L) | 161                       |         |
| 1374 | X2      | 6115-000681                  | BAG CANVAS SPARES EMPTY 340MM X 240MM    | CIP-49                    | CQA(L) | 128                       |         |
| 1375 | X2      | 6115-000682                  | POUCH CANVAS SPARES EMPTY 140MM X 254MM  |                           | CQA(L) | 125                       |         |
| 1376 | X2      | 6115-000683                  | COVER CANVAS GEN SET DIESEL ENGINE BTY C | CIP-51                    | CQA(L) | 574                       |         |
| 1377 | X2      | 6115-006596                  | BRAID, WIRE EARTHING COPPER, 5 M LONG WI |                           | CQA(L) | 52                        |         |
| 1378 | X2      | 2990-000229                  | PIPE EXHAUST, EXTENSION FLEXIBLE 2 METRE | .                         | CQA(L) | 4                         |         |
| 1379 | X2      | 8105-000024(X2)              | BAG CANVAS EMPTY FOR                     | -                         | CQA(L) | 10                        |         |
| 1380 | X2      | 6115-000770                  | COVER ELECTRICAL GENERATOR CANVAS CHG, S | AV-500ACC-112             | CQA(L) | 9                         |         |
| 1381 | X2      | 6115-000772                  | LEAD ELECTRICAL SINGLE PVC BLUE 80/0.2,  | -                         | CQA(L) | 2485                      |         |
| 1382 | X2      | 6115-000773                  | LEAD ELECTRICAL SINGLE PVC RED 80/0.2, 4 | AV-500-ACC/1/5A           | CQA(L) | 254                       |         |
| 1383 | X2      | 6115-000847                  | POUCH CANVAS SPARES EMPTY 140MM WIDTH    | -                         | CQA(L) | 73                        |         |
| 1384 | X2      | 6115-001281                  | GEN AC BRUSH LESS 7KVA 220V, 0.8PF, 50HZ |                           | CQA(L) | 6                         |         |
| 1385 | X2      | MISC-0127-530131             | LEAD SECONDARY BTY, POSITIVE PVC, 440/0. | 0127530131                | CQA(L) | 3                         |         |
| 1386 | X2      | MISC-0127530132              | LEAD SECONDARY BTY, -VE, PVC, 440/0.45MM | 0127530132 & PEPL-001-842 | CQA(L) | 23                        |         |
| 1387 | X2      | IXB-2657                     | SCREW DRIVE 6" LONG (WODEN HANDLE)       |                           | CQA(L) | 198                       |         |
| 1388 | X2      | IXB-2734                     | KIT, MOUNTING , CHARGING SET, ED, 500W,  | AV-500-ACC-1/9            | CQA(L) | 27                        |         |
| 1389 | X2      | IXB-2736                     | ROLL SPARES FILLED CHARGING SET ED 500W  | -                         | CQA(L) | 3                         |         |
| 1390 | X2      | MISC-0207251037              | ROTARY FUEL PUMP WITH HOSE PIPE          | 0207251037                | CQA(L) | 32                        |         |
| 1391 | X2      | MISC-0747700010              | LINE TESTER                              |                           | CQA(L) | 212                       |         |
| 1392 | X2      | IXB-USSR-PES-100-5DE-040-250 | SUPPORT                                  |                           | CQA(L) | 2                         |         |
| 1393 | X2      | IXB-5452                     | LEAD SECONDARY BATTERY POSITIVE FOR PVC  |                           | CQA(L) | 167                       |         |
| 1394 | X2      | 6210-000488                  | LENS INDICATOR LIGHT RED POLYCARBONATE   | CIP DRG NO. 13            | CQA(L) | 386                       |         |
| 1395 | X2      | 6210-000489                  | LENS INDICATOR LIGHT GREEN POLY CARBONET | CIL/SK/1082               | CQA(L) | 238                       |         |
| 1396 | X2      | IXB-4443                     | SPANNER BOX TUBULAR SINGLE ENDED A/F SIZ |                           | CQA(L) | 38                        |         |
| 1397 | X2      | IXB-4444                     | BAG CANVAS EMPTY FOR TOOLS               | 3YDAK-1010-125            | CQA(L) | 86                        |         |
| 1398 | X2      | IXB-4473                     | BATTERY BOX MS 389MM X 460MM X 2.44MM X  | EL/DV/429/TE/369-10A      | CQA(L) | 35                        |         |
| 1399 | X2      | MISC-1880619Z06(X2)          | VOLUME SWITCH                            | 1880619Z06                | CQA(L) | 280                       |         |
| 1400 | X2      | MISC-2.5KVA-SK-5495          | FUSE GLASS CARTRIDGE (4A)                | SK 5495                   | CQA(L) | 1083                      |         |
| 1401 | X2      | MISC-2.5KVA-SK-8758          | BULB FOR SET ON                          | GD NO.SK-8758             | CQA(L) | 16                        |         |
| 1402 | X2      | MISC-2.5KVA-D-22041          | COVER CANVAS, GEN SET, 2.5KVA 950MM X 57 |                           | CQA(L) | 55                        |         |
| 1403 | X2      | MISC-2.5KVA-D-42207          | BULB FOR LOP & BTY CHG                   | D-42207                   | CQA(L) | 130                       |         |
| 1404 | X2      | MISC-2.5KVA-SK-4432          | TOOL BAG CANVAS EMPTY                    | SK-4432                   | CQA(L) | 49                        |         |
| 1405 | X2      | IXB-4752                     | MOUNT RESILIENT SILENT SILICON RUBBER 16 |                           | CQA(L) | 16                        |         |
| 1406 | X2      | IXB-4799                     | FAN CIRCUILATING 4 BLANDES 1200/1350 RPM | CIL DRG NO. 3977          | CQA(L) | 41                        |         |
| 1407 | X2      | IXB-20126                    | CABLE PLUG 2 POLE 15A /250V              |                           | CQA(L) | 20                        |         |
| 1408 | X2      | 5975-000962                  | ROD EARTHING M.S.25.5MM DIA 60.5MM LONG  | CIL-SK-227                | CQA(L) | 510                       |         |
| 1409 | X2      | IXB-2260                     | ROLL TOOLS FILLED IA                     |                           | CQA(L) | 8                         |         |
| 1410 | X2      | 6140-000159                  | LEAD SECONDARY BATTERY SINGLE CORE TRS 1 | PRECESSION DRG NO         | CQA(L) | 3016                      |         |
| 1411 | X2      | 6140-000160                  | LEAD SECONDARY BATTERY SINGLE CORE 294/0 |                           | CQA(L) | 151                       |         |
| 1412 | X2      | IXB-2322                     | FUSE X 24-5-25                           |                           | CQA(L) | 9                         |         |
| 1413 | X2      | 6140-000168                  | LEAD SECONDARY BATTERY INTER CONNECTING  | PIPL DRG NO PI/D/2        | CQA(L) | 3028                      |         |
| 1414 | X2      | 6140-000187                  | LEAD SECONDARY BATTERY 'NYVIN-4' 1 METER |                           | CQA(L) | 42                        |         |
| 1415 | X2      | 6140-000322                  | BATTERY CABLE INTER CONNECTOR            | YE-53058                  | CQA(L) | 116                       |         |
| 1416 | X2      | 6145-000596                  | BRAID WIRE EARTHING COPPER 5 METERS LUGS | 41525983/3                | CQA(L) | 81                        |         |
| 1417 | X2      | 6145-000645                  | COVER GEN SET DOCK COTTON 1100MM X 870MM |                           | CQA(L) | 218                       |         |
| 1418 | X2      | MISC-14721-ZGI-000           | VALVE EXLAUST                            |                           | CQA(L) | 22                        |         |
| 1419 | X2      | MISC-31505985                | CABLE ASSEMBLY REMOTE ELECTRIC COMPRISIN | -                         | CQA(L) | 10                        |         |
| 1420 | X2      | MISC-37460-12-690            | DC AMMETER R                             | .                         | CQA(L) | 7                         |         |
| 1421 | X2      | 5977-000447                  | BRUSH ELECTRICAL CONTACT 23.5MM X 9MM X  | DEL/CM/161                | CQA(L) | 2                         |         |
| 1422 | X2      | MISC-LNR-DD-900455           | PDU-SP                                   |                           | CQA(A) | 2                         |         |

| S.No | COS Sec | Part Number                         | Nomen                                    | Spec No                  | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-------------------------------------|------------------------------------------|--------------------------|---------|---------------------------|---------|
| 1423 | X2      | MISC-LNR-DD-900588                  | PDU-SP CARD                              |                          | CQA(A)  | 1                         |         |
| 1424 | X2      | 5977-000583                         | BRUSH ELECTRICAL CONTACT CARBON GRADE CH | KEC DRG NO 5.5 II/70/048 | CQA(L)  | 232                       |         |
| 1425 | X2      | IXB-USSR-PES-100-GOST-17101-71      | LAMP MN26-012-1 GOST 2204-74 BASE B10/13 |                          | CQA(L)  | 12                        |         |
| 1426 | X2      | 9905-000671                         | PLATE IDENTIFICATION"CIRCUIT DIA GRAM" A | HE-31A82                 | CQA(L)  | 44                        |         |
| 1427 | X2      | 5920-910343                         | FUSE LINK ELECTRICALCARTRIDGE GLASS QUIC | DC54440000AA1A2          | CQA(L)  | 208                       |         |
| 1428 | X2      | 6210-000265(X2)                     | LAMP INDICATOR MES 24V 53MM O/A WITH RED | CIL-SK-1082              | CQA(L)  | 1556                      |         |
| 1429 | X3      | 2990-000468                         | PIPE EXHAUST FLEXIBLE MS 2 MTR LONG C/W  | 001240220776             | CQA(EF) | 280                       |         |
| 1430 | X3      | 2910-002300                         | NOZZLE FUEL PRESSURE (MICO) AUTOMIZING   | 2430-034-205             | CQA(EF) | 11                        |         |
| 1431 | X3      | IXC-GL-500-008-23                   | BANJO BOLT                               | 500-071-07               | CQA(EF) | 137                       |         |
| 1432 | X3      | 5310-014060                         | SPRING WASHER ID 8.2 OD 14.2, 1.6MM THK  |                          | CQA(EF) | 32                        |         |
| 1433 | X3      | 5330-001126                         | SEAL, OIL                                |                          | CQA(EF) | 2                         |         |
| 1434 | X3      | 2815-002508                         | ENG DIESEL 6.1 KW AT 3000 REV/MIN GREAVE | -                        | CQA(EF) | 8                         |         |
| 1435 | X3      | 2815-003632                         | RING SET PISTON 0.5 MM OVER SIZE         |                          | CQA(EF) | 11                        |         |
| 1436 | X3      | IXC-KEC-21511081                    | PUMP ROTERY HAND OPERATED PIPE STEEL 31. |                          | CQA(EF) | 2                         |         |
| 1437 | X3      | IXC-ACE-FLT-180301080500            | ACCELERATOR CABLE ASSY                   |                          | CQA(L)  | 6                         |         |
| 1438 | X3      | IXC-ACE-FLT-AF-0300005200           | ALTERNATOR                               |                          | CQA(L)  | 6                         |         |
| 1439 | X3      | IXC-ACE-FLT-AF-L490B51000           | STARTING MOTOR                           |                          | CQA(L)  | 7                         |         |
| 1440 | X3      | 2990-000378                         | PIPE EXHAUST MS FLEXIBLE WITH FLANGE AT  |                          | CQA(EF) | 105                       |         |
| 1441 | X3      | 5120-002439                         | SPANNER, DOUBLE ENDED5/16 IN X 3/8 IN (W |                          | CQA(EF) | 44                        |         |
| 1442 | X3      | 5120-002444                         | SPANNER DOUBLE ENDED 1/8-IN X 3/16-IN X  |                          | CQA(EF) | 12                        |         |
| 1443 | X3      | 3040-001311                         | LEVER REMOTE CONTROL HEAD INTERNAL (RACK |                          | CQA(EF) | 1                         |         |
| 1444 | X3      | IWC-VE-163-704                      | SCREW DRIVER 0.8MM BLADE THICK X 6.4MM D |                          | CQA(EF) | 58                        |         |
| 1445 | X3      | IXC-KR-06-757-03-0-00               | AIR CLEANER PRIMARY ELEMENT              |                          | CQA(EF) | 44                        |         |
| 1446 | X3      | IXC-KR-06-757-04-0-00               | AIR CLEANER SAFETY                       |                          | CQA(EF) | 42                        |         |
| 1447 | X3      | IXC-KR-10-039-02-0                  | JOINT EXHAUST MANIFOLD                   | -                        | CQA(EF) | 14                        |         |
| 1448 | X3      | IXC-HLA-574-1590                    | BELT                                     |                          | CQA(EF) | 365                       |         |
| 1449 | X3      | IXC-GC-3-3240-19                    | NUT, HEX, M8 X 1.25MM                    | -                        | CQA(EF) | 143                       |         |
| 1450 | X3      | IXC-GC-9-1770-06                    | SCREW M8 X 1.25 X 25MM LONG              |                          | CQA(EF) | 15                        |         |
| 1451 | X3      | IXC-GC-SK-5785                      | EXHAUST MUEEI ER                         | -                        | CQA(EF) | 32                        |         |
| 1452 | X3      | MISC-PWRPL-2X11.2KVA-41502090       | TESTOR LINE 500V                         | -                        | CQA(EF) | 6                         |         |
| 1453 | X3      | MISC-000090702835                   | FUSE 35 AMP                              |                          | CQA(EF) | 7                         |         |
| 1454 | X3      | 2815-002514                         | ENGINE DIESEL 12, 5KW AT 1500 REV/MIN RU |                          | CQA(FE) | 1                         |         |
| 1455 | X3      | PINAKA-BCP-ENG-L&T-183828998000     | GASKET MUFFLER EXH PIPE                  |                          | CQA(L)  | 6                         |         |
| 1456 | X3      | PINAKA-BCP-ENG-L&T-183818998001     | GASKET MUFFLER                           |                          | CQA(L)  | 6                         |         |
| 1457 | X3      | PINAKA-BCP-ENG-L&T-17672ZC5R100     | FILTER FUEL(KEROSENE)                    |                          | CQA(L)  | 10                        |         |
| 1458 | X3      | PINAKA-BCP-ENG-L&T-17672ZC5R000     | FILTER FUEL (PETROL)                     |                          | CQA(L)  | 12                        |         |
| 1459 | X3      | PINAKA-BCP-ENG-L&T-162698908001     | PKG.AIR CLEANER                          |                          | CQA(L)  | 6                         |         |
| 1460 | X3      | PINAKA-BCP-ENG-L&T-16221YA1D001     | PKG CARBURATOR                           |                          | CQA(L)  | 7                         |         |
| 1461 | X3      | IXC-GL-SK-6970                      | FLEXIBLE PIPE                            | SK-6970                  | CQA(EF) | 16                        |         |
| 1462 | X3      | 2815-003716                         | FOR FUEL OIL WITH RING                   |                          | CQA(EF) | 4                         |         |
| 1463 | X3      | MISC-PWR PL 2X11,2KVA-BAG-TE-974-26 | CANVAS BAG FOR SPARES                    |                          | CQA(EF) | 19                        |         |
| 1464 | X3      | XC-PS-2A-0204-2                     | SPARKING PLUG                            |                          | CQA(EF) | 10                        |         |
| 1465 | X3      | IXC-PK-0576103                      | NUT, WATER PUMP SHAFT                    |                          | CQA(EF) | 2                         |         |
| 1466 | X3      | IXC-PK-26540110                     | ELEMENT LUB OIL FILTER                   |                          | CQA(EF) | 4                         |         |
| 1467 | X3      | MISC-14721-889-000                  | VALVE EXHAUST (EBK-2800)                 |                          | CQA(EF) | 7                         |         |

| S.No | COS Sec | Part Number                       | Nomen                                  | Spec No      | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-----------------------------------|----------------------------------------|--------------|---------|---------------------------|---------|
| 1468 | X3      | PINAKA-BCP-ENG-L-T-912018900033   | OIL SEAL 30 X 46 X 8                   |              | CQA(L)  | 7                         |         |
| 1469 | X3      | PINAKA-LV-ENG-L&T-DD-400540-140   | OCU INTERNAL HAMES                     |              | CQA(L)  | 2                         |         |
| 1470 | X3      | IXC-KR-140303                     | VALVE INLET AND EXHAUST                |              | CQA(E)  | 16                        |         |
| 1471 | X3      | PINAKA-BCP-ENG-L&T-15721YA0D000   | TUBE BREATHER                          |              | CQA(L)  | 6                         |         |
| 1472 | X3      | PINAKA-BCP-ENG-L&T-15620889U200   | CAP OIL FILLER                         |              | CQA(L)  | 7                         |         |
| 1473 | X3      | PINAKA-BCP-ENG-L&T-15531YA1D000   | TUBE OIL ALERT                         |              | CQA(L)  | 4                         |         |
| 1474 | X3      | PINAKA-BCP-ENG-L&T-980765471600   | SP ARK PLUG (BR-4HS)(NGK)              |              | CQA(L)  | 7                         |         |
| 1475 | X3      | PINAKA-BCP-ENG-L&T-957010601207   | BOLT FLANGE 6 X 12 BLACK               |              | CQA(L)  | 6                         |         |
| 1476 | X3      | PINAKA-BCP-ENG-L&T-91202YA0P010M1 | OIL SEAL 25 X 4125 X 6                 |              | CQA(L)  | 7                         |         |
| 1477 | X3      | PINAKA-BCP-ENG-L&T-913038000002   | ORING 16MM                             |              | CQA(L)  | 6                         |         |
| 1478 | X3      | PINAKA-BCP-ENG-L&T-9405005080     | NUT FLANGE 5MM                         |              | CQA(L)  | 4                         |         |
| 1479 | X3      | PINAKA-BCP-ENG-L&T-13101889010    | PISTON SET                             |              | CQA(L)  | 10                        |         |
| 1480 | X3      | PINAKA-BCP-ENG-L&T-13010YA1003    | PISTON RING SET                        |              | CQA(L)  | 6                         |         |
| 1481 | X3      | PINAKA-BCP-ENG-L&T-12375889U200   | PKG.TAPPET COVER                       |              | CQA(L)  | 7                         |         |
| 1482 | X3      | IXC-KR-140356                     | TUBE BREATHER                          |              | CQA(E)  | 7                         |         |
| 1483 | X3      | IXC-KR-140306                     | SPRING VALVE (OUTER)                   |              | CQA(E)  | 69                        |         |
| 1484 | X3      | PINAKA-BCP-ENG-L&T-122818893150M1 | GASKET CY;INDER HEAD                   |              | CQA(L)  | 9                         |         |
| 1485 | X3      | PINAKA-BCP-ENG-L&T-28462YA0D000   | ROPE STARTER                           |              | CQA(L)  | 9                         |         |
| 1486 | X3      | PINAKA-BCP-ENG-L&T-284228890131   | RATCHET COMP                           |              | CQA(L)  | 7                         |         |
| 1487 | X3      | PINAKA-BCP-ENG-L&T-172118890001   | ELEMENT AIR/C                          |              | CQA(L)  | 7                         |         |
| 1488 | X3      | PINAKA-BCP-ENG-L&T-16952YA0R000   | STRAINER FUEL                          |              | CQA(L)  | 12                        |         |
| 1489 | X3      | PINAKA-BCP-ENG-L&T-16562YA0D000   | SPRING THROTTLE RETURN                 |              | CQA(L)  | 9                         |         |
| 1490 | X3      | KG-CC-F-9670                      | HOSE RUBBER CANVAS COVERED 1.5/8- IN * |              | CQA(E)  | 2                         |         |
| 1491 | X3      | PINAKA-BCP-ENG-L&T-16561YA1R000   | SPRING GOVERNOR                        |              | CQA(L)  | 7                         |         |
| 1492 | X3      | PINAKA-BCP-ENG-L&T-16212YA1D001   | PKG INSULATOR                          |              | CQA(L)  | 12                        |         |
| 1493 | X3      | PINAKA-BCP-ENG-L&T-162128898001   | PACKING,INSULATOR                      |              | CQA(L)  | 7                         |         |
| 1494 | X3      | PINAKA-BCP-ENG-L&T-162218878000   | PKG CARBURATOR                         |              | CQA(L)  | 6                         |         |
| 1495 | X3      | IXC-KR-180701                     | FUEL PUMP                              |              | CQA(E)  | 4                         |         |
| 1496 | X3      | IXC-RH-3YWA-10002                 | CYLINDER HEAD WITH VALVES ASSY         | 000002310004 | CQA(E)  | 4                         |         |
| 1497 | X3      | PINAKA-BCP-ENG-L&T-284258893001   | BUSH RATCHET                           |              | CQA(L)  | 6                         |         |
| 1498 | X3      | PINAKA-BCP-ENG-L&T-284278833001   | BUSH REEL STARTER                      |              | CQA(L)  | 6                         |         |
| 1499 | X3      | PINAKA-BCP-ENG-L&T-28461883T201   | GRIP STARTER (28461YAON400)            |              | CQA(L)  | 7                         |         |
| 1500 | X3      | IXC-RH-1747-870-827               | JOINT TURBINE OUTLET                   |              | CQA(E)  | 45                        |         |
| 1501 | X3      | IXC-RH-1240 710 730               | LAMP INSPECTION 24V WITH 5 METERS *    |              | CQA(FE) | 5                         |         |
| 1502 | X3      | IXC-RI-035-07-729-010             | GASKET EXAHUST SILICO 2MM THK ASBESTOS |              | CQA(E)  | 4                         |         |

| S.No | COS Sec | Part Number               | Nomen                                    | Spec No                   | ASHP    | Likely qty to be procured | Remarks |
|------|---------|---------------------------|------------------------------------------|---------------------------|---------|---------------------------|---------|
| 1503 | X3      | IXC-RH-1130-370-011       | LUB OIL FILTER                           | 1130-370-011              | CQA(EE) | 7                         |         |
| 1504 | X3      | 5120-002398               | SPANNER BOX TOMMY BAR 3/8 -IN DIA X 6 IN |                           | CQA(EE) | 4                         |         |
| 1505 | X3      | IXC-AKL-238265            | COTTON TWINE                             | AKL-238265                | CQA(EE) | 103                       |         |
| 1506 | X3      | IXC-MI-0-430-034-227      | NOZZLE                                   |                           | CQA(EE) | 2                         |         |
| 1507 | X3      | 5330-383935               | SEAL PLAIN ENCASED                       |                           | CQA(EE) | 39                        |         |
| 1508 | X3      | IXC-UK-PE-BAE-65          | JOINT FUEL FILTER                        |                           | CQA(EE) | 23                        |         |
| 1509 | X3      | IXC-RH-YDAK-995-740A      | BANJO 1/2" BSP AT ROTARY HAND PUMP END   | -                         | CQA(EE) | 4                         |         |
| 1510 | X3      | IXC-RH-YWA-207-003        | ROD BUSH                                 |                           | CQA(EE) | 4                         |         |
| 1511 | X3      | IXC-ID-JE-64              | FILLTER FUEL                             |                           | CQA(EE) | 4                         |         |
| 1512 | X3      | IXC-AL-6-65-1-F1941650    | HOSE FOR WATER PUMP INLET                | -                         | CQA(EE) | 46                        |         |
| 1513 | X3      | IXC-AL-6-65-1-F3131415    | BANJO BOLT                               | -                         | CQA(EE) | 23                        |         |
| 1514 | X3      | IXC-MI-9400-030-093       | PUMP FUEL (MICO)                         |                           | CQA(EE) | 2                         |         |
| 1515 | X3      | IXC-AL-6-65-1-F1930150    | HOSE                                     | -                         | CQA(EE) | 6                         |         |
| 1516 | X3      | 5310-005855               | WASHER 22 OD X ID X1.5 THICK COPPER      |                           | CQA(EE) | 6                         |         |
| 1517 | X3      | IXC-BEML-31Z0000038       | ENGINE ASSY                              | 31Z0000038                | CQA(EE) | 1                         |         |
| 1518 | X3      | IXC-KR-02-024-21-0        | GASKET 1.5 THICK COMPRESSED ASBESTOS FI# |                           | CQA(EE) | 8                         |         |
| 1519 | X3      | IXC-LUC-26250417          | BUSH FIXING BRACKET                      |                           | CQA(EE) | 15                        |         |
| 1520 | X3      | 5120-000559               | SPANNER BOX 18X19 MM                     |                           | CQA(EE) | 91                        |         |
| 1521 | X3      | NSN : 4730-72-0465165     | DE PIPE RETURN, HOSE WITH HEATING        |                           | CQA(L)  | 3                         |         |
| 1522 | X3      | NSN : 4730-72-0465164     | BEND PIPE RETURN, STAINLESS STEEL PIPE   |                           | CQA(L)  | 9                         |         |
| 1523 | X3      | IXC-GL-SK-1477            | TOMMY BAR 9.5 X 125 MM LONG STEEL AT 58  | IXC-GL-SK-1477            | CQA(EE) | 25                        |         |
| 1524 | X3      | IXC-GL-SK-4411            | PLIER COMBINATION 6 INCH(150MM)          | SKI-4411                  | CQA(EE) | 22                        |         |
| 1525 | X3      | IXC-GL-SK-4413            | SPANNER D/E SIZE 8MM X 40 MM             | SK-4413                   | CQA(EE) | 11                        |         |
| 1526 | X3      | IXC-KR-34-047-01-0        | BELT FAN                                 |                           | CQA(EE) | 3                         |         |
| 1527 | X3      | IXC-KR-41582487           | FUNNEL CONICAL SPECIAL                   |                           | CQA(EE) | 25                        |         |
| 1528 | X3      | IXC-GL-SK-4838            | BAR TOMMY 125 MM LONG 10MM DIA OR BX SPA | SK-4838                   | CQA(EE) | 86                        |         |
| 1529 | X3      | IXC-KR-42-091-10-0        | STARTING HANDLE ASSY                     | -                         | CQA(EE) | 53                        |         |
| 1530 | X3      | IXC-KR-03-054-01-0-BLOWER | V-BELT(A-49) FOR BLOWER                  |                           | CQA(EE) | 2                         |         |
| 1531 | X3      | IXC-GL-271-3206-13        | NUT CYLINDER                             |                           | CQA(EE) | 24                        |         |
| 1532 | X3      | IXC-GL-2300-52            | SPANCER OJDE WIDTH ACRESS FLATES 10X13MM |                           | CQA(EE) | 66                        |         |
| 1533 | X3      | IXC-KR-34-084-05-0        | BOLT CLAMPING M 10X65                    |                           | CQA(EE) | 22                        |         |
| 1534 | X3      | IXC-RH-3YWA-1010-175      | CATRIDGE FOR START PILOT                 |                           | CQA(EE) | 98                        |         |
| 1535 | X3      | IXC-GL-26933003           | SOL-ENOID SWITCH                         | -                         | CQA(EE) | 23                        |         |
| 1536 | X3      | 4720-000584               | PIPE RUBBER 10MM OD 6.34MM ID 825MM LG C | 075-071-75                | CQA(EE) | 22                        |         |
| 1537 | X3      | 4720-000586               | HOSE RUBBER 10MM OD 6.35 ID 3000MM LG CO | 212649160151, 24003935298 | CQA(EE) | 159                       |         |
| 1538 | X3      | IXC-ICEF-31511981         | HANDLE STARING                           |                           | CQA(EE) | 3                         |         |
| 1539 | X3      | IXC-ID-JL-1               | SRATING HANDLE ASSY COMPLETE WITH SPRING |                           | CQA(EE) | 12                        |         |
| 1540 | X3      | IXC-PK-33811113           | SEAL, ROCKET SHAFT OIL FEED PIPE         | PK-33811113               | CQA(EE) | 1                         |         |
| 1541 | X3      | IXC-KR-34-042-01-0        | SILENCER EXHAUST                         |                           | CQA(EE) | 2                         |         |
| 1542 | X3      | IXC-KR-04-270-01-0-00     | LUBRICATION OIL FILTER                   |                           | CQA(EE) | 46                        |         |
| 1543 | X3      | IXC-KR-04-296-01-0-00     | FUEL FILTER CARTRIDGE                    |                           | CQA(EE) | 94                        |         |
| 1544 | X3      | IXC-MI-2418-522-019-HB    | DELIVERY VALVE                           |                           | CQA(EE) | 104                       |         |
| 1545 | X3      | IXC-KR-04-668-01-0-00     | V-BELT FOR COGGED SPZ79LP 1264           |                           | CQA(EE) | 44                        |         |
| 1546 | X3      | IXC-KR-04-708-01-0-00     | V-BELT FOR ALTERNATOR                    |                           | CQA(EE) | 40                        |         |
| 1547 | X3      | IXC-F1-A-4130-A55         | BELT FAN A 55                            |                           | CQA(EE) | 18                        |         |
| 1548 | X3      | IXC-RH-3130-370-120       | ELEMENT WITH JOINT ASSY LUB OIL FILTER   | 3130 370 120              | CQA(EE) | 8                         |         |
| 1549 | X3      | IXC-RH-YWA-207-002        | PIECE DISTANCE                           |                           | CQA(EE) | 4                         |         |
| 1550 | X3      | IXC-GL-1-2300-53          | SPANNER DE OPEN JAW (17 X 19)MM          | -                         | CQA(EE) | 16                        |         |
| 1551 | X3      | IXC-KR-651724             | ASSYMBLY STARTING HANDLE                 | -                         | CQA(EE) | 74                        |         |
| 1552 | X3      | IXC-KR-22-061-03-0        | CABLE ASSY STOP LEVER 1750MM LOPNG       |                           | CQA(EE) | 28                        |         |
| 1553 | X3      | IXC-RH-3YWA-37020         | JOINT LUB OIL FILTER BODY AND ELEMENT CO | 003130370120              | CQA(EE) | 39                        |         |

| S.No | COS Sec | Part Number             | Nomen                                    | Spec No         | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-------------------------|------------------------------------------|-----------------|---------|---------------------------|---------|
| 1554 | X3      | IXC-RH-1220220146       | CONNECTION FUEL COMPLETE PIPE FUEL TANK  | 1220220146      | CQA(EF) | 5                         |         |
| 1555 | X3      | IXC-RH-1230-500-116     | HANDLE ASSY STARTING                     | 1230 500 116    | CQA(EF) | 5                         |         |
| 1556 | X3      | IXC-RH-3YWAK-1010-454-2 | PIPE EXHAUST FLEXIBLE 3M LONG WITH FLANG | 001130464754    | CQA(EF) | 2                         |         |
| 1557 | X3      | IXC-RH-70-PD-297        | DRIFT SPECIAL FOR MOOVING & FIXING TAPPE | -               | CQA(EF) | 5                         |         |
| 1558 | X3      | IXC-KR-34-158-20-0      | SILENCER EXHUAUST                        |                 | CQA(EF) | 2                         |         |
| 1559 | X3      | IXC-KR-50-504-04-0-00   | BANJO BOLT-M14X1.5                       |                 | CQA(EF) | 15                        |         |
| 1560 | X3      | IXC-KR-43-169-01-0      | HANDLE , STARTING                        | -               | CQA(EF) | 7                         |         |
| 1561 | X3      | IXC-KR-34-169-10-0      | HANDLE STARTING                          | 34-169-10-0     | CQA(EF) | 39                        |         |
| 1562 | X3      | IXC-USSR-D-01-522-A1    | PIPE ASSY                                |                 | CQA(EF) | 2                         |         |
| 1563 | X3      | IXC-RH-0247-710-012     | PHASE SEQUENCE METER                     | -               | CQA(EF) | 4                         |         |
| 1564 | X3      | IXC-KR-35-022-04-0      | SILENCER EXHAUST (ABSORPTION TYPE)       |                 | CQA(EF) | 13                        |         |
| 1565 | X3      | IXC-RH-2YWA-22036A-1    | RAIL INJECTOR OVER FLOW COMPLETE         | 2YWA-22036A-1   | CQA(EF) | 7                         |         |
| 1566 | X3      | IXC-TVS-26250491        | BUSH SET                                 | 26250491        | CQA(EF) | 7                         |         |
| 1567 | X3      | IXC-UF-03-040-19-0      | ELEMENT WITH SEALING WASHER              | 03-040-19-0     | CQA(EF) | 261                       |         |
| 1568 | X3      | IXC-KR-50010-08X075     | STUD M8X1.25,75 LONG STUD 8.8 GRADE      |                 | CQA(EF) | 11                        |         |
| 1569 | X3      | IXC-KR-50010-08X135     | STUD FOR INLET MONIFOLD                  |                 | CQA(EF) | 2                         |         |
| 1570 | X3      | IXC-VE-AV-500-ST-1-9    | SPANNER OPEN JAW, 1/2" X 7/16" (AMERICAL | -               | CQA(EF) | 3                         |         |
| 1571 | X3      | IXC-KR-4-158-24-67      | FUNNEL CONICAL SPECIAL                   | -               | CQA(FE) | 15                        |         |
| 1572 | X3      | IXC-PK-2641A-067        | LIFT PUMP                                | PK-2640A-067    | CQA(EF) | 5                         |         |
| 1573 | X3      | IXC-PK-3135J131         | PISTON                                   | PK-3135J131     | CQA(EF) | 2                         |         |
| 1574 | X3      | IXC-RH-4YD-35212        | PIPE LUB OIL CONNECTING FILTER LUB OIL T | -               | CQA(EF) | 11                        |         |
| 1575 | X3      | IXC-PK-3212V002         | SCREW HOUSING TO BRIDGE PIECE            | PK-3212V002     | CQA(EF) | 2                         |         |
| 1576 | X3      | IXC-MI-1418-325-024-HB  | ELEMENT FUEL PUMP                        | 1418-325-024    | CQA(EF) | 5                         |         |
| 1577 | X3      | IXC-RH-0090611062       | SET OF FAN BALT (03 NOS IN ONE SET)      | 000090611062    | CQA(EF) | 18                        |         |
| 1578 | X3      | IXC-LVC-26-933003       | SOLENOID START SWITCH 12VDC              |                 | CQA(EF) | 6                         |         |
| 1579 | X3      | IXC-RH-001700104011     | PUSH ROD                                 |                 | CQA(EF) | 1                         |         |
| 1580 | X3      | IXC-YWA-57020           | JOINT ASSEMBLY LUB OIL FILTER BODY AND E | -               | CQA(EF) | 27                        |         |
| 1581 | X3      | IXC/KR 47-018-020       | ELEMENT                                  |                 | CQA(EF) | 2                         |         |
| 1582 | X3      | IXC-RH-012722005        | PIPE FLEXIBLE OVER FLOW CONNECTION 1 MTR | -               | CQA(EF) | 3                         |         |
| 1583 | X3      | IXC-M1-34-032-12-0-00   | FUEL FILTER ELEMENT                      | 34-032-12-0-00  | CQA(EF) | 41                        |         |
| 1584 | X3      | IXC-MI-0-451-037-404    | INSERT PREFILTER FUEL                    | 0-451-037-404   | CQA(EF) | 260                       |         |
| 1585 | X3      | IXC-MI-0-451-037-407    | INSERT MICROFILTOR FUEL                  | 0451-037-407    | CQA(EF) | 11                        |         |
| 1586 | X3      | IXC-MI-03-040-19-0-00   | LUB OIL FILTER ELEMENT                   | 304019000       | CQA(EF) | 108                       |         |
| 1587 | X3      | IXC-RH-YDAK-995-1004    | WASHER SPECIAL FOR FUEL TANK CAP         | -               | CQA(EF) | 398                       |         |
| 1588 | X3      | IXC-RH-Y2DA-70943       | GAUGE FEELER SPECIAL 0.003               | 002200709043    | CQA(EF) | 3                         |         |
| 1589 | X3      | IXC-RH-Y2DA-70944       | GAUGE FEDER SPECIAL                      | -               | CQA(EF) | 56                        |         |
| 1590 | X3      | IXC-RH-002200100126     | INSER VALVE SEAT INLET                   |                 | CQA(EF) | 2                         |         |
| 1591 | X3      | IXC-RH-YDA-514-1546     | START PILOT UNIL COMPLETE SPECIAL INDEGE |                 | CQA(EF) | 16                        |         |
| 1592 | X3      | IXC-RH-5KW-464-3879     | PIPE EXHAUST FLEXIBLE 2METERS            |                 | CQA(EF) | 10                        |         |
| 1593 | X3      | IXC-RH-62M-YD-12        | GUAGE FEELER SHIM                        | 001200700112    | CQA(EF) | 32                        |         |
| 1594 | X3      | IXC-PK-5042             | SPANNER TAPPET ADJUSTING                 | PK-5042         | CQA(EF) | 2                         |         |
| 1595 | X3      | IXC-PK-PIU-7LW-0149     | KIT WATER PUMP REPAIR                    | PK-PLU-7LW-0149 | CQA(EF) | 3                         |         |
| 1596 | X3      | IXC-RH-1120 700 728     | HYDROMETER SYRING TYPE                   | 1120 700 728    | CQA(EF) | 2                         |         |
| 1597 | X3      | IXC-RH-1120-700-430     | FUEL FUNNEL                              |                 | CQA(EF) | 3                         |         |
| 1598 | X3      | IXC-RH-1200-240-911     | FUEL FILTER ELEMENT (PRE)                | RH-1200-240-911 | CQA(EF) | 9                         |         |
| 1599 | X3      | MISC-001100240107       | FILTER INSERT MICRO PAPERS COIL TYPE     |                 | CQA(EF) | 16                        |         |
| 1600 | X5      | 6210-001667             | LIGHT INDICATOR MES 230V,46MM O/A LG X 2 |                 | CQA(L)  | 295                       |         |
| 1601 | X5      | 6230-000251             | TORCH HAND ELECTRIC BTY OPERATED TUBLER  |                 | CQA(L)  | 341                       |         |

| S.No | COS Sec | Part Number                    | Nomen                                    | Spec No                     | ASHP   | Likely qty to be procured | Remarks |
|------|---------|--------------------------------|------------------------------------------|-----------------------------|--------|---------------------------|---------|
| 1602 | X5      | ASSY-64-252-ITS-012            | LAMP, FILAMENT ,26V,5W                   |                             | CQA(L) | 463                       |         |
| 1603 | X5      | MISC-0030-1-VAISALA            | LAMP (FLOURESCENT TUBE)                  |                             | CQA(L) | 8                         |         |
| 1604 | X5      | 6230-000273                    | LIGHT GENERAL ILLUMINATION SET MOBILE OP |                             | CQA(L) | 18                        |         |
| 1605 | X5      | 6240-000658                    | LAMP FILAMENT 230 V, 40 W B.C CLEAR      | IS:418-1963                 | CQA(L) | 124                       |         |
| 1606 | X5      | 6240-000668                    | LAMP FILAMENT ELECTIC 230 V, 15 W        | IS-418                      | CQA(L) | 387                       |         |
| 1607 | X5      | 6240-000675                    | LAMP FILAMENT ELECTRIC 230V, 40W         |                             | CQA(L) | 138                       |         |
| 1608 | X5      | 6240-001924                    | LAMP FILAMENT 12V 60MA MIDGET            |                             | CQA(L) | 4                         |         |
| 1609 | X5      | 6240-001142                    | BULB FOR INSPECTION LAMP 12V 15 W        |                             | CQA(L) | 138                       |         |
| 1610 | X5      | 6240-001942                    | LAMP FILAMENT 24 V, 30W , BC, CLEAR      | EL/HYD/3016                 | CQA(L) | 12                        |         |
| 1611 | X5      | 6240-001213                    | LAMP FILAMENT 42V,3.2W                   | V1-2KW/COM-18/1             | CQA(L) | 952                       |         |
| 1612 | X5      | 6240-001458                    | LAMP FILAMENT MIDGET FLANGE T-1-3/4 28V  | 45701 0180132               | CQA(L) | 117                       |         |
| 1613 | X5      | 6240-001668                    | LAMP NEON MES 220 250V TYPE E-10 ( FRG)  |                             | CQA(L) | 1460                      |         |
| 1614 | X5      | 6240-001719                    | LIGHT INDICATOR ' RED ESSEN DEINKI TYPE  |                             | CQA(L) | 45                        |         |
| 1615 | X5      | 6240-001735                    | LENS INDICATOR LIGHT RED SL90            | SL-90, E-096850             | CQA(L) | 2                         |         |
| 1616 | X5      | 6240-001736                    | LENS INDICATOR LIGHT WHITE SL-90         |                             | CQA(L) | 48                        |         |
| 1617 | X5      | MISC-ODO-337-020TU-NEON-FILLED | NEON FILLED LAMP TN-0-2.2                |                             | CQA(L) | 10                        |         |
| 1618 | X5      | 6240-001182                    | LAMP FILAMENT PIN TYPE 12V, 18W CLEAR    | 5.5II/70/041                | CQA(L) | 235                       |         |
| 1619 | X5      | 6240-001195                    | LAMP FILAMENT 24V 1.5 MCC CLEAR          | ICA DRG ACA SBC/008         | CQA(L) | 12                        |         |
| 1620 | X5      | 6240-001163                    | LAMP FILAMENT 12V,1.5W O/A LENTGH 23MM D |                             | CQA(L) | 301                       |         |
| 1621 | X5      | 6240-000022                    | LAMP FILAMENT 2.5V,0.5W,MES CLEAR JSS-48 | JSS 48201                   | CQA(L) | 1097                      |         |
| 1622 | X5      | MISC-DD2A3-11000A2A2           | LAMP                                     |                             | CQA(L) | 7                         |         |
| 1623 | X5      | IXC-0030                       | LAMP FILAMENT 24V 6W SBC BA 15 D         |                             | CQA(L) | 259                       |         |
| 1624 | X5      | 6240-000032                    | LAMP FILAMENT 3.5V 0.525 0.15A W MES *   |                             | CQA(L) | 221                       |         |
| 1625 | X5      | 6240-000078                    | LAMP FILAMENT 12V 6W SMALL FASTOON *     |                             | CQA(L) | 5845                      |         |
| 1626 | X5      | 6210-000573                    | LENSE INDICATOR LIGHT METHAERYLATE 8MM X |                             | CQA(L) | 25                        |         |
| 1627 | X5      | 6210-000658                    | LIGHT INDICATOR MES 230V 46MM O/A LG X 2 | -                           | CQA(L) | 102                       |         |
| 1628 | X5      | MISC-YN-5                      | ELECTRIC LAMP TN-5(SU2-37077TU)          |                             | CQA(L) | 19                        |         |
| 1629 | X5      | 6240-000120                    | LAMP FILAMENT 28V, 3.5W                  |                             | CQA(L) | 16                        |         |
| 1630 | X5      | 6240-000194                    | LAMP FILAMENT 6V,36W,SCC,CLEAR           | EL-1100 SHT 112 BS:941      | CQA(L) | 106                       |         |
| 1631 | X5      | 6240-000239                    | LAMP FILAMENT ELECTRIC 12V 10W SBC CLEAR |                             | CQA(L) | 14446                     |         |
| 1632 | X5      | 6240-000271                    | LAMP FILAMENT 12V,36/36W,SBC,CLEAR       | EL-1100-1255, BS:           | CQA(L) | 155                       |         |
| 1633 | X5      | 6240-000660                    | LAMP FILAMENT /230 V, 60 W B.C.I.F.      | JSRL-6240-15-092            | CQA(L) | 1218                      |         |
| 1634 | X5      | 6240-000036                    | LAMP FILAMENT 4V,12W,MES CLEAR           | DEF-16-5-63                 | CQA(L) | 2677                      |         |
| 1635 | X2      | 6210-000289                    | LIGHT PANEL MCC, RPCI, GREEN.            | BOFORC 6177519              | CQA(L) | 19                        |         |
| 1636 | X2      | 6105-000286                    | MOTOR ALTERNATIVE CURRENT 3 PH,220V,50HZ |                             | CQA(L) | 70                        |         |
| 1637 | W10     | 6675-000094                    | SET SQARE 250MM 45DEG                    | IS-1561-1989                | CQA(I) | 273                       |         |
| 1638 | W10     | 6230-000121(W10)               | TORCH HAND ELECTRICAL WITH CONNECTING LE |                             | CQA(R) | 576                       |         |
| 1639 | V6      | 6210-000840                    | DIFFUSER LIGHT WHITE MK I                | CIA (FC)-1362 DETAIL NO-19. | CQA(I) | 125                       |         |
| 1640 | V3      | IVC-0003                       | BALANCE SPRING 350 GMS                   | IND/GS/452(A)               | CQA(I) | 30                        |         |
| 1641 | W10     | 6675-000024                    | DRAWING INSTURMENT SET GERNERAL          | IS-3221-1996                | CQA(I) | 2808                      |         |
| 1642 | W10     | 6675-000620                    | PLATE STENCIL RE DRAUGHT SMEN NO 4       | C11-2 (COMPLETE)            | CQA(I) | 1076                      |         |
| 1643 | W10     | 6260-000238                    | LAMP NUCLEAR TRITIUM GAS FILLED (TFS-18) | CQA(I)-246                  | CQA(I) | 75                        |         |
| 1644 | W10     | VC-8216                        | WASHER SPECIAL 215-IN OD                 | IRES-M/5118B DETAILS        | CQA(I) | 1                         |         |
| 1645 | V4      | 1240-000995                    | HOUSING UPPER ASSY                       | OB-7518                     | CQA(I) | 2                         |         |
| 1646 | W10     | IWJ-1656                       | CONTAINER DIAGONAL EYEPIECE              | 4010-50                     | CQA(I) | 7                         |         |
| 1647 | V6      | 4020-000234                    | CORD SILK BLACK (VF 0202)                |                             | CQA(I) | 760                       |         |
| 1648 | V4      | 1240-001017                    | COVER NIFE SIGHT IA                      | 4036898                     | CQA(I) | 1589                      |         |
| 1649 | V4      | 5905-001698                    | RHEOSTAT ASSY, 12V                       | OB7516                      | CQA(I) | 33                        |         |
| 1650 | V4      | 5360-000704                    | SPRING HELICAL COMPRESSION FOR SUN GLASS | OB6945                      | CQA(I) | 7                         |         |
| 1651 | V5      | 1240-000017                    | CASE 12 H RANGE FINDER 1A                | IRDE-145                    | CQA(I) | 39                        |         |
| 1652 | V4      | 5935-000908                    | SOCKET ELECTRICAL TWO PIN ASSY (DRG NO O | OB-4147                     | CQA(I) | 452                       |         |
| 1653 | V4      | 5905-001700                    | RHEOSTAT                                 | OB4349                      | CQA(I) | 54                        |         |
| 1654 | V4      | IVD-RUS-24-51-010-619          | LIGHT FILTER                             |                             | CQA(I) | 6                         |         |
| 1655 | V4      | 6675-000230                    | PROTRACTOR BEARING NO 2Z MK 1            | ISS-471                     | CQA(I) | 10                        |         |
| 1656 | W10     | 5120-000387                    | SCREW DRIVER WITH 3 BLADES               |                             | CQA(I) | 21                        |         |
| 1657 | W10     | 5120-004370                    | SCREW DRIVER                             | CII-417/52                  | CQA(I) | 3                         |         |
| 1658 | W10     | 5305-003458                    | SCREW BA BRASS NON MAGENTIC INSTT HD NO  | CII-428/25                  | CQA(I) | 1586                      |         |
| 1659 | W10     | 5965-000286                    | HEAD SET MICROPHONE DISTANCE MEASURER    |                             | CQA(I) | 37                        |         |
| 1660 | W10     | 5999-003567                    | CLIP ELECTRICAL CROCODILERED & BLACK     |                             | CQA(I) | 101                       |         |
| 1661 | W10     | 6605-000005                    | COMPASS PROPOROTIONAL 300 MM             | RE/P/2770                   | CQA(I) | 80                        |         |
| 1662 | W10     | 6605-000746                    | DIAL ASSY                                | CII-428/SA-3                | CQA(I) | 708                       |         |
| 1663 | W10     | 6605-000753                    | PRISM OPTICAL SIGHTING ASSEMBLED         | CII-428/SA-1                | CQA(I) | 69                        |         |
| 1664 | W10     | 8115-000572                    | CASE WOOD TRUNSET OLIVE GREEN            |                             | CQA(I) | 25                        |         |
| 1665 | W10     | 8305-000420                    | PAULIN RAIN CAP                          | ECIL-HF-620-01201           | CQA(I) | 19                        |         |
| 1666 | W10     | 9905-000509                    | SIGN DEFILL MARKER 101A                  | CIA(FC)2365                 | CQA(I) | 28                        |         |
| 1667 | W10     | 6675-000104                    | TEA SQARE T 3,500 MM                     | IS-1360-1963                | CQA(I) | 335                       |         |

| S.No | COS Sec | Part Number          | Nomen                                    | Spec No                      | ASHP    | Likely qty to be procured | Remarks |
|------|---------|----------------------|------------------------------------------|------------------------------|---------|---------------------------|---------|
| 1668 | W10     | 6675-000192          | TOMMY PIN                                |                              | CQA(I)  | 108                       |         |
| 1669 | W10     | 6675-000195          | EYE PIECE PRISM TELESCOPE                |                              | CQA(I)  | 4                         |         |
| 1670 | W10     | 6675-000526          | ADOPTER TRIPOD HEAD MOUNTING DME         | ECIL-HG-630-05024            | CQA(I)  | 35                        |         |
| 1671 | W10     | 6675-000578          | MAP READER ILLUMINATING 101 A            | IRDE-1141                    | CQA(I)  | 1080                      |         |
| 1672 | W10     | 6675-000622          | PLATE CAPITAL ALPHABET UP -RIGHT 3-0 MM  | CII-2/17                     | CQA(I)  | 85                        |         |
| 1673 | W10     | 6675-000625          | PLATE CAPITAL ALPHABET UP -RIGHT 12-0 MM | CII-2/17                     | CQA(I)  | 21                        |         |
| 1674 | W10     | 6675-000630          | PLATE FIGURE UP -RIGHT 9-0 MM            | CII-2/17                     | CQA(I)  | 120                       |         |
| 1675 | W10     | 6675-000633          | PLATE FIGURE UP -RIGHT 25 -0 MM          | CII-2/17                     | CQA(I)  | 16                        |         |
| 1676 | W10     | 6675-000636          | PEN LETTERING SET DELUXE NO -1           | CII-2/SA-I                   | CQA(I)  | 44                        |         |
| 1677 | W10     | 6675-000638          | PEN LETTERING SET DELUXE NO -4           | CII-2/SA-3                   | CQA(I)  | 1                         |         |
| 1678 | W10     | 6675-000640          | PEN LETTERING SET DELUXE NO -7           | CII-2/SA-5                   | CQA(I)  | 19                        |         |
| 1679 | W10     | 5310-001806          | NUT CLAMP INDEX RING                     | C11-428/5                    | CQA(I)  | 77                        |         |
| 1680 | W10     | 5315-001015          | PIN STRAIGHT HEADLESS SPECIAL            |                              | CQA(I)  | 23                        |         |
| 1681 | W10     | 6675-000729          | FRAME GRATICULEROCKING RIGHT HAND        | CII-381/SA-3 (COMPLETE)      | CQA(I)  | 1                         |         |
| 1682 | W10     | 6675-000749          | PANEL MATT SURFACE                       | CII572/2                     | CQA(I)  | 5195                      |         |
| 1683 | W10     | 6650-000003          | GLASS MANGNIFYING HAND 100MM             | C11-363 (COMPLETE)           | CQA(I)  | 2854                      |         |
| 1684 | W10     | 6675-000788          | LEVEL FS MK 4                            | CII-414                      | CQA(I)  | 385                       |         |
| 1685 | W10     | 5615-001015          | PIN STRAIGHT HEADLESS SPECIAL            |                              | CQA(I)  | 9                         |         |
| 1686 | W10     | 6675-000006          | CASE DRAWING INSTRUMENT NEEDLE AND LEAD  | CII61                        | CQA(I)  | 51                        |         |
| 1687 | W10     | 6675-000417          | COMPASS PROPORTIONAL 150 MM              | IR/P/2770                    | CQA(I)  | 3168                      |         |
| 1688 | W10     | VC-1080              | KEY COMPASS MK 2                         | RE/2115                      | CQA(I)  | 10                        |         |
| 1689 | W10     | VC-1300              | PRICKER DRAUGHTSMAN                      | RE/M/1318©                   | CQA(I)  | 5                         |         |
| 1690 | W10     | 6675-000525          | TRIPOD SERVEYING WOOD TELESCOPE NO 39 MK |                              | CQA(R)  | 23                        |         |
| 1691 | W10     | 6675-000009          | COMPASS DRAWING BEAM 1500 MM             | IS-2466                      | CQA(I)  | 755                       |         |
| 1692 | W10     | 6159-000245          | CABLE ASSY PWR ELECT TERMINATED AT *     | ECIL-HG-630-0529-4           | CQA(R)  | 30                        |         |
| 1693 | W10     | 5210-000272          | TAPE MEASRING STEEL 20 M                 | IS1269                       | CQA(I)  | 278                       |         |
| 1694 | W10     | 9905-836895#1        | MARKER                                   | IS-3217                      | CQA(I)  | 614                       |         |
| 1695 | W10     | 6675-002530          | TEST SET ELECTRONIC CIRCUIT PLUG IN UNIT |                              | CQA(I)  | 3                         |         |
| 1696 | W10     | 6675-000062          | SCALE PLOTTING NO.1A                     | RE/M/1324-A                  | CQA(I)  | 530                       |         |
| 1697 | W10     | 6675-000067          | SCALE PLOTTING NO 1 D                    | RE/M/1324                    | CQA(I)  | 638                       |         |
| 1698 | W10     | 6675-000069          | SCALE PLOTTING NO 1 E                    | RE/M/1324                    | CQA(I)  | 549                       |         |
| 1699 | W10     | 6675-000032          | PEN RULING DRAUGHTSMANS FINE 125MM       | RE/2326(A)JSS NO 42701       | CQA(I)  | 260                       |         |
| 1700 | W10     | 6675-000037          | PRICKER DRAWING 110MM                    | IS-3217                      | CQA(I)  | 37                        |         |
| 1701 | W10     | 6675-000047          | PARALLEL RULAR COMMON 150MM              | CII-61                       | CQA(I)  | 154                       |         |
| 1702 | W10     | 6605-000740          | PLATE GLASS SEALING                      | CII-428/31                   | CQA(I)  | 153                       |         |
| 1703 | V3      | 1220-000052          | BOARD PLATTING SR NO.5 CASED MK I        |                              | CQA(I)  | 7                         |         |
| 1704 | V3      | 1220-000053          | BOARD PLOTTING SR NO. 6 CASED MK I       |                              | CQA(I)  | 1                         |         |
| 1705 | V3      | 5855-000448          | BASE CHASSIS                             |                              | CQA(I)  | 4                         |         |
| 1706 | V3      | MISC-13528           | SUPPORT ANTEENA                          |                              | CQA(I)  | 2                         |         |
| 1707 | V3      | 8345-000480          | FLAGS BEACON/BENDEREOL DARK BLUE AND WHI |                              | CQA(I)  | 28                        |         |
| 1708 | V3      | 6675-000155          | LAMP PROJECTING NIGHT SURVEY MK 1        | CIA (FC)-2365                | CQA(I)  | 353                       |         |
| 1709 | V3      | 6675-000258          | ANCHOR STADIA ROD (C11-213 (4 SHTS)      | CII213/14                    | CQA(I)  | 2200                      |         |
| 1710 | V3      | 6675-000441          | CASE CARRYING STADIA ROD 1A (C11-1/A-2)  | CII-1/A-2 SPEEN-CII-62       | CQA(I)  | 47                        |         |
| 1711 | V3      | 1398-000157          | FUZE SETTER HAND NO 1 CASED MK 1         |                              | CQA(I)  | 194                       |         |
| 1712 | V3      | 6660-000002          | BALLON METREOROLOGICAL PINK SIZE 70      | JSS 6660-09:2007 (REV. NO.2) | CQA(GS) | 26                        |         |
| 1713 | V3      | 6660-000215          | CASE METROLOGICAL EQPT                   |                              | CQA(I)  | 69                        |         |
| 1714 | V4      | M20X1-TA             | COVER M20X1-TA(INCLUDED IN SET SHELL COM |                              | CQA(I)  | 4                         |         |
| 1715 | V4      | 6250-000260          | LAMP HOLDER (OB-4352)                    | OB4352                       | CQA(I)  | 10                        |         |
| 1716 | V4      | 1240-000992          | RETICAL OPTICAL INSTRUMENT (LOW)         | OD804                        | CQA(I)  | 7                         |         |
| 1717 | V4      | 1240-000993          | RETICAL OPTICAL INSTRUMENT (HIGH)        | OD805                        | CQA(I)  | 3                         |         |
| 1718 | V4      | 1240-001012          | GLASS, REFLEX OPTICAL INSTRUMENTS        | GB941                        | CQA(I)  | 1286                      |         |
| 1719 | V4      | 1240-001013          | GLASS, SUN, OPTICAL INSTRUMENT NEUTRAL T | GB1423                       | CQA(I)  | 743                       |         |
| 1720 | V4      | 1240-001015          | LENS, CONDENSOR, OPTICAL INSTRUMENT (GB- | OB-1414                      | CQA(I)  | 17                        |         |
| 1721 | V5      | IVE-BAM-611          | ON/OFF KEY                               |                              | CQA(I)  | 57                        |         |
| 1722 | V5      | IVE-2131             | VERNIER CURSOR ASSY                      |                              | CQA(I)  | 474                       |         |
| 1723 | V5      | IVE-2135             | CASE CARRYING AMFDC                      |                              | CQA(I)  | 17                        |         |
| 1724 | V5      | IVE-2246             | TILT METER                               |                              | CQA(I)  | 3                         |         |
| 1725 | V5      | PINAKA-L&T-109010134 | NEEDLE ROLLER THRUST BEARING NK X 60 (SK |                              | CQA(I)  | 2                         |         |
| 1726 | V5      | PINAKA-L&T-109010144 | DISC SPRING-92041101(PLAIN TYPE) (BAUER) | 210CU-5109-01                | CQA(I)  | 6                         |         |
| 1727 | V5      | PINAKA-L&T-109010164 | LOCK WASHER MB 12                        |                              | CQA(I)  | 1                         |         |
| 1728 | V5      | PINAKA-L&T-109010264 | SPRING PLUNGER                           |                              | CQA(I)  | 8                         |         |
| 1729 | V5      | PINAKA-L&T-109010274 | INDEX PLUNGER                            |                              | CQA(I)  | 8                         |         |
| 1730 | V5      | PINAKA-L&T-109010284 | O-RING 85 X 5                            |                              | CQA(I)  | 2                         |         |
| 1731 | V5      | PINAKA-L&T-109010364 | BELLOWS                                  |                              | CQA(I)  | 3                         |         |
| 1732 | V5      | PINAKA-L&T-109020124 | LOCK NUT KM 5                            |                              | CQA(I)  | 3                         |         |
| 1733 | V5      | PINAKA-L&T-109020134 | LOCK WASHER MB 5                         |                              | CQA(I)  | 3                         |         |
| 1734 | V5      | PINAKA-L&T-109020164 | SPHERICAL BEARING BS2 2205-2CS (SKF)     |                              | CQA(I)  | 1                         |         |
| 1735 | V5      | PINAKA-L&T-109030071 | TORSION SPRING                           | 210CU-5190-06                | CQA(I)  | 3                         |         |
| 1736 | V5      | PINAKA-L&T-109030093 | SOCKET HEAD CAP SCREW M8X22L             |                              | CQA(I)  | 1                         |         |

| S.No | COS Sec | Part Number          | Nomen                                    | Spec No                   | ASHP   | Likely qty to be procured | Remarks |
|------|---------|----------------------|------------------------------------------|---------------------------|--------|---------------------------|---------|
| 1737 | V5      | PINAKA-L&T-109030113 | WING SCREW M8                            |                           | CQA(I) | 3                         |         |
| 1738 | V5      | 1290-000287          | NOMOGRAPH INSTRUMENT TRAVERSE Cased 1A   | IRDE-1092                 | CQA(I) | 32                        |         |
| 1739 | V5      | 1220-000037          | GRAPH CHARGE 3                           |                           | CQA(I) | 18                        |         |
| 1740 | V5      | 6675-001352          | BOARD PLOTTING ARTY (PUO-9) 101A         | CQA(I)-743                | CQA(I) | 161                       |         |
| 1741 | V5      | ADTL-1000123701      | SMALL PARTS KIT                          |                           | CQA(I) | 1                         |         |
| 1742 | V5      | RUS-B40-36-318       | DEVICE VISION COMMANDER                  |                           | CQA(I) | 7                         |         |
| 1743 | V5      | 1240-001787          | BRACKET Q.E. FIRE CONTROL INSTRUMENT     | -IRDE-1135/A-2(COMPLETE)  | CQA(I) | 736                       |         |
| 1744 | V5      | 8410-000107          | SKIRT DISTINGUISHING DIR PLAIN WHITE *   | CIA(FC)-1039 (OS-334)     | CQA(I) | 59                        |         |
| 1745 | V5      | 1220-000079          | COVER PLOTTING                           | CII-74(C)                 | CQA(I) | 216                       |         |
| 1746 | V5      | 1220-029431          | HORIZONTAL SCALE ASSEMBLY                | CQA(I) 743/SA-4           | CQA(I) | 250                       |         |
| 1747 | V5      | 1220-029442          | RANGE SCALE                              | CQA(I) 743/45             | CQA(I) | 585                       |         |
| 1748 | V5      | 1210-000026          | SCREW RETAINING KNURLED HD               | CIA(OS)-391/215 (OS-13677 | CQA(I) | 10                        |         |
| 1749 | V5      | 1210-000046          | LENS OPTICAL INSTRUMENT OBJECT GLASS     | TDE(I)1/22                | CQA(I) | 5                         |         |
| 1750 | V5      | 5315-006301          | SPIKE COMMON BEACON 1A                   | CII-400/SA-1              | CQA(I) | 2                         |         |
| 1751 | V5      | 6675-001488          | PROTECTOR ASSY                           | CQA (I) 743 SA-1          | CQA(I) | 354                       |         |
| 1752 | V5      | 6675-001509          | ELEVATION SCALE                          | CQA (I) 743/46            | CQA(I) | 571                       |         |
| 1753 | V5      | 1220-000034          | CASE PROTECTOR AND GRAPHS 25-PR C OF M C | IRDE-173                  | CQA(I) | 26                        |         |
| 1754 | V5      | 1290-000710          | TRIPOD FIRE CONTROL INSTRUMENT NO.14 MK- | CIA (OS)-476              | CQA(I) | 287                       |         |
| 1755 | V5      | 3040-002785          | COLLER SHAFT                             |                           | CQA(I) | 395                       |         |
| 1756 | V5      | ADTL-/1000123301     | MOUNT ASSEMBLY                           |                           | CQA(I) | 5                         |         |
| 1757 | V5      | IVE-BAM-691          | SHIELDING ARRANGEMENT BUILT IN BOX & PCB |                           | CQA(I) | 11                        |         |
| 1758 | V6      | IOS-309A             | BOARD ARTILLERY NO. 2A MK. 1             |                           | CQA(I) | 2                         |         |
| 1759 | V6      | IOS-321A             | GLASS MODERATING BINOCULAR NO1 MK I      | CIA(FC)-1644              | CQA(I) | 230                       |         |
| 1760 | V6      | 6210-000838          | DIFFUSER LIGHT GREEN MK I                | CIA(FC)-1362-DET-20       | CQA(I) | 147                       |         |
| 1761 | V6      | BEL-2700-495-801-30  | LOCKING SCREW                            |                           | CQA(I) | 2                         |         |
| 1762 | V6      | BEL-1700-002-415-70  | EYE PIECE ASSY                           |                           | CQA(I) | 4                         |         |
| 1763 | V6      | BEL-1700-002-377-87  | ADAPTOR RING AND T RING                  |                           | CQA(I) | 4                         |         |
| 1764 | V6      | 5310-175421          | WASHER FLAT                              | IOW(OS)-4217              | CQA(I) | 585                       |         |
| 1765 | V6      | 5305-004947          | SCREW GRUB                               | TDE(I)-2152               | CQA(I) | 49                        |         |
| 1766 | V6      | 5306-007998          | BOLT HOOK                                | CII-429/4                 | CQA(I) | 2                         |         |
| 1767 | V7      | 5120-000959          | TOOLS DIAL SIGHT NO.7A,7B & 7C NO.1 MK-I |                           | CQA(I) | 2                         |         |
| 1768 | W10     | 5210-000283          | REPAIR KIT TAPE MEASURING STEEL 101A     |                           | CQA(I) | 1                         |         |
| 1769 | W10     | 5210-000480          | MICRO METER BEARING POINT                | CII-417/20                | CQA(I) | 3                         |         |
| 1770 | W10     | 5210-000490          | ANVIL                                    | CII-417/8                 | CQA(I) | 3                         |         |
| 1771 | W10     | 5305-017893          | SCREW ADJUSTING                          | CII-417/10                | CQA(I) | 3                         |         |
| 1772 | W10     | 6685-000283          | SCREEN THERMOMETER                       |                           | CQA(I) | 10                        |         |
| 1773 | W10     | 7920-000278          | BRUSH PEN CLEANING SPECIAL               | CII-2/18                  | CQA(I) | 4                         |         |
| 1774 | W10     | 8340-000587          | UMBRELLA SURVERY MK 2                    | C11-401 (COMPLETE)        | CQA(I) | 62                        |         |
| 1775 | W10     | 9340-000071          | HORIZON MIRROR                           | CII-417/14                | CQA(I) | 3                         |         |
| 1776 | W10     | 9340-000072          | INDEX MIRROR                             | CII-417/13                | CQA(I) | 5                         |         |
| 1777 | W10     | 6675-000101          | TEA SQUARE 1500MM                        | IS-1360-1963              | CQA(I) | 16                        |         |
| 1778 | W10     | 6675-000613          | STEREOSCOPE LENS AERIAL PHOTOGRAPH INTER | CII-379/SA                | CQA(I) | 4                         |         |
| 1779 | W10     | 6675-000621          | CASE PLATE STENCIL RE DRAUGHTSMAN NO 4   | C11-2/16                  | CQA(I) | 24                        |         |
| 1780 | W10     | 6675-000623          | PLATE CAPITAL ALPHABET UP -RIGHT 6-0 MM  | CII-2/17                  | CQA(I) | 1                         |         |
| 1781 | W10     | 6675-000624          | PLATE CAPITAL ALPHABET UP -RIGHT 9-0 MM  | CII2/17                   | CQA(I) | 27                        |         |
| 1782 | W10     | 6675-000627          | PLATE CAPITAL ALPHABET UP -RIGHT 25-0 MM | CII-2/17                  | CQA(I) | 49                        |         |
| 1783 | W10     | 6675-000637          | PEN LETTERING SET DELUXE NO -2           |                           | CQA(I) | 9                         |         |
| 1784 | W10     | 6675-000751          | BOARD PLYWOOD 5 PLY                      | CII-372/1                 | CQA(I) | 23                        |         |
| 1785 | W10     | 6675-000759          | CASE CARRYING LEVELING STAFF AND TRIPOD  |                           | CQA(I) | 185                       |         |
| 1786 | W10     | 6675-000010          | COMPASS DRAWING PIVOT PEN BOW DOUBLE KNE |                           | CQA(I) | 78                        |         |
| 1787 | W10     | 6675-000012          | COMPASS DRAWING PIVOT PEN BOW SPRING 77M |                           | CQA(I) | 80                        |         |
| 1788 | W10     | 6675-000015          | COMPASS DRAWING PIVOT ROTATING 120MM     | IS-3207-1989              | CQA(I) | 74                        |         |
| 1789 | W10     | 6675-000017          | CASE CURVE SET DRAWING IRRUGULAR ARCHIT  | IS : 5213                 | CQA(I) | 3                         |         |
| 1790 | W10     | 6675-000093          | SCREW DRIVER                             | IS-3220                   | CQA(I) | 117                       |         |
| 1791 | W10     | 6675-000807          | TAPE MEASURING METELIC WOVEN 30M         | CII54 (LATEST)            | CQA(I) | 11470                     |         |
| 1792 | W10     | 6675-000810          | DRAWING BOARD DOO 1525MM X1220MM         | IS-1444                   | CQA(I) | 115                       |         |
| 1793 | W10     | 6675-000007          | COMPASS DRAWING BEAM 500 MM              | IS : 2466                 | CQA(I) | 83                        |         |
| 1794 | W10     | 5210-000200          | TAPE MEASRING STEEL 100 METERS           | IS1269PARTII              | CQA(I) | 158                       |         |
| 1795 | W10     | 5210-000268          | TAPE MEASRING METALLIC WOVEN 2M          | IS-1562-1962              | CQA(I) | 38                        |         |
| 1796 | W10     | 6675-000023          | DIVIDER DRAWING PLAIN 122 MM             | IS-3208                   | CQA(I) | 239                       |         |
| 1797 | W10     | 6675-000046          | PROTRACTOR SEMI CIRCULAR 225MM           | CII-356                   | CQA(I) | 4026                      |         |
| 1798 | W10     | 6675-000049          | PARALLEL RULAR ROLLING 450MM             | CII-60                    | CQA(I) | 22                        |         |
| 1799 | W10     | 6675-000050          | PARALLEL RULAR ROLLING 750 MM            | CII-60                    | CQA(I) | 681                       |         |
| 1800 | W10     | 6675-000014          | COMPASS DRAWING PIVOT HALF SHIFTING LEG  | CII-151                   | CQA(I) | 89                        |         |
| 1801 | W10     | 6675-000097          | SET SQUARE 150 MM 60'                    | IS-1561-1989              | CQA(I) | 95                        |         |

| S.No | COS Sec | Part Number         | Nomen                                    | Spec No                   | ASHP      | Likely qty to be procured | Remarks |
|------|---------|---------------------|------------------------------------------|---------------------------|-----------|---------------------------|---------|
| 1802 | W10     | 6675-000224         | PANEL TRANSPARENT COLOUR LESS 540MM X 40 | CII-357                   | CQA(I)    | 669                       |         |
| 1803 | W10     | 6675-000058         | SCALE DIAGONAL 1:1 1000MM                | IS-1562-1962              | CQA(I)    | 65                        |         |
| 1804 | W10     | 6675-000095         | SET SQARE 250MM 60'                      | IS-1561                   | CQA(I)    | 537                       |         |
| 1805 | W10     | 6675-000407         | COMPASS DRAWING BEAM 250 MM              | IS-2466-1963              | CQA(I)    | 15                        |         |
| 1806 | W10     | 6675-000414         | TRIPODE PLANE TABLE SERVEYING            |                           | CQA(I)    | 22                        |         |
| 1807 | W10     | 6675-000415         | SET SQARE 200MM 60'                      | IS-1561-1981              | CQA(I)    | 10                        |         |
| 1808 | W10     | 6675-000092         | SCALE STEEL 150 MM                       | IS14811970                | CQA(I)    | 41                        |         |
| 1809 | W10     | 6675-000099         | STRAIGHT EDGE 1000MM                     | IS2233/1962               | CQA(I)    | 54                        |         |
| 1810 | W10     | 6675-000113         | POLE RANGE 3 METER                       | C11-308                   | CQA(I)    | 22                        |         |
| 1811 | W10     | IWJ-1551            | PANEL MAP CASE 1A                        | IRES/M/4833               | CQA(I)    | 749                       |         |
| 1812 | W10     | 6675-000118         | PLANE TABLE SURVEING 750MM X 600MM       | IS-2539-63                | CQA(I)    | 2                         |         |
| 1813 | W10     | 6675-000125         | CHAIN LINK SURVEYER 20M                  | IS-1492-20                | CQA(I)    | 25                        |         |
| 1814 | W10     | VC-2534             | WATCH STOP 1/10 SECMK.2 GEN TRADE *      |                           | CQA(I)    | 7                         |         |
| 1815 | W10     | 6675-000522         | CASE BAROMETER ANEROID LEATHER (1)       |                           | CQA(I)    | 25                        |         |
| 1816 | W10     | 1290-000376         | APPARATUS ILLUMINATION INST NO2 MK I     | CIA(FC)-154-2 & OS-715 GA | CQA(I)    | 471                       |         |
| 1817 | W10     | IWJ-0861            | TABLE PLANE SURVEY NO.1 MK-I             |                           | CQA(I)    | 23                        |         |
| 1818 | W10     | IWJ-2462            | PRISM (LEVEL READING PRISM)              | 4010-60                   | CQA(I)    | 2                         |         |
| 1819 | W10     | 6675-000059         | SCALE PLOTTING NO 1                      | REP3630                   | CQA(I)    | 2722                      |         |
| 1820 | W10     | 6675-000066         | SCALE PLOTTING NO 1 C OFF SET            | REM1324                   | CQA(I)    | 218                       |         |
| 1821 | W10     | 6675-000068         | SCALE PLOTTING NO 1 D OFF SET            | RE/M/1324                 | CQA(I)    | 452                       |         |
| 1822 | W10     | 6675-000088         | SCALE PLOTTING NO 24                     | CII48                     | CQA(I)    | 1815                      |         |
| 1823 | W10     | 6675-000090         | SCALE DRAWING 150MM                      | IS-1480-1970              | CQA(I)    | 69                        |         |
| 1824 | W10     | VC-6541             | BRUSH DUSTING                            |                           | CQA(I)    | 1                         |         |
| 1825 | W10     | IWJ-1388            | WATCH STOP 1/10 TH SECOND UNIVERSAL GENE |                           | CQA(I)    | 2                         |         |
| 1826 | W10     | VC-2422             | SCREEN.THERMOMETERS.                     |                           | CQA(I)    | 7                         |         |
| 1827 | W10     | VC-5336             | BUBBLE, SPIRIT, GLASS MOUNTED.           | IRES/M/3365/IV/2          | CQA(I)    | 2                         |         |
| 1828 | W10     | 6675-000028         | PEN CURVED 125MM                         | IS-5737 CII-159           | CQA(I)    | 286                       |         |
| 1829 | W10     | 6675-000029         | PEN DOTING 125 MM                        | CII-160 (LATEST)          | CQA(I)    | 101                       |         |
| 1830 | W10     | 6675-000031         | PEN RAIL BOAD 125MM                      | CII-161                   | CQA(I)    | 213                       |         |
| 1831 | W10     | 6675-000038         | PROTRACTOR CIRCULAR BRASS 300MM          | JSS-6675-31               | CQA(I)    | 14                        |         |
| 1832 | W10     | IWJ-2446            | TUBULAR LEVEL                            |                           | CQA(I)    | 2                         |         |
| 1833 | W10     | 6675-000040         | PROTRACTOR SPECIAL                       | CII-411                   | CQA(I)    | 178                       |         |
| 1834 | W10     | 6675-000045         | PROTRACTOR SEMI CIRCULAR 150MM           |                           | CQA(I)    | 13                        |         |
| 1835 | W10     | IWJ-2452            | ILLUMINATING MIRROR                      | 4010-66                   | CQA(I)    | 2                         |         |
| 1836 | Z15     | 6625-004354         | BTY TESTER                               |                           | CQA(R)    | 2                         |         |
| 1837 | Z7      | ISRAEL-0354-9421-52 | CAP CHIP CER 1 NF 150 PF 50V 1% COG      |                           | CQA(I)    | 100                       |         |
| 1838 | Z7      | ISRAEL-0354-9431-02 | CAP CHIP CER 1 NF 100PF 100V 2% COG      |                           | CQA(I)    | 67                        |         |
| 1839 | Z7      | POL-D8-228-001      | EXTERNAL TAPEARED SLEEVE                 |                           | CQA(I)    | 29                        |         |
| 1840 | Z7      | 5855-000069         | IMAGE CONVERTER TUBE INFRARED IA         |                           | CQA(I)    | 2                         |         |
| 1841 | Z7      | RUS-BL7-207-003     | LASER DOPED GLASS ROD                    |                           | CQA(I)    | 21                        |         |
| 1842 | Z7      | ISRAEL-0622-0520-04 | RES CHIP MF 20K 0.1W 1% 0603             |                           | Not Known | 17                        |         |
| 1843 | Z7      | ISRAEL-0323-0400-00 | RES CHIP MFZERO 0.06W 0.01 %0            |                           | Not Known | 265                       |         |
| 1844 | Z7      | ISRAEL-0354-9401-05 | CAP CHIP CER 100NF 10V 10% 040           |                           | Not Known | 446                       |         |
| 1845 | Z7      | ISRAEL-040-3210     | LM321MF                                  |                           | Not Known | 33                        |         |
| 1846 | Z7      | ISRAEL-040-3750     | LT3758EMSE#PBF                           |                           | Not Known | 33                        |         |
| 1847 | Z7      | ISRAEL-014-0020     | 0.1UF/50V X7R 0805 ST                    |                           | Not Known | 265                       |         |
| 1848 | Z7      | ISRAEL-030-3480     | LM3480IM3-3.3                            |                           | Not Known | 25                        |         |
| 1849 | Z7      | ISRAEL-010-1050     | 100 UF/50V POLYMER                       |                           | Not Known | 83                        |         |
| 1850 | Z7      | ISRAEL-010-1130     | 0.01UF/500V X7R 1210                     |                           | Not Known | 17                        |         |
| 1851 | Z7      | ISRAEL-010-2270     | 2.2UF/100V X7R 1812                      |                           | Not Known | 42                        |         |
| 1852 | Z7      | ISRAEL-010-4220     | 22UF/35V LOW ESR TAN D                   |                           | Not Known | 58                        |         |
| 1853 | Z7      | ISRAEL-010-4790     | 4.7UF/16V TAN A                          |                           | Not Known | 33                        |         |
| 1854 | Z7      | ISRAEL-011-3860     | 0.01UF/50VX7R 0805                       |                           | Not Known | 166                       |         |
| 1855 | Z7      | ISRAEL-011-6400     | 1000PF/100V X7R 0805                     |                           | Not Known | 67                        |         |
| 1856 | Z7      | ISRAEL-222-1R0      | 1R 5% 0805                               |                           | CQA(I)    | 50                        |         |
| 1857 | Z7      | ISRAEL-223-1001     | 1K 1% 0805                               |                           | CQA(I)    | 240                       |         |
| 1858 | Z7      | ISRAEL-223-1002     | 10K 1% 0805                              |                           | CQA(I)    | 257                       |         |
| 1859 | Z7      | ISRAEL-223-1004     | 1M 1% 0805                               |                           | CQA(I)    | 17                        |         |
| 1860 | Z7      | ISRAEL-223-10R0     | 10R 1% 0805                              |                           | CQA(I)    | 50                        |         |
| 1861 | Z7      | ISRAEL-223-2211     | 2.21K 1% 0805                            |                           | CQA(I)    | 25                        |         |
| 1862 | Z7      | ISRAEL-223-4992     | 49.9K 1% 0805                            |                           | CQA(I)    | 25                        |         |
| 1863 | Z7      | ISRAEL-0685-4618-16 | IC VR DC/DC BULCK LV 6A 2MHZ QF          |                           | CQA(I)    | 33                        |         |
| 1864 | Z7      | ISRAEL-1439-0111-07 | CAPACITOR, LOW-ESR, POLYESTER            |                           | CQA(I)    | 42                        |         |

| S.No | COS Sec | Part Number                                 | Nomen                                    | Spec No | ASHP   | Likely qty to be procured | Remarks |
|------|---------|---------------------------------------------|------------------------------------------|---------|--------|---------------------------|---------|
| 1865 | Z7      | ISRAEL-1339-0001-08                         | RES CHIP MS 0.01E 1W% 2512               |         | CQA(I) | 75                        |         |
| 1866 | Z7      | MISC-TRAINING-ADS-FOR-MRS                   | TRG ADS TO INCLUDE: CHARTS SLIDES TRG *  |         | CQA(I) | 1                         |         |
| 1867 | Z7      | TECHMANUALO NSTEWITHDRG REFFORTISIGHT (IGLA | TECH MANUAL ON STE WITH DRG REF FOR *    |         | CQA(I) | 2                         |         |
| 1868 | Z7      | ISRAEL-040-3570                             | LT357T RANK-B                            |         | CQA(I) | 17                        |         |
| 1869 | Z7      | ISRAEL-040-3570#1                           | LTV357T RANK -B SMT                      |         | CQA(I) | 8                         |         |
| 1870 | Z7      | ISRAEL-010-1060                             | 10UF/100V X7SKRM55TR72A106MH01K          |         | CQA(I) | 50                        |         |
| 1871 | Z7      | ISRAEL-010-1060#1                           | 10 UF/100V X 7S                          |         | CQA(I) | 108                       |         |
| 1872 | Z7      | ISRAEL-020-1620                             | BAS21                                    |         | CQA(I) | 50                        |         |
| 1873 | Z7      | ISRAEL-020-1620#1                           | BAS21 SOT 23                             |         | CQA(I) | 25                        |         |
| 1874 | Z7      | ISRAEL-040-1600                             | BAS 16 SOT 23                            |         | CQA(I) | 49                        |         |
| 1875 | Z7      | ISRAEL-040-3011                             | BAT 54                                   |         | CQA(I) | 8                         |         |
| 1876 | Z7      | ISRAEL-040-3011#1                           | BAT54 SOT 23                             |         | CQA(I) | 8                         |         |
| 1877 | Z7      | ISRAEL-040-1600#1                           | BAS16                                    |         | CQA(I) | 42                        |         |
| 1878 | Z7      | MISC-1700 005 025 97                        | TEST JIG FOR PSB                         |         | CQA(I) | 2                         |         |
| 1879 | Z7      | MISC-3130 822 801 81                        | NICOMATIC INSERTION TOOL SET             |         | CQA(I) | 3                         |         |
| 1880 | Z7      | MISC-3130 722 101 26                        | CRIMPING TOOL                            |         | CQA(I) | 3                         |         |
| 1881 | Z7      | MISC-3130 828 001 01                        | CONTACT REMOVAL TOOL PV SERIES           |         | CQA(I) | 3                         |         |
| 1882 | Z7      | MISC-3131 052 001 17                        | CRIMPING TOOL M22520/5-01                |         | CQA(I) | 3                         |         |
| 1883 | Z7      | MISC-3131 052 002 14                        | HEXAGON DIE-M22520/5-03                  |         | CQA(I) | 3                         |         |
| 1884 | Z7      | MISC-1700 005 055 07                        | TOOL SET                                 |         | CQA(I) | 8                         |         |
| 1885 | Z7      | CTI-020-013                                 | PURGING ADAPTER FOR SIGHT (270120360157) |         | CQA(I) | 17                        |         |
| 1886 | Z7      | ISRAEL-0339-1110-04                         | RES CHIP MF 10K 0.06W 0.1% 060           |         | CQA(I) | 8                         |         |
| 1887 | Z7      | 63703A-00                                   | HARNESS ECD SET ALONGWITH PIN CONNECTOR  |         | CQA(L) | 2                         |         |
| 1888 | Z7      | ISRAEL-0356-9291-02                         | CAP CHIP CER 100PF 50V 5% 0603           |         | CQA(I) | 42                        |         |
| 1889 | Z7      | ISRAEL-0356-9291-03                         | CAP CHIP CER 1 PF 50V 5% 0603 COG        |         | CQA(I) | 25                        |         |
| 1890 | Z7      | ISRAEL-0356-9291-83                         | CAP CHIP CER 1.8 NF 50 V 5% COG0         |         | CQA(I) | 67                        |         |
| 1891 | Z7      | ISRAEL-0356-9294-72                         | CAP CHIP CER 470 PF 50V 1.8 NF 50V 5% NP |         | CQA(I) | 8                         |         |
| 1892 | Z7      | ISRAEL-0356-9492-22                         | CAP CHIP CER 220 PF 200V 10% X7          |         | CQA(I) | 8                         |         |
| 1893 | Z7      | ISRAEL-0356-9504-73                         | CAP CHIP CER 4.7 NF 200V 5%              |         | CQA(I) | 25                        |         |
| 1894 | Z7      | ISRAEL-0357-9051-06                         | CAP CHIP CER 1 UF 16V 10% X 5R           |         | CQA(I) | 25                        |         |
| 1895 | Z7      | ISRAEL-0357-9254-74                         | CAP CHIP CER 47NF25V 10%0603             |         | CQA(I) | 677                       |         |
| 1896 | Z7      | ISRAEL-0358-9201-03                         | CAPACITOR CHIP CER INF 100V 5% 080 SN    |         | CQA(I) | 17                        |         |
| 1897 | Z7      | ISRAEL-0358-9291-52                         | CAP CHIP CER 150 PF 50V 5% 0805          |         | CQA(I) | 17                        |         |
| 1898 | Z7      | ISRAEL-0358-9292-22                         | CAP CHIP CER 220PF 1000V 5% 805          |         | CQA(I) | 17                        |         |
| 1899 | Z7      | ISRAEL-0359-4521-10                         | CAP CHIP TAN 10UF 16V 10% 8              |         | CQA(I) | 33                        |         |
| 1900 | Z7      | ISRAEL-0359-4551-22                         | CAP CHIP CER 2.2UF 10 UF 10V 10%         |         | CQA(I) | 67                        |         |
| 1901 | Z7      | ISRAEL-0359-5141-00                         | CAP CHIP TAN 10UF 10V 10%A               |         | CQA(I) | 17                        |         |
| 1902 | Z7      | ISRAEL-0359-9041-06                         | CAP CHIP CER 1UF 25V 10%X7R12            |         | CQA(I) | 50                        |         |
| 1903 | Z7      | ISRAEL-0359-9121-07                         | CAP CHIP TAN 100 UF 25V 10% T            |         | CQA(I) | 33                        |         |
| 1904 | Z7      | 5340-016886                                 | HOUSING EYE PIECE                        |         | CQA(I) | 2                         |         |
| 1905 | Z7      | ISRAEL-030-0280                             | BSC028N06NS SUPER SO8                    |         | CQA(I) | 8                         |         |
| 1906 | Z7      | ISRAEL-030-1090                             | BSC 109N10 SUPER SO8                     |         | CQA(I) | 8                         |         |
| 1907 | Z7      | ISRAEL-030-1210                             | STB120NF10 D2PACK                        |         | CQA(I) | 17                        |         |
| 1908 | Z7      | ISRAEL-030-1230                             | BSS123 SOT23                             |         | CQA(I) | 17                        |         |
| 1909 | Z7      | ISRAEL-030-1660                             | IP B016N06L3G D2PACK7P                   |         | CQA(I) | 17                        |         |
| 1910 | Z7      | ISRAEL-030-5550                             | MMBT2907 SOT23                           |         | CQA(I) | 17                        |         |
| 1911 | Z7      | ISRAEL-030-7850                             | MMBT2222 SOT23                           |         | CQA(I) | 25                        |         |

| S.No | COS Sec | Part Number         | Nomen                              | Spec No | ASHP   | Likely qty to be procured | Remarks |
|------|---------|---------------------|------------------------------------|---------|--------|---------------------------|---------|
| 1912 | Z7      | ISRAEL-0322-0434-82 | RES CHIP MF 348 E 0.06W 1% 0603    |         | CQA(I) | 8                         |         |
| 1913 | Z7      | ISRAEL-0322-0475-01 | RES CHIP MF 75E 0.06W 1% 603       |         | CQA(I) | 42                        |         |
| 1914 | Z7      | ISRAEL-0322-0530-14 | RES CHIP MF 30.1K 0.1W 1% 0603     |         | CQA(I) | 25                        |         |
| 1915 | Z7      | ISRAEL-0359-9471-05 | CAP CHIP CER 100NF 16 V 20% 040    |         | CQA(I) | 190                       |         |
| 1916 | Z7      | ISRAEL-0360-0082-03 | ZENER DIODE 8.2V 0.25W SOD-323     |         | CQA(I) | 8                         |         |
| 1917 | Z7      | ISRAEL-0360-0085-04 | SCHOTTKY DIODE SMT 30V 0.2A SO     |         | CQA(I) | 17                        |         |
| 1918 | Z7      | ISRAEL-0360-0670-12 | LED RED 0805 SMT                   |         | CQA(I) | 25                        |         |
| 1919 | Z7      | ISRAEL-0360-0670-15 | LED GREEN 0805 SMT                 |         | CQA(I) | 8                         |         |
| 1920 | Z7      | ISRAEL-0360-1301-03 | SCHOTTKY DIODE 30V 1A SMT          |         | CQA(I) | 17                        |         |
| 1921 | Z7      | ISRAEL-0360-2222-06 | TRANS SMT NPN 40N SOT-23           |         | CQA(I) | 42                        |         |
| 1922 | Z7      | ISRAEL-0359-9291-54 | CAP CHIP CER 15NF 50V 5%X7R        |         | CQA(I) | 33                        |         |
| 1923 | Z7      | ISRAEL-1111-1111-00 | SCR, MACH, PAN HD, CROSS RES       |         | CQA(I) | 17                        |         |
| 1924 | Z7      | ISRAEL-1111-1132-00 | SCREW PH PHIL CRES NC 6X.375       |         | CQA(I) | 25                        |         |
| 1925 | Z7      | ISRAEL-0362-9071-04 | TARNS BIPOLAR PNP 60V SOT -23      |         | CQA(I) | 8                         |         |
| 1926 | Z7      | ISRAEL-0380-0211-03 | IC ANA OPTOCOUPLER 1CH SOIC 8      |         | CQA(I) | 67                        |         |
| 1927 | Z7      | ISRAEL-0380-0304-08 | IC BUFFER CLOCK TSSOP 8            |         | CQA(I) | 8                         |         |
| 1928 | Z7      | ISRAEL-0380-0308-03 | IC ANA MUX SOIC 16                 |         | CQA(I) | 25                        |         |
| 1929 | Z7      | ISRAEL-0380-0706-09 | IC MC VLT MONITORING 2.93V8        |         | CQA(I) | 8                         |         |
| 1930 | Z7      | ISRAEL-0380-1011-08 | IC COMP VOLTAGE SOIC 8             |         | CQA(I) | 42                        |         |
| 1931 | Z7      | ISRAEL-0380-1114-03 | IC AMP OP QUAD SOIC 16             |         | CQA(I) | 33                        |         |
| 1932 | Z7      | ISRAEL-0380-4304-05 | IC AMP OP LOW DSTRSN SOT 23 5      |         | CQA(I) | 17                        |         |
| 1933 | Z7      | ISRAEL-1114-1703-04 | RIVET, SOLID, STSK 100DEG, PRCN HD |         | CQA(I) | 33                        |         |
| 1934 | Z7      | ISRAEL-0680-4632-18 | IC DDR 32MX16 5NS FBGA 60          |         | CQA(I) | 8                         |         |
| 1935 | Z7      | ISRAEL-0680-4712-85 | IC SDRAM 16MX16X82.5NS FBGA8       |         | CQA(I) | 17                        |         |
| 1936 | Z7      | ISRAEL-0680-5485-40 | IC PROC EMBEDDED 400 BGA           |         | CQA(I) | 8                         |         |
| 1937 | Z7      | ISRAEL-0680-551-07  | IC AMP OP H/VLT H /CRNT SMT 7      |         | CQA(I) | 17                        |         |
| 1938 | Z7      | ISRAEL-0680-6033-03 | IC VOLTAGE REF 3V U/HI PREC SO     |         | CQA(I) | 8                         |         |
| 1939 | Z7      | ISRAEL-1115-0011-32 | O- RING 1.737X.103 "NBR" REMARKS   |         | CQA(I) | 8                         |         |
| 1940 | Z7      | ISRAEL-040-2930     | LM2941SX/NOPB                      |         | CQA(I) | 8                         |         |
| 1941 | Z7      | ISRAEL-0680-7025-24 | IC FLESH MEM 256MB 104MBGA24       |         | CQA(I) | 8                         |         |
| 1942 | Z7      | ISRAEL-0680-7147-22 | IC SRAM 72MBIT 3NS TQFP100         |         | CQA(I) | 8                         |         |
| 1943 | Z7      | ISRAEL-040-3810     | LTC38101G#PBF                      |         | CQA(I) | 37                        |         |
| 1944 | Z7      | ISRAEL-040-4350     | LTC4357IMS8                        |         | CQA(I) | 17                        |         |
| 1945 | Z7      | ISRAEL-0680-7180-40 | IC DECODRER VIDEO 10 BIT LFCS P4   |         | CQA(I) | 17                        |         |
| 1946 | Z7      | ISRAEL-0680-7405-05 | IC SENSORE TEMP SERIAL SOT 235     |         | CQA(I) | 8                         |         |
| 1947 | Z7      | ISRAEL-040-4360     | LT4356IS-1                         |         | CQA(I) | 17                        |         |
| 1948 | Z7      | ISRAEL-040-5000     | LM5008MM                           |         | CQA(I) | 8                         |         |
| 1949 | Z7      | ISRAEL-0680-7476-03 | IC ADC 12 BIT 2.35-5.25V SC70 6    |         | CQA(I) | 25                        |         |
| 1950 | Z7      | ISRAEL-040-6920     | LTC69021MS                         |         | CQA(I) | 8                         |         |
| 1951 | Z7      | ISRAEL-0680-7611-64 | IC RECEIVE 165MHZ HDMI LQFP64      |         | CQA(I) | 8                         |         |
| 1952 | Z7      | ISRAEL-040-8390     | BZX84C39                           |         | CQA(I) | 8                         |         |
| 1953 | Z7      | ISRAEL-0680-7656-64 | IC ADC 6CH 16BIT 250KSP LQFP 6     |         | CQA(I) | 8                         |         |
| 1954 | Z7      | ISRAEL-0680-7724-28 | IC DAC 12BIT QUAD SOIC 28          |         | CQA(I) | 8                         |         |
| 1955 | Z7      | ISRAEL-040-8400     | BZX84C13 SOT 23                    |         | CQA(I) | 8                         |         |
| 1956 | Z7      | ISRAEL-040-8410     | BZX84C12                           |         | CQA(I) | 33                        |         |
| 1957 | Z7      | ISRAEL-0680-9221-56 | IC ETHERNET CONTROL 16 BIT QFN     |         | CQA(I) | 8                         |         |
| 1958 | Z7      | ISRAEL-0680-9346-08 | IC EEPROM 128X8 SER 2.5V PSOP      |         | CQA(I) | 8                         |         |

| S.No | COS Sec | Part Number          | Nomen                            | Spec No | ASHP   | Likely qty to be procured | Remarks |
|------|---------|----------------------|----------------------------------|---------|--------|---------------------------|---------|
| 1959 | Z7      | ISRAEL-040-8433      | BZX84C33                         |         | CQA(I) | 8                         |         |
| 1960 | Z7      | ISRAEL-040-8450      | BZX84CV5V1                       |         | CQA(I) | 8                         |         |
| 1961 | Z7      | ISRAEL-0684-8432-26  | IC SDRAM 1MX32X4B 6NS TSOP 86    |         | CQA(I) | 8                         |         |
| 1962 | Z7      | ISRAEL-040-9110      | BZX84C9VI SOT 23                 |         | CQA(I) | 8                         |         |
| 1963 | Z7      | ISRAEL-0700-0205-15  | FILTER EMI 10A 100V SMT 1.5NF    |         | CQA(I) | 50                        |         |
| 1964 | Z7      | ISRAEL-0400-0718-014 | FILTER EMI 0.4A 16V 47PF 0603    |         | CQA(I) | 372                       |         |
| 1965 | Z7      | ISRAEL-0400-0718-23  | FILTER EMI 0.6A SMT 1000PF       |         | CQA(I) | 150                       |         |
| 1966 | Z7      | ISRAEL-0700-0300-22  | FERRITE BEAD 220E 0.3A25%040     |         | CQA(I) | 33                        |         |
| 1967 | Z7      | ISRAEL-0400-0739-11  | FILTER EMMI 300MA 50VDC 1000PF   |         | CQA(I) | 42                        |         |
| 1968 | Z7      | ISRAEL-0700-0300-56  | FERRITE BEAD 1K 0.2A 20%0402     |         | CQA(I) | 158                       |         |
| 1969 | Z7      | ISRAEL-0700-0718-21  | FILTER CHIP 0.7A 16V 2.2N 0603   |         | CQA(I) | 83                        |         |
| 1970 | Z7      | ISRAEL-0700-1410-18  | FERRITE BEAD 120 OHM 2A 25% 06   |         | CQA(I) | 8                         |         |
| 1971 | Z7      | ISRAEL-0700-4910-59  | TRAFO 10/100 BASE 8 MA SOIC 16   |         | CQA(I) | 8                         |         |
| 1972 | Z7      | ISRAEL-0700-4916-31  | INDUCTOR 2.2 UHY 1.2A 20% SMT    |         | CQA(I) | 33                        |         |
| 1973 | Z7      | ISRAEL-0700-4918-09  | INDUCTOR PWR4.7UH 1.2A 20% 0     |         | CQA(I) | 33                        |         |
| 1974 | Z7      | ISRAEL-0400-4922-29  | INDUCTER CHIP 3.9UH 0.25A 10%    |         | CQA(I) | 8                         |         |
| 1975 | Z7      | ISRAEL-0700-4941-10  | INDUCTOR PWR 10 UHO.8A 20% SMT   |         | CQA(I) | 8                         |         |
| 1976 | Z7      | ISRAEL-0738-0300-25  | CRYSTAL OSC 25 MHZ 3.3V SMT4     |         | CQA(I) | 45                        |         |
| 1977 | Z7      | ISRAEL-0738-0300-26  | CRYSTAL OSC 25 MHZ 2.5 V SMT4    |         | CQA(I) | 8                         |         |
| 1978 | Z7      | ISRAEL-0738-0300-28  | CRYSTAL OSC.27.000MHZ3.3V SMT    |         | CQA(I) | 8                         |         |
| 1979 | Z7      | ISRAEL-0738-0303-28  | CRYSTAL OSC 28.6363 MHZ 1.8V SM  |         | CQA(I) | 25                        |         |
| 1980 | Z7      | ISRAEL-0738-0304-24  | CRYSTALOSC 24.00 MHZ 3.3V SMT    |         | CQA(I) | 8                         |         |
| 1981 | Z7      | BEL-4005-800-527-08  | RESISTOR SMD 10K+/-1%0.25W       |         | CQA(I) | 29                        |         |
| 1982 | Z7      | ISRAEL-0438-0318-25  | CRYSTAL OSC 25.0 MHZ 3.3V 50PPM  |         | CQA(I) | 8                         |         |
| 1983 | Z7      | ISRAEL-0439-0274-75  | CAP CHIP CER 470NF 25V 20% 080   |         | CQA(I) | 8                         |         |
| 1984 | Z7      | ISRAEL-0439-0281-06  | CAP CHIP CER 1 UF 6.3V 10% 0402  |         | CQA(I) | 67                        |         |
| 1985 | Z7      | ISRAEL-0440-3037-14  | CONN MOD B19 CRAPFFEM 5R         |         | CQA(I) | 8                         |         |
| 1986 | Z7      | ISRAEL-020-1000      | 1 SMCJ 100CA                     |         | CQA(I) | 8                         |         |
| 1987 | Z7      | ISRAEL-020-1210      | 12CWQ10FN DPACK                  |         | CQA(I) | 8                         |         |
| 1988 | Z7      | ISRAEL-020-5940      | 1 SMB5940                        |         | CQA(I) | 8                         |         |
| 1989 | Z7      | ISRAEL-020-5944      | 1 SMB5944                        |         | CQA(I) | 17                        |         |
| 1990 | Z7      | ISRAEL-0621-1131-00  | RES CHIP MF 10E 0.125W 5% PULS   |         | CQA(I) | 50                        |         |
| 1991 | Z7      | ISRAEL-0380-8130-08  | IC AMP DIFFERENCE SINGLE MSO 8   |         | CQA(I) | 8                         |         |
| 1992 | Z7      | ISRAEL-0382-3548-17  | IC FPGA 35K LE 7GR FBGA 484      |         | CQA(I) | 8                         |         |
| 1993 | Z7      | ISRAEL-0382-4256-08  | IC EEPROM 32X8 5MSEC SOIC 8      |         | CQA(I) | 8                         |         |
| 1994 | Z7      | ISRAEL-0387-1255-03  | IC BUFFER TINY UHS SOT23 5       |         | CQA(I) | 42                        |         |
| 1995 | Z7      | ISRAEL-0388-2715-08  | IC BUS EXTENDER SOIC 8           |         | CQA(I) | 8                         |         |
| 1996 | Z7      | ISRAEL-040-1014      | ISP PAC-POWER 1014A-01TN481      |         | CQA(I) | 17                        |         |
| 1997 | Z7      | ISRAEL-040-2000      | ER2G                             |         | CQA(I) | 17                        |         |
| 1998 | Z7      | ISRAEL-040-2340      | LM56BIM                          |         | CQA(I) | 8                         |         |
| 1999 | Z7      | ISRAEL-040-2410      | SK26 SMB                         |         | CQA(I) | 58                        |         |
| 2000 | Z7      | ISRAEL-040-2510      | 74VHC1G125                       |         | CQA(I) | 33                        |         |
| 2001 | Z7      | ISRAEL-040-2560      | SG3843D SO8                      |         | CQA(I) | 8                         |         |
| 2002 | Z7      | ISRAEL-0739-0281-06  | CAP CHIP CER 1UF 6.3V 10%402X    |         | CQA(I) | 250                       |         |
| 2003 | Z7      | ISRAEL-0739-0321-28  | CAP CHIP EL 120 UF 6.3 V 20% SMT |         | CQA(I) | 25                        |         |
| 2004 | Z7      | ISRAEL-1360-0001-04  | RECT DIODE ULTRA 200V 1A DO-21   |         | CQA(I) | 8                         |         |
| 2005 | Z7      | ISRAEL-0740-0337-45  | CONN MOD-B 110 S RA PF PCI EX    |         | CQA(I) | 8                         |         |

| S.No | COS Sec | Part Number         | Nomen                                    | Spec No | ASHP   | Likely qty to be procured | Remarks |
|------|---------|---------------------|------------------------------------------|---------|--------|---------------------------|---------|
| 2006 | Z7      | ISRAEL-1360-4008-16 | TARNS POWER MOS N -CH 80V/TO-2           |         | CQA(I) | 100                       |         |
| 2007 | Z7      | ISRAEL-0740-3037-40 | CONN MOD -B 40S RA PF PCI EX             |         | CQA(I) | 8                         |         |
| 2008 | Z7      | ISRAEL-0740-3037-41 | CONN MOD-B 56 P STR PF PCI EX            |         | CQA(I) | 8                         |         |
| 2009 | Z7      | ISRAEL-1361-4148-04 | SWITCHING DIODE SMT 100V 0.2A            |         | CQA(I) | 25                        |         |
| 2010 | Z7      | ISRAEL-0740-3037-42 | CONN MOD-B 22M STR PF X5 110             |         | CQA(I) | 8                         |         |
| 2011 | Z7      | ISRAEL-1370-3003-02 | SWITCHING DIODE 180V 0.2A SOT            |         | CQA(I) | 100                       |         |
| 2012 | Z7      | ISRAEL-0740-3037-43 | CONN MOD-A 110P STR PF PCI EX            |         | CQA(I) | 8                         |         |
| 2013 | Z7      | ISRAEL-0740-3037-44 | CONN MOD -A 110 S RA PF COMPCI           |         | CQA(I) | 8                         |         |
| 2014 | Z7      | ISRAEL-1400-0351-50 | RELAY DPDT 5V/DC                         |         | CQA(I) | 25                        |         |
| 2015 | Z7      | ISRAEL-1400-1401-68 | FILTER EMMI 0.2A 0.35                    |         | CQA(I) | 116                       |         |
| 2016 | Z7      | ISRAEL-1400-4910-22 | POWER INDUCTOR, HI-CURR, SIZE C          |         | CQA(I) | 25                        |         |
| 2017 | Z7      | ISRAEL-6408-1900-00 | LOGISTIC CONTAINER                       |         | CQA(I) | 6                         |         |
| 2018 | Z7      | ISRAEL-308370110    | CONTROLLER BOARD ASSY MK IV NO BILL      |         | CQA(I) | 112                       |         |
| 2019 | Z7      | ISRAEL-310-2010     | 1 UH/30AXAL1010                          |         | CQA(I) | 58                        |         |
| 2020 | Z7      | ISRAEL-310-2530     | 3.3UH/1A 7X7X4                           |         | CQA(I) | 8                         |         |
| 2021 | Z7      | ISRAEL-310-3360     | 330UH/0.1A 7X7X4                         |         | CQA(I) | 8                         |         |
| 2022 | Z7      | ISRAEL-310-4200     | COMMON MODE CHOKE PULSE P0420            |         | CQA(I) | 8                         |         |
| 2023 | Z7      | ISRAEL-HC51200011   | PH SEAL BOLT 10 24X1/2" DRW NO 308100030 |         | CQA(I) | 3                         |         |
| 2024 | Z7      | ISRAEL-310-5050     | 1UH/15A 10X10X5                          |         | CQA(I) | 8                         |         |
| 2025 | Z7      | ISRAEL1113-6352-00  | NUT, PLAIN,HEX,SMALL PATTERN             |         | CQA(I) | 17                        |         |
| 2026 | Z7      | ISRAEL-320-0690     | MOLEX 53261-0671                         |         | CQA(I) | 8                         |         |
| 2027 | Z7      | ISRAEL1115-0011-28  | O-RING 1.487X .103 "NBR * REMARKS        |         | CQA(I) | 17                        |         |
| 2028 | Z7      | ISRAEL-320-1840     | MOLEX MICRO FIT 6P43045-0620             |         | CQA(I) | 8                         |         |
| 2029 | Z7      | ISRAEL-0621-2490-94 | RES CHIP MF 90.9K 0.125W 1% 08           |         | CQA(I) | 8                         |         |
| 2030 | Z7      | ISRAEL-0622-0510-04 | RES CHIP MF10K 0.1W 1% 0603              |         | CQA(I) | 8                         |         |
| 2031 | Z7      | ISRAEL-0622-0515-03 | RES CHIP MF 1.5K 0.1W 1% 0603            |         | CQA(I) | 8                         |         |
| 2032 | Z7      | ISRAEL-1110-7539-06 | SCREW PH PHIL CRES M 2.5 X 10 SE         |         | CQA(I) | 25                        |         |
| 2033 | Z7      | ISRAEL-1116-1502-15 | INSERT CRES HCOIL                        |         | CQA(I) | 42                        |         |
| 2034 | Z7      | ISRAEL-1117-6103-04 | PIN SPRING, SLOTTED                      |         | CQA(I) | 17                        |         |
| 2035 | Z7      | ISRAEL-0680-1606-16 | IC SUPERVISOR QUAD UP TQFN16             |         | CQA(I) | 8                         |         |
| 2036 | Z7      | ISRAEL-0680-1818-50 | IC VR LDO 5V/0.5A SOT236                 |         | CQA(I) | 17                        |         |
| 2037 | Z7      | ISRAEL-0680-1964-35 | IC VR NEG ADI SOT 235                    |         | CQA(I) | 8                         |         |
| 2038 | Z7      | ISRAEL-0680-3162-28 | IC TRANSRECEIVER RS 232/485/422 S        |         | CQA(I) | 8                         |         |
| 2039 | Z7      | ISRAEL-0680-3220-08 | IC MUX AN A 2;1 800MHZ LFCSP8            |         | CQA(I) | 8                         |         |
| 2040 | Z7      | ISRAEL-0680-3384-24 | IC SWITCH 10 BIT BUS QSOP 24             |         | CQA(I) | 33                        |         |
| 2041 | Z7      | ISRAEL-0680-4110-27 | IC FPGA CYCL-4 110K 7GR FBGA 6           |         | CQA(I) | 8                         |         |
| 2042 | Z7      | ISRAEL-0622-0524-93 | RES CHIP MF 2.49K 0.06W 1% 0.60          |         | CQA(I) | 8                         |         |
| 2043 | Z7      | ISRAEL-0622-0551-13 | RES CHIPI MF 5.11K 0.1W 1% 0603          |         | CQA(I) | 8                         |         |
| 2044 | Z7      | ISRAEL-0622-0582-53 | RES CHIP MF 8.25K 0.1W 1% 0603           |         | CQA(I) | 8                         |         |
| 2045 | Z7      | ISRAEL-0622-0590-91 | RES CHIP MF 9.09K 0.1W 1% 0603           |         | CQA(I) | 17                        |         |
| 2046 | Z7      | ISRAEL-0623-0410-00 | RES CHIP MF 10E 0.06W 1% 0402            |         | CQA(I) | 17                        |         |
| 2047 | Z7      | ISRAEL-0623-0427-03 | RES CHIP MF 2.7K 0.06W 1% 0402           |         | CQA(I) | 17                        |         |
| 2048 | Z7      | ISRAEL-0658-9298-23 | CAP CHIP CER 8.2NF 50V 5% 0805           |         | CQA(I) | 8                         |         |
| 2049 | Z7      | ISRAEL-213-0R01S    | 0.01R/1W 1% 2512                         |         | CQA(I) | 17                        |         |
| 2050 | Z7      | ISRAEL-213-103S     | 10K/1W 5% 2512                           |         | CQA(I) | 17                        |         |
| 2051 | Z7      | ISRAEL-213-1ROS     | 1R/1W 5% 2512                            |         | CQA(I) | 25                        |         |
| 2052 | Z7      | ISRAEL-213-271S     | 270R 2512 5% 2512                        |         | CQA(I) | 8                         |         |

| S.No | COS Sec | Part Number          | Nomen                               | Spec No | ASHP   | Likely qty to be procured | Remarks |
|------|---------|----------------------|-------------------------------------|---------|--------|---------------------------|---------|
| 2053 | Z7      | ISRAEL-213-R004S     | 0.004R/1W 1% 2512                   |         | CQA(I) | 17                        |         |
| 2054 | Z7      | ISRAEL-1467-8951-05  | MOUNTING PAD SD                     |         | CQA(I) | 25                        |         |
| 2055 | Z7      | ISRAEL-1480-0400-06  | EXTRACTOR, PCB, RIGHT, BENT LEG     |         | CQA(I) | 8                         |         |
| 2056 | Z7      | ISRAEL-1480-0400-07  | EXTRATOR , PCB, LEFT BENT LEG       |         | CQA(I) | 8                         |         |
| 2057 | Z7      | ISRAEL-1480-0403-01  | RETAINER, PCB                       |         | CQA(I) | 17                        |         |
| 2058 | Z7      | ISRAEL-1639-0002-08  | RES CHIP MS 0.02E 1W 1% 2512        |         | CQA(I) | 67                        |         |
| 2059 | Z7      | ISRAEL-1658-9291-06  | CAP CHIP CER 1UF 50V 10% X7RO8      |         | CQA(I) | 50                        |         |
| 2060 | Z7      | ISRAEL-1658-9291-07  | CAP CHIP TAN 10UF 10V 10% 0805      |         | CQA(I) | 116                       |         |
| 2061 | Z7      | ISRAEL-2150-01-02-01 | KIT FOR MATERIAL                    |         | CQA(I) | 8                         |         |
| 2062 | Z7      | ISRAEL-220-1R0       | 1R/0.5W 5% 1206                     |         | CQA(I) | 17                        |         |
| 2063 | Z7      | ISRAEL-220-470       | 47R 1% 1206                         |         | CQA(I) | 8                         |         |
| 2064 | Z7      | ISRAEL-221-0R1       | 0.1R 1% 1206                        |         | CQA(I) | 17                        |         |
| 2065 | Z7      | ISRAEL-221-1000      | 100R 1% 1206                        |         | CQA(I) | 8                         |         |
| 2066 | Z7      | ISRAEL-221-1001      | 1K 1% 1206                          |         | CQA(I) | 17                        |         |
| 2067 | Z7      | ISRAEL-222-2R2       | 2.2R 5% 0805                        |         | CQA(I) | 8                         |         |
| 2068 | Z7      | ISRAEL-222-470       | 47R 5% 0805                         |         | CQA(I) | 33                        |         |
| 2069 | Z7      | ISRAEL-1740-2990-47  | PLUG RECT 47 P STR PC .140          |         | CQA(I) | 8                         |         |
| 2070 | Z7      | ISRAEL-0700-4927-85  | INDUCTOR CLIP 5 NHY 1.2A5/.16L      |         | CQA(I) | 8                         |         |
| 2071 | Z7      | ISRAEL-010-1110      | 0.1UF/200V X7R 1210                 |         | CQA(I) | 25                        |         |
| 2072 | Z7      | ISRAEL-010-1140      | 0.68UF/100V X7R 1812                |         | CQA(I) | 8                         |         |
| 2073 | Z7      | ISRAEL-010-1470      | 4.7 UF/100V POLY                    |         | CQA(I) | 17                        |         |
| 2074 | Z7      | ISRAEL-010-2260      | 2.2UF/16V TAN A                     |         | CQA(I) | 17                        |         |
| 2075 | Z7      | ISRAEL-010-3310      | 330 UF/10V POSCAP                   |         | CQA(I) | 42                        |         |
| 2076 | Z7      | ISRAEL-010-3700      | 1UF/25V TAN A                       |         | CQA(I) | 17                        |         |
| 2077 | Z7      | ISRAEL-010-4700      | 47UF/35V LOW ESR TAN V              |         | CQA(I) | 25                        |         |
| 2078 | Z7      | ISRAEL-010-4710      | 10UF/100V X7SKRM55TR72A106MH01K     |         | CQA(I) | 8                         |         |
| 2079 | Z7      | ISRAEL-010-9910      | 10UF/25V TAN C                      |         | CQA(I) | 8                         |         |
| 2080 | Z7      | ISRAEL-1112-6200-05  | WASHER FLAT ST #6.035X.312X.1       |         | CQA(I) | 25                        |         |
| 2081 | Z7      | ISRAEL-1112-6701-36  | WASHER DISC SPRING CRES HELICAL     |         | CQA(I) | 25                        |         |
| 2082 | Z7      | ISRAEL-0322-0551-14  | RESISTOR FIXED CHIP SIZE 0603, INDL |         | CQA(I) | 25                        |         |
| 2083 | Z7      | ISRAEL-011-2200      | 0.022UF/50V X7R 0805                |         | CQA(I) | 25                        |         |
| 2084 | Z7      | ISRAEL-0322-0556-23  | RES CHIP MF5.62K 0.06W 1% 060       |         | CQA(I) | 17                        |         |
| 2085 | Z7      | ISRAEL-011-2280      | 2200PF/100VX7R 0805                 |         | CQA(I) | 25                        |         |
| 2086 | Z7      | ISRAEL-1112-9204-00  | WASHER, LOCK, SPRING, NON-MAG       |         | CQA(I) | 17                        |         |
| 2087 | Z7      | ISRAEL-0323-0410-00  | RES CHIP MF 10E 0.063 W1% 0402      |         | CQA(I) | 50                        |         |
| 2088 | Z7      | ISRAEL-011-3310      | 330PF/100V NPO 0805                 |         | CQA(I) | 8                         |         |
| 2089 | Z7      | ISRAEL-011-3590      | 220 PF /100V NPO 0805               |         | CQA(I) | 8                         |         |
| 2090 | Z7      | ISRAEL-0323-0433-00  | RES CHIP MF 33E 0.05W 1% 0402       |         | CQA(I) | 8                         |         |
| 2091 | Z7      | ISRAEL-0323-0510-03  | RES CHIP MF1K0.063W 1% 0402         |         | CQA(I) | 198                       |         |
| 2092 | Z7      | ISRAEL-011-6380      | 47PF/100V NPO 0805                  |         | CQA(I) | 8                         |         |
| 2093 | Z7      | ISRAEL-0323-0510-04  | RES CHIP MF10K 0.063W 1% 0402       |         | CQA(I) | 1715                      |         |
| 2094 | Z7      | ISRAEL-014-0080      | 1UF/16V X7R 0805 ST                 |         | CQA(I) | 8                         |         |
| 2095 | Z7      | ISRAEL-0323-0510-05  | RES CHIP MF100K 0.05W 1% 0402       |         | CQA(I) | 108                       |         |
| 2096 | Z7      | ISRAEL-0323-0515-03  | RES CHIP MF1.5K 0.063W 1% 040       |         | CQA(I) | 83                        |         |
| 2097 | Z7      | ISRAEL-0323-0520-04  | RES CHIP MF 20K 0.063W 1% 0402      |         | CQA(I) | 50                        |         |
| 2098 | Z7      | ISRAEL-0323-0527-45  | RES CHIP MF 274K 0.063 W 1% 040     |         | CQA(I) | 8                         |         |
| 2099 | Z7      | ISRAEL-1122-9901-09  | STANDOFF, HEX4.5M/F M3X0.5X5        |         | CQA(I) | 25                        |         |
| 2100 | Z7      | ISRAEL-1179-0023-00  | TOP COAT EPOXY HIGH SOLIDS          |         | CQA(I) | 8                         |         |
| 2101 | Z7      | ISRAEL-1179-0072-00  | PRIMER EPOXY COATING LEADFREE       |         | CQA(I) | 8                         |         |
| 2102 | Z7      | ISRAEL-120-1250      | IN5337B                             |         | CQA(I) | 8                         |         |

| S.No | COS Sec | Part Number         | Nomen                            | Spec No | ASHP   | Likely qty to be procured | Remarks |
|------|---------|---------------------|----------------------------------|---------|--------|---------------------------|---------|
| 2103 | Z7      | ISRAEL-120-2310     | IN5341B                          |         | CQA(I) | 17                        |         |
| 2104 | Z7      | ISRAEL-120-2330     | IN5357B                          |         | CQA(I) | 17                        |         |
| 2105 | Z7      | ISRAEL-120-3010     | STPS30SM100SFP TO220 FP          |         | CQA(I) | 17                        |         |
| 2106 | Z7      | ISRAEL-1400-4912-53 | TARFO PLUSE 1500V 395MH SMT      |         | CQA(I) | 33                        |         |
| 2107 | Z7      | ISRAEL-1439-0274-78 | CAP CHIP TAN 470UF 10V 20% ESR   |         | CQA(I) | 42                        |         |
| 2108 | Z7      | ISRAEL-1439-0502-28 | CAP EL 220 UF 63V 20% L ESR      |         | CQA(I) | 17                        |         |
| 2109 | Z7      | ISRAEL-1440-0564-61 | RECEPT CIRC 66 S STR PC 19.35    |         | CQA(I) | 8                         |         |
| 2110 | Z7      | ISRAEL-1440-0564-64 | RECEPT CIRC 66 S STR PC POL-A    |         | CQA(I) | 8                         |         |
| 2111 | Z7      | ISRAEL-1440-0564-70 | RECEPT CIRC 100 S STR PC 23-35   |         | CQA(I) | 8                         |         |
| 2112 | Z7      | ISRAEL-1440-3022-73 | CONN MOD-B 19X7 M STR 133 POS    |         | CQA(I) | 8                         |         |
| 2113 | Z7      | ISRAEL-0623-0511-04 | RES CHIP MF 11K 0.06W 1% 0402    |         | CQA(I) | 17                        |         |
| 2114 | Z7      | ISRAEL-0623-0514-74 | RES CHIP MF 14.7K 0.06W 1% 040   |         | CQA(I) | 33                        |         |
| 2115 | Z7      | ISRAEL-0623-0515-04 | RES CHIP MF 15K 0.06W 1% 0402    |         | CQA(I) | 100                       |         |
| 2116 | Z7      | ISRAEL-0624-0590-93 | RES CHIP MF 9.09K 0.125W 1% 08   |         | CQA(I) | 8                         |         |
| 2117 | Z7      | ISRAEL-0624-0880-64 | RES CHIP MF 80.6K 0.125W 1% 08   |         | CQA(I) | 8                         |         |
| 2118 | Z7      | ISRAEL-0630-2010-10 | FRONT PANEL                      |         | CQA(I) | 8                         |         |
| 2119 | Z7      | ISRAEL-0654-8421-05 | .CAP CHIP CER 100NF 16V 10% 040  |         | CQA(I) | 50                        |         |
| 2120 | Z7      | ISRAEL-0654-8421-06 | CAP CHIP CER 1UF 10V 10% 0402X   |         | CQA(I) | 58                        |         |
| 2121 | Z7      | ISRAEL-0654-8422-24 | CAP CHIP CER 22NF 50V 10% 04     |         | CQA(I) | 17                        |         |
| 2122 | Z7      | MISC-BL6-548-046    | EYE GUARD                        |         | CQA(I) | 408                       |         |
| 2123 | Z7      | ISRAEL-0654-9421-03 | CAP CHIP CER 1NF 50V 5% 402X7R   |         | CQA(I) | 50                        |         |
| 2124 | Z7      | ISRAEL-0654-9434-73 | CAP CHIP CER 4.7NF 100V 5% 040   |         | CQA(I) | 8                         |         |
| 2125 | Z7      | ISRAEL-0656-9251-05 | CAP CHIP CER 100NF 50V 5% 0603   |         | CQA(I) | 8                         |         |
| 2126 | Z7      | ISRAEL-0656-9291-03 | CAP CHIP CER 1NF 50V 5% 0603     |         | CQA(I) | 17                        |         |
| 2127 | Z7      | ISRAEL-0656-9295-62 | CAP CHIP CER 560PF50V5%06        |         | CQA(I) | 8                         |         |
| 2128 | Z7      | ISRAEL-0657-9051-06 | CAP CHIP CER 1UF 16V 10% 0603    |         | CQA(I) | 8                         |         |
| 2129 | Z7      | ISRAEL-222-4R7      | 4.7 R 5% 0805                    |         | CQA(I) | 42                        |         |
| 2130 | Z7      | ISRAEL-223-1000     | 100R 1% 0805                     |         | CQA(I) | 42                        |         |
| 2131 | Z7      | ISRAEL-223-1003     | 100K 1% 0805                     |         | CQA(I) | 58                        |         |
| 2132 | Z7      | ISRAEL-223-1102     | 11K 1% 0805                      |         | CQA(I) | 8                         |         |
| 2133 | Z7      | ISRAEL-223-1103     | 110K 1% 0805                     |         | CQA(I) | 8                         |         |
| 2134 | Z7      | ISRAEL-223-1333     | 133K 1% 0805                     |         | CQA(I) | 17                        |         |
| 2135 | Z7      | ISRAEL-223-2003     | 200K 1% 0805                     |         | CQA(I) | 8                         |         |
| 2136 | Z7      | ISRAEL-223-2051     | 2.05K 1% 0805                    |         | CQA(I) | 8                         |         |
| 2137 | Z7      | ISRAEL-223-2212     | 22.1K 1% 0805                    |         | CQA(I) | 17                        |         |
| 2138 | Z7      | ISRAEL-223-2262     | 22.6K 1% 0805                    |         | CQA(I) | 8                         |         |
| 2139 | Z7      | ISRAEL-223-2432     | 24.3K 1% 0805                    |         | CQA(I) | 8                         |         |
| 2140 | Z7      | ISRAEL-223-2550     | 255R 1% 0805                     |         | CQA(I) | 8                         |         |
| 2141 | Z7      | ISRAEL-721-722B     | TRANSFORMER RM6                  |         | CQA(I) | 8                         |         |
| 2142 | Z7      | ISRAEL-721-723B     | 20UH/8A TOROID                   |         | CQA(I) | 17                        |         |
| 2143 | Z7      | ISRAEL-721-724B     | 40UH/8A TOROID                   |         | CQA(I) | 17                        |         |
| 2144 | Z7      | ISRAEL-1110-7538-06 | SCREW PH PHIL CRES M 2.5 X 8 SEM |         | CQA(I) | 33                        |         |
| 2145 | Z7      | ISRAEL-223-3321     | 3.32K 1% 0805                    |         | CQA(I) | 17                        |         |
| 2146 | Z7      | ISRAEL-223-3323     | 332K 1% 0805                     |         | CQA(I) | 8                         |         |
| 2147 | Z7      | ISRAEL-223-3651     | 3.65K 1% 0805                    |         | CQA(I) | 17                        |         |
| 2148 | Z7      | ISRAEL-223-3831     | 3.83K 1% 0805                    |         | CQA(I) | 8                         |         |
| 2149 | Z7      | ISRAEL-223-4990     | 499R 1% 0805                     |         | CQA(I) | 25                        |         |
| 2150 | Z7      | ISRAEL-223-4991     | 4.99K 1% 0805                    |         | CQA(I) | 50                        |         |

| S.No | COS Sec | Part Number           | Nomen                                    | Spec No                          | ASHP      | Likely qty to be procured | Remarks |
|------|---------|-----------------------|------------------------------------------|----------------------------------|-----------|---------------------------|---------|
| 2151 | Z7      | ISRAEL-223-4993       | 499R 1% 0805                             |                                  | CQA(I)    | 17                        |         |
| 2152 | Z7      | ISRAEL-223-7502       | 75K 1% 0805                              |                                  | CQA(I)    | 25                        |         |
| 2153 | Z7      | ISRAEL-223-9091       | 9.09K 1% 0805                            |                                  | CQA(I)    | 8                         |         |
| 2154 | Z7      | ISRAEL-223-9310       | 931 R 1% 0805                            |                                  | CQA(I)    | 17                        |         |
| 2155 | Z7      | ISRAEL-223-9311       | 9.31K 1% 0805                            |                                  | CQA(I)    | 8                         |         |
| 2156 | Z7      | ISRAEL-223-9761       | 9.76K 1% 0805                            |                                  | CQA(I)    | 8                         |         |
| 2157 | Z7      | ISRAEL-2701-01-00-00  | KIT FOR MATERIAL                         |                                  | CQA(I)    | 8                         |         |
| 2158 | Z7      | ISRAEL-9630-3131-00   | FILTER PCB                               |                                  | CQA(I)    | 8                         |         |
| 2159 | Z7      | ISRAEL-9547-4330-00   | FERRITE COIL 3 PHASE INDUCTOR            |                                  | CQA(I)    | 17                        |         |
| 2160 | Z7      | MISC-3730-807-204-18  | ATTENUATION FILTER(2.5 TH)               |                                  | CQA(I)    | 26                        |         |
| 2161 | Z7      | ISRAEL-6324-1630-00   | CELL LENS W1 ASSY                        |                                  | CQA(I)    | 8                         |         |
| 2162 | Z7      | ISRAEL-0322-0510-03   | RES CHIP MF 1K 0.063W 1% 0603            |                                  | CQA(I)    | 265                       |         |
| 2163 | Z7      | ISRAEL-0380-0611-03   | IC SWITCH & D/C MOS SOIC-6               |                                  | CQA(I)    | 93                        |         |
| 2164 | Z7      | ISRAEL-0440-3199-30   | CONNECTOR PCB MALE STRAIGHT              |                                  | CQA(I)    | 17                        |         |
| 2165 | Z7      | ISRAEL-20-50-200      | HARNESS ANCILLARIES                      |                                  | CQA(I)    | 3                         |         |
| 2166 | Z7      | ISRAEL-6350-1960-00   | CASTING SWITCH                           |                                  | CQA(I)    | 47                        |         |
| 2167 | Z7      | ISRAEL-3-08-1086      | DIODE SHOT TKY 40V 400MM W               |                                  | CQA(I)    | 194                       |         |
| 2168 | Z7      | ISRAEL-3-08-1098      | DIODE ZENER VOLTAGE                      |                                  | CQA(I)    | 81                        |         |
| 2169 | V4      | 5935-000905           | PLUG ELECTRICAL TWO PIN 05 NO OB-4146    | OB-4146                          | CQA(I)    | 291                       |         |
| 2170 | V4      | 5305-014189           | SCREW                                    | BOF618609                        | CQA(I)    | 303                       |         |
| 2171 | V3      | 1290-000513           | CASE WEB COTTON FOR SR SCALES 5313       |                                  | CQA(I)    | 2                         |         |
| 2172 | V3      | 1290-000584           | STACHEL FOR POWER SUPPLY UN REGULATRED S |                                  | CQA(R)    | 2                         |         |
| 2173 | V3      | 8345-000782           | SKIRTS BEACON/BENDEREOL DARK BLUE AND YE |                                  | CQA(I)    | 149                       |         |
| 2174 | V3      | IOS-2210              | SET SQUARE ADJUSTABLE ARTY B             | CIA(FC)-1793 AND OS-20653        | CQA(I)    | 34                        |         |
| 2175 | V3      | 6675-000264           | TUBE LOWER (C11-213/2(4SHTS)             | CII-213/2 (4 SHTS) SPE-CII-62(C) | CQA(I)    | 1668                      |         |
| 2176 | V6      | IOS-303SA             | GLAND CABLE NO 1 MK 1 (SUPPLIER NO V6/OS | CIA(OS) 598                      | CQA(I)    | 4                         |         |
| 2177 | V6      | IOS-316A              | CASE SIGHTING TELESCOAPE NO. 10 MK-ISUPP |                                  | CQA(I)    | 2                         |         |
| 2178 | V6      | 6675-000163           | PROTRACTOR ARTILLERY 230MMIC             | CII-425                          | CQA(I)    | 2421                      |         |
| 2179 | V6      | 6675-000171           | RULE SLIDE RA 10-IN                      | CII-48 (SPEN)                    | CQA(I)    | 441                       |         |
| 2180 | V6      | IOS-2005              | EYE GUARD DETACHABLE NO.8 MK-I(SUPPLIER  |                                  | CQA(I)    | 50                        |         |
| 2181 | V6      | IVF-0055              | PIN DRAWING (HMSO SUPPLY)                | CII-646                          | CQA(I)    | 96                        |         |
| 2182 | V6      | 1290-000538           | TRIPOD FIRE CONTROL INSTRUMENT NO. 39 MK | CII-429 COMPLETE CII-165         | CQA(I)    | 1256                      |         |
| 2183 | V6      | 6230-000086           | LIGHT DESK 3 ARM 6-V DC IA               |                                  | CQA(I)    | 13                        |         |
| 2184 | W10     | 6645-H04-4590         | SPRING BAR ASSY                          |                                  | CQA(I)    | 6                         |         |
| 2185 | Z7      | 8465-7204-69322       | CARRYING PACK                            |                                  | Not Known | 3                         |         |
| 2186 | Z7      | BEL-4378-702-201-57   | RS232 LINE DRIVER (MAX3223 IDBR)         |                                  | CQA(I)    | 101                       |         |
| 2187 | W10     | 6675-000004           | DRAWING BOARD D2                         | IS-1444-1989                     | CQA(I)    | 28                        |         |
| 2188 | W2      | IWB-CL-6-FPS-691      | KEY HEX 7.94MM ( 5/16") HEXAGANAL        |                                  | CQA(E)    | 6                         |         |
| 2189 | W18     | 5913-000001           | PLUG 15:FOR AIR CONDITIONER 3.51 KW      |                                  | CQA(E)    | 13                        |         |
| 2190 | W18     | WD-RCL-RA-BA-17       | WRENCH 2 PINGLAND SCREW PACKING          |                                  | CQA(E)    | 20                        |         |
| 2191 | W18     | MICROCORA-0054        | WATER CAN                                |                                  | CQA(E)    | 9                         |         |
| 2192 | W2      | 4330-000040           | RING CONTROL FLUID FLOW GLAND OIL CONTRO |                                  | CQA(E)    | 7                         |         |
| 2193 | W2      | IWP-KPC-8047-53-05-00 | HYDRAUTIC AIR SINGLE CLAMP               |                                  | CQA(E)    | 31                        |         |
| 2194 | W2      | IWB-PB-900            | GUN SPRAYING PAINT                       |                                  | CQA(E)    | 14                        |         |
| 2195 | W2      | IWP-KPC-8047-83-05-00 | ELEMENT FILTER 0.01 MIC,70 SCFM          |                                  | CQA(E)    | 40                        |         |
| 2196 | W2      | IWP-KPC-8047-83-11-00 | FEED PUMP ASSY                           |                                  | CQA(E)    | 7                         |         |
| 2197 | W2      | WA-CX-J-44            | PLUG OIL NO. 5HD                         |                                  | CQA(E)    | 29                        |         |
| 2198 | W2      | WA-CX-Z 347           | NIPPLE,AIR INLET 19.05MM (3/4-IN)BSP X 3 |                                  | CQA(E)    | 36                        |         |
| 2199 | W8      | 5660-000013           | CRATE BOX PACKING SPOOL                  | IMPD-0116                        | CQA(E)    | 6355                      |         |
| 2200 | Z3      | P-18-2-UTS4-724-024SP | TRANSFORMER (DRG NO. UTS4-724-024 SP)    |                                  | CQA(R)    | 3                         |         |
| 2201 | W18     | WD-RCL-RA-16          | SPANNER, SOCKET REVERSIBLE RATCHET WRANC |                                  | CQA(E)    | 17                        |         |
| 2202 | Z3      | OWFS-6553-101-204-12  | SPARK PLUG FOR GENERATER MODEL 195       |                                  | CQA(R)    | 6                         |         |
| 2203 | Z3      | OWFS-6266-001-017-02  | FUSE 3.15AMP 5X20T-MODEL -0359           |                                  | CQA(R)    | 93                        |         |
| 2204 | W1      | IWA-EA-045-R1         | HOSE ARMoured 50MM DIA X 8 M LONG WITH M |                                  | CQA(E)    | 6                         |         |

| S.No | COS Sec | Part Number             | Nomen                                    | Spec No                          | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-------------------------|------------------------------------------|----------------------------------|---------|---------------------------|---------|
| 2205 | W1      | IWA-EA-147-4            | O' RING FILTER ELEMENT                   |                                  | CQA(EE) | 58                        |         |
| 2206 | W1      | IWA-EA-150              | FUNNEL SALT                              |                                  | CQA(EE) | 5                         |         |
| 2207 | W1      | IWA-EGA-243-R2          | SUCTION FOOT VALVE + STAINER             |                                  | CQA(EE) | 6                         |         |
| 2208 | W1      | IWA-EMA-045-R1          | STD GASKET FOR HOSE 50 NB (2")           |                                  | CQA(EE) | 59                        |         |
| 2209 | W1      | IWA-EMA-045-R1(HOSE)    | HOSE CANVAS 50MM DIA X 10M LONG WITH MAL |                                  | CQA(EE) | 18                        |         |
| 2210 | W1      | IWA-EPD-9469-R1         | SKID ASSY                                |                                  | CQA(EE) | 2                         |         |
| 2211 | W1      | IWA-EPD-9673            | PLUG FILTER ELEMENT                      |                                  | CQA(EE) | 4                         |         |
| 2212 | W1      | IWA-EPD-9714            | FLOAT (FOR SUCTION FOOT VALVE) CANVAS CO |                                  | CQA(EE) | 7                         |         |
| 2213 | W1      | IWA-EPD-9732-R1         | DISPLAY CHART                            |                                  | CQA(EE) | 2                         |         |
| 2214 | W1      | IWA-EPD-9732-R1(CABLE)  | CABLE STARTING FOR 12V BTY 1.8/2M LONG W |                                  | CQA(EE) | 4                         |         |
| 2215 | W1      | IWA-ESA-960             | KEY, FILTER ELEMENT                      |                                  | CQA(EE) | 4                         |         |
| 2216 | W1      | IWA-ESA-961             | SCOPE FILTER POWDER PLUNGE TYPE          |                                  | CQA(EE) | 4                         |         |
| 2217 | W1      | IWA-ESA-961(SCOPE)      | SCOPE SALT STANDRD COMMERCIAL            |                                  | CQA(EE) | 2                         |         |
| 2218 | W1      | IWA-ESA-962             | CLAMPS FOR CLAMPING THE EQPT ON 3 TON VE |                                  | CQA(EE) | 15                        |         |
| 2219 | W1      | IWA-ESA-963             | LIFTING BEAM FOR LIFTING THE EQPT FITTED |                                  | CQA(EE) | 4                         |         |
| 2220 | W1      | 2815-004330             | ASSY PACKING BOX                         | IMSA-0309                        | CQA(EE) | 116                       |         |
| 2221 | W1      | 4720-000044             | HOSE WATER ARMoured 31.5MM ID TO 1S-913  |                                  | CQA(EE) | 35                        |         |
| 2222 | W1      | 4720-000197             | HOSE WATER CANVAS 50MM 1D                |                                  | CQA(EE) | 777                       |         |
| 2223 | W1      | 4820-003739             | VALVE, STOP LIFT CHECK 50.8 MM(2"FULL WA |                                  | CQA(EE) | 61                        |         |
| 2224 | W1      | 4820-003740             | VALVE FOOT 36 1MM(1-1/2")                |                                  | CQA(EE) | 54                        |         |
| 2225 | W1      | 5120-007243             | WRENCH KEY SOCKET HEAD SCREW (ALLEN KEY) |                                  | CQA(EE) | 122                       |         |
| 2226 | W1      | 8115-000097             | CRATE TRANSPORT                          |                                  | CQA(EE) | 123                       |         |
| 2227 | W1      | WA-US-0003              | HOSE WATER ARMoured 50.80MM (2-IN) *     |                                  | CQA(EE) | 12                        |         |
| 2228 | W1      | WA-7300                 | PICKET ANGLE SHORT MK II                 |                                  | CQA(EE) | 4                         |         |
| 2229 | W1      | IWA-WSS-S-1255A         | FOOT VALVE WITH STRAINER                 |                                  | CQA(EE) | 7                         |         |
| 2230 | W1      | WA-7239                 | HOSE WATER ARMoured SUCTION & DISCHARGE  |                                  | CQA(EE) | 6                         |         |
| 2231 | W18     | DIGICORA-0025(W18)      | VENTILATOR MORTER 7000/1                 | 2124-325-501-30                  | CQA(EE) | 43                        |         |
| 2232 | W18     | DIGICORA-0028(W18)      | MAIN SWITCH UNIT 7035/1                  |                                  | CQA(EE) | 4                         |         |
| 2233 | W18     | DIGICORA-0134           | CASE FOR SPARES AND TOOLS                |                                  | CQA(EE) | 11                        |         |
| 2234 | W18     | DIGICORA-0135           | CASE FOR ACCESSORIES                     | W18/DIGICORA/0135(MI X) VIDE PCI | CQA(EE) | 8                         |         |
| 2235 | W18     | DIGICORA-0152           | LEDER TYPE WE BE 1.3 M                   |                                  | CQA(EE) | 16                        |         |
| 2236 | W18     | DIGICORA-MW-11-0023     | AIR CONDITIONER PRIMA 133H               |                                  | CQA(EE) | 7                         |         |
| 2237 | W18     | FN-3009                 | CONNECTOR BR GAUGE 3.2-MM 1/8 MALE BRIGG |                                  | CQA(EE) | 8                         |         |
| 2238 | W18     | IWT-006-10551-053       | SWITCH CHANGE OVER                       |                                  | CQA(EE) | 1                         |         |
| 2239 | W18     | IWT-FL-T-7514A          | MAFORN GAS                               |                                  | CQA(EE) | 9                         |         |
| 2240 | W18     | IWT-FL-T-7532           | SOLENOID VALVE EV/R-6(NC)                |                                  | CQA(EE) | 2                         |         |
| 2241 | W18     | IWT-FL-T-7533-A         | HAND SHUT OFF VALVE 3/8"                 | 4766-402-161-17                  | CQA(EE) | 1                         |         |
| 2242 | W18     | IWT-FL-T-7541           | INDICATING LAMP RED LED                  | 4766-402-043-94                  | CQA(EE) | 1                         |         |
| 2243 | W18     | IWT-FL-T-7589           | HI/LO VOLT OUTPUT (220)                  |                                  | CQA(EE) | 20                        |         |
| 2244 | W18     | IWT-FL-T-7591           | MINI CIRCUIT BREAKER 25 AMPS TPNG        |                                  | CQA(EE) | 2                         |         |
| 2245 | W18     | IWT-FL-T-7648           | CONDENSER FAN SWEEP 390MM                |                                  | CQA(EE) | 1                         |         |
| 2246 | W18     | IWT-FL-S-RC-1           | CAPACITOR FOR FAN MOTOR 2.28/2 MKE 44F + |                                  | CQA(EE) | 2                         |         |
| 2247 | W18     | IWT-FL-T-10004          | RUBBER INSULATION SLEEVE FOR LIQUID LINE |                                  | CQA(EE) | 1                         |         |
| 2248 | W18     | IWT-FL-T-10011          | POWER CABLE (INTERNAL) 5 CORE            |                                  | CQA(EE) | 2                         |         |
| 2249 | W18     | IWT-FL-T-10011 E        | POWER CABLE (EXTERNAL) 5 CORE            |                                  | CQA(EE) | 2                         |         |
| 2250 | W18     | IWT-FL-T-10012          | CONTROL CABLE (INTERNAL) 15 CORE         |                                  | CQA(EE) | 2                         |         |
| 2251 | W18     | 4120-000002             | AIR CONDITIONER 5.27 KW? FEEDERS LLOYD M | 2124-323-601-07                  | CQA(EE) | 2                         |         |
| 2252 | W18     | IWT-FL-4766-402-108-79  | TIME DELAY RELAY                         |                                  | CQA(EE) | 2                         |         |
| 2253 | W18     | DIGICORA-MW-15-085(W18) | MASK FOR OPRATOR                         |                                  | CQA(EE) | 4                         |         |
| 2254 | W18     | 5080-050222             | RELAY SWITCH                             |                                  | CQA(EE) | 40                        |         |
| 2255 | W18     | 5120-002381             | SPANNER, BOX TUBULAR, 6.44MM (1/4-IN) SQ |                                  | CQA(EE) | 7                         |         |
| 2256 | W18     | 5310-016846             | NUT THINNER SPECIAL 16 X 9 MM SPRING STE |                                  | CQA(EE) | 4                         |         |
| 2257 | W18     | 4120-000023             | AIR CONDITIONER ROOM TYPE 4500 KW/HOUR,  | 4766-405-038-19                  | CQA(EE) | 17                        |         |
| 2258 | W18     | 4120-000069             | TUBE PROTECTOR RUBBER (SPECIAL) 42MM LEN |                                  | CQA(EE) | 2                         |         |
| 2259 | W18     | 4120-000628             | AIR CONDITIONER 3.51KW(1-TON) MODEL NO W |                                  | CQA(EE) | 33                        |         |
| 2260 | W18     | 4120-000629             | AIR CONDITIONER 3.51 KW 1TON MODEL NO WA |                                  | CQA(EE) | 9                         |         |
| 2261 | W18     | 4130-000468             | FILTER ELEMENT AIR                       |                                  | CQA(EE) | 40                        |         |
| 2262 | W18     | 5640-000210             | INSULATION THERMAL FELT WOODEN           |                                  | CQA(EE) | 1                         |         |
| 2263 | W18     | 5830-029647             | SWITCH AIR FLOW                          |                                  | CQA(EE) | 40                        |         |
| 2264 | W18     | WD-RCL-FT-17            | TOOL FLARING TUBE 4.76250 MM TO 15.8750  |                                  | CQA(EE) | 20                        |         |

| S.No | COS Sec | Part Number             | Nomen                                     | Spec No         | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-------------------------|-------------------------------------------|-----------------|---------|---------------------------|---------|
| 2265 | W18     | WD-RCL-FT-18            | TOOL FLARING TUBE 9.5250MM TO 25.400MM C  |                 | CQA(EE) | 16                        |         |
| 2266 | W18     | WD-RCL-RA-10701         | VALVE PACKLESS DIAPHRAGM 2WAY 6.3500MM M  |                 | CQA(EE) | 15                        |         |
| 2267 | W18     | WD-RCL-RA-15            | SPANNER, SOCKET REVERSIBLE RATCHET WRENC  |                 | CQA(EE) | 21                        |         |
| 2268 | W18     | WD-RCL-RA-71001         | GAUGE PRESSURE 0.300 IBS WITH TEMP SCALE  |                 | CQA(EE) | 14                        |         |
| 2269 | W18     | WD-RCL-RA-71002         | GAUGE COMPOUND 7.62MM VACCUM AND 90IB PR  |                 | CQA(EE) | 14                        |         |
| 2270 | W18     | WD-RCL-RA-71041         | LAMPS LEAK DIECTOR COMPLETO WITH          |                 | CQA(EE) | 15                        |         |
| 2271 | W18     | WD-RCL-RA-TI-4A         | TEES 6.3500MM X 6.3500MM MALE FLARE X 3.  |                 | CQA(EE) | 15                        |         |
| 2272 | W18     | WD-RCL-RA-TI-4B         | GAUGE 6.3500MM X 6.3500MM MALE FLARE X 6  |                 | CQA(EE) | 19                        |         |
| 2273 | W18     | WD-RCL-RA-U3-4B         | GAUGE 6.3500MM BRIGGS FEMALEX 6.3500MM M  |                 | CQA(EE) | 20                        |         |
| 2274 | W18     | WD-RCL-RA-UI-4B         | CONNECTOR & CHARGING 6.3500MM MAKE BRIGS  |                 | CQA(EE) | 15                        |         |
| 2275 | W18     | WD-RCL-RA-VR-3-64       | CONNECTOR BOTTLE 9.5250MM FEMALE DSP X 6  |                 | CQA(EE) | 20                        |         |
| 2276 | W18     | WD-RCL-STW-12           | SOCKET 7.93750MM SQUARE                   |                 | CQA(EE) | 9                         |         |
| 2277 | W18     | WT-00407                | KEY REFRIGERANT CYLINDER 7.14 MM (9/32 I  |                 | CQA(EE) | 4                         |         |
| 2278 | W18     | 3030-003211             | BELT FLAT BX33                            |                 | CQA(EE) | 40                        |         |
| 2279 | W18     | 3030-003212             | BELT FLAT BX30                            |                 | CQA(EE) | 40                        |         |
| 2280 | W18     | MICROCORA-122F          | OPERATOR CHAIRMARTELA 122F                |                 | CQA(EE) | 11                        |         |
| 2281 | W18     | IWT-OWFS-FL-T-7582      | LP/HP CUT OUT RANGE HP-150 TO 450 PSI, L  | 4766-404-022-60 | CQA(EE) | 1                         |         |
| 2282 | W18     | IWT-OWFS-FLT-7540       | ROTARY SWITCH 16 AMP                      |                 | CQA(EE) | 1                         |         |
| 2283 | W2      | WC-51614                | GUN SPRAYING PAINT GRAVITY FEED 2.6 CFM/  |                 | CQA(EE) | 23                        |         |
| 2284 | W2      | 4720-000394             | HOSE ASSY RUBBER PNEUMATIC 20MM ID X 15.  |                 | CQA(EE) | 1906                      |         |
| 2285 | W2      | IWB-WE-3117             | TERMINAL BATTERY POSITIVE                 |                 | CQA(EE) | 387                       |         |
| 2286 | W2      | IWB-WE-3120             | TERMINAL BATTERY NEGATIVE                 |                 | CQA(EE) | 56                        |         |
| 2287 | W2      | IWB-SSE-MSU-200-BSC     | CANVAS BACK SIDE CURTAIN                  |                 | CQA(EE) | 4                         |         |
| 2288 | W2      | IWP-KPC-8047-83-36-00   | BRAKE SHOE ASSY                           |                 | CQA(EE) | 2                         |         |
| 2289 | W2      | WA-CX-CLW-21            | BOLT,U, RETAINER                          |                 | CQA(EE) | 23                        |         |
| 2290 | W2      | IWP-KPC-8047-81-53-00   | TEMPERATURE GAUGE                         |                 | CQA(EE) | 6                         |         |
| 2291 | W2      | IWP-KPC-8047-82-41-00   | V-BELT A-56                               |                 | CQA(EE) | 6                         |         |
| 2292 | W2      | IWP-KPC-8047-82-66-00   | MANN FILTER ELEMENT                       |                 | CQA(EE) | 6                         |         |
| 2293 | W2      | IWP-KPC-8047-82-70-00   | 8 NO+8NC RELAY WITH BASE                  |                 | CQA(EE) | 2                         |         |
| 2294 | W2      | IWP-KPC-8047-82-71-00   | AUTOMOTIVE HEATER                         |                 | CQA(EE) | 2                         |         |
| 2295 | W2      | IWP-KPC-274-05-263-50   | FUEL LEVEL GAUGE                          |                 | CQA(EE) | 6                         |         |
| 2296 | W2      | IWP-KPC-8047-83-54-00   | ENGINE SAFETY UNIT                        |                 | CQA(EE) | 4                         |         |
| 2297 | W2      | IWP-KPC-8047-85-18-00   | NITROGEN MEMBRANE MODULE                  |                 | CQA(EE) | 12                        |         |
| 2298 | W2      | IWP-KPC-8047-85-45-00   | HEATER ELEMENT 1.500 MPT 3.0KW            |                 | CQA(EE) | 6                         |         |
| 2299 | W2      | IWP-KPC-8047-82-96-00#1 | FUSE 2A 250V                              |                 | CQA(EE) | 13                        |         |
| 2300 | W2      | IWB-ELE-F-2535          | RING,LOCKING 160MM OD X 136MM ID X 14G S  |                 | CQA(EE) | 1                         |         |
| 2301 | W2      | IWB-ELE-F-2540          | PACKING,36MM OD X 29.7MM ID X 1/8 THICK   |                 | CQA(EE) | 2                         |         |
| 2302 | W2      | IWB-ELE-F-2662-1        | SPRING 27.34 DIA X 3.66 DIA X 40 X19 KG   |                 | CQA(L)  | 2                         |         |
| 2303 | W2      | IWB-ELE-TST-6-0501      | BAG CANVAS                                |                 | CQA(EE) | 2                         |         |
| 2304 | W2      | 2530-002820             | BEEDING SAFETY REEL.                      |                 | CQA(EE) | 2                         |         |
| 2305 | W2      | 4310-001269             | FILTER ASSY AIR 19.5 DIA(3/4 DSP)         |                 | CQA(L)  | 1                         |         |
| 2306 | W2      | 4310-001272             | RING, PISTON COMPRESSION PLAIN LP 70DIA   |                 | CQA(L)  | 1                         |         |
| 2307 | W2      | 4310-001273             | RING, PISTON STEPPED COMPRESSION LP 70DIA |                 | CQA(L)  | 1                         |         |
| 2308 | W2      | 3120-001029             | HOUSING SLEEVE                            |                 | CQA(EE) | 1                         |         |
| 2309 | W2      | 3120-001031             | BUSHING SLEEVE FOR SPRING REEL            |                 | CQA(EE) | 1                         |         |
| 2310 | W2      | 4310-001274             | RING, PISTON SLETTED OIL LP 70DIA         |                 | CQA(L)  | 2                         |         |
| 2311 | W2      | 4310-001287             | DISC END                                  |                 | CQA(EE) | 1                         |         |
| 2312 | W2      | 4310-001289             | PLATE, VALVE LP 70 DIA                    |                 | CQA(L)  | 2                         |         |
| 2313 | W2      | 4310-001291             | PLATE, VALVE HP 50 DIA                    |                 | CQA(L)  | 2                         |         |
| 2314 | W2      | 4310-001294             | PIPE PRESSURE                             |                 | CQA(EE) | 2                         |         |
| 2315 | W2      | 5355-001133             | KNOB HAND GREASE CONTAINER                |                 | CQA(EE) | 2                         |         |
| 2316 | W2      | 5360-002269             | SPRING HELICAL COMPRESSION CONICAL 11.2 D |                 | CQA(EE) | 2                         |         |
| 2317 | W2      | 5361-002264             | SPRING HELICAL COMPRESSION                |                 | CQA(EE) | 2                         |         |
| 2318 | W2      | 5365-003878             | SPACER SLEEVE                             |                 | CQA(EE) | 2                         |         |
| 2319 | W2      | 5365-003879             | PLUG SCREWED                              |                 | CQA(EE) | 1                         |         |
| 2320 | W2      | 5365-003882             | RING RETAINING PRESSURE MS 270 ID X 330   |                 | CQA(L)  | 2                         |         |
| 2321 | W2      | 5365-003883             | RING RETAINING 7 ID X 0.9 THICK           |                 | CQA(EE) | 4                         |         |

| S.No | COS Sec | Part Number           | Nomen                                     | Spec No    | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-----------------------|-------------------------------------------|------------|---------|---------------------------|---------|
| 2322 | W2      | 5930-004317           | DIAPHRAGM ELECTRICAL SWITCH 82DIA X 3.5   |            | CQA(EE) | 1                         |         |
| 2323 | W2      | 4720-000678           | HOSE ASSY RUBBER MAIN OIL SPRAY 6.35MM D  |            | CQA(EE) | 1                         |         |
| 2324 | W2      | 4720-000688           | HOSE,RUBBER 6.3MM DIA X 1.2M LONG         |            | CQA(EE) | 2                         |         |
| 2325 | W2      | 4720-000690           | HOSE,RUBBER,6.30 DIAT 1.6M LONG           |            | CQA(EE) | 2                         |         |
| 2326 | W2      | 6685-000591           | THERMAMETER INDICATING CAPILLARY TUBE AN  |            | CQA(EE) | 2                         |         |
| 2327 | W2      | IWB-CL-C-36893        | ROTOR BLADE                               |            | CQA(EE) | 43                        |         |
| 2328 | W2      | IWB-CL-C-37288        | REVER SING SLEAVE                         |            | CQA(EE) | 2                         |         |
| 2329 | W2      | 5330-014839           | RING SEALING TOROIDAL 7.6 MM DIA          |            | CQA(EE) | 2                         |         |
| 2330 | W2      | 5330-019088           | GASKET 95X135 X 1.5 SYNTHETIC RUBBER      |            | CQA(EE) | 2                         |         |
| 2331 | W2      | IWB-ELE-10530-14-04   | BALL STEEL 5.5 DIA                        |            | CQA(EE) | 1                         |         |
| 2332 | W2      | WA-8581               | BIT,DETACHABLE DOUBLE CHISEL 38.100MM (1  |            | CQA(EE) | 582                       |         |
| 2333 | W2      | WA-8583               | BIT,DETACHABLE DOUBLE CHISEL 50.80MM (2-  |            | CQA(EE) | 2081                      |         |
| 2334 | W2      | WA-8584               | BIT,DETACHABLE,CRUCIF ORM, 1.5/8-IN 41.2  |            | CQA(EE) | 68                        |         |
| 2335 | W2      | IWB-ELE-DEV-408-232   | HOSE ASSY 12.7 MM(1/2) 330 LONG           |            | CQA(EE) | 5                         |         |
| 2336 | W2      | 5330-007975           | GASKET FLY WHEEL END                      |            | CQA(EE) | 2                         |         |
| 2337 | W2      | 5330-007976           | GASKET FREE END                           |            | CQA(EE) | 2                         |         |
| 2338 | W2      | IWB-ELE-DEV-388-44    | HACKSAW FRAME WITH BLADE                  |            | CQA(EE) | 69                        |         |
| 2339 | W2      | 5330-007979           | GASKET (PACKING)                          |            | CQA(EE) | 2                         |         |
| 2340 | W2      | 5330-007980           | GASKET (PACKING)                          |            | CQA(L)  | 2                         |         |
| 2341 | W2      | 5330-007981           | PACKING PERFORMED                         |            | CQA(L)  | 2                         |         |
| 2342 | W2      | 5330-007982           | PACKING PERFORMED 27.5 ID X 32 OD X 2 TH  |            | CQA(L)  | 2                         |         |
| 2343 | W2      | 5330-007985           | WAHSEER NON METTALIC RUBBER ID XX OD 16X3 |            | CQA(EE) | 4                         |         |
| 2344 | W2      | 5330-007986           | RING SEALING TORROIDAL PACKING ID 17.5 X  |            | CQA(EE) | 2                         |         |
| 2345 | W2      | 5330-007987           | GASKET COPPER ASBESTOS 17MM IDX21.5MM OD  |            | CQA(EE) | 2                         |         |
| 2346 | W2      | IWP-KPC-8047-82-67-00 | INDICATING LAMP RED COLOUR 24 VDC         |            | CQA(EE) | 35                        |         |
| 2347 | W2      | IWP-KPC-8047-82-68-00 | INDICATING LAMP GREEN COLOUR 230V AC      |            | CQA(EE) | 34                        |         |
| 2348 | W2      | IWB-ELE-E-1457-2      | SPANNER PIN                               |            | CQA(EE) | 14                        |         |
| 2349 | W2      | IWB-ELE-E-1470-A      | COUPLER ASSY QUICK 6.35MM DIA (1/4 BSP)   |            | CQA(EE) | 2                         |         |
| 2350 | W2      | 5307-000117           | STUD PLAIN M12 X 45                       |            | CQA(L)  | 2                         |         |
| 2351 | W2      | 5310-009133           | NUT GREASE PUMP (SPECIAL)                 |            | CQA(EE) | 2                         |         |
| 2352 | W2      | 4940-000444           | VALVE KEEPER                              |            | CQA(EE) | 1                         |         |
| 2353 | W2      | IWB-SSE-MSU-200-LSC   | CANVAS LEFT SIDE CURTAIN                  |            | CQA(EE) | 4                         |         |
| 2354 | W2      | WA-CX-CLW-21X         | BOLT,U.RETAINER, ASSEMBLED                |            | CQA(EE) | 6                         |         |
| 2355 | W2      | IWP-KPC-8047-83-02-00 | FILTER 0.500 1 MIC,70 SCFM DPI OPEN PORT  |            | CQA(EE) | 51                        |         |
| 2356 | W2      | IWP-KPC-8047-83-03-00 | ELEMENT FILTER 1 MIC,70 SCFM              |            | CQA(EE) | 37                        |         |
| 2357 | W2      | 4820-003480           | VALVE RASTRICTOR CHECK                    |            | CQA(EE) | 1                         |         |
| 2358 | W2      | 4930-000503           | CATCH MOUTH PIECE                         |            | CQA(EE) | 3                         |         |
| 2359 | W2      | 4940-000104           | SPRAYING GUN PAINT                        |            | CQA(EE) | 6                         |         |
| 2360 | W2      | WA-11101              | LABEL, SPRES BAG,HAMMER-DRILLS,PNEUMATIC  |            | CQA(EE) | 53                        |         |
| 2361 | W2      | WA-11109              | LABEL SPARES BAG HAMMER DRILLS PNEUMATIC  |            | CQA(EE) | 47                        |         |
| 2362 | W2      | 4730-002147           | SLEEVE,COMPRESSION PIPE HOSE FITTING      |            | CQA(EE) | 1                         |         |
| 2363 | W2      | 4730-002148           | TAIL END HOSE                             |            | CQA(EE) | 1                         |         |
| 2364 | W2      | 4730-002149           | TAIL END HOSE                             |            | CQA(EE) | 1                         |         |
| 2365 | W2      | 4820-001197           | DISC VALVE NON METALLIC RUBBER 11MM DIA   |            | CQA(EE) | 1                         |         |
| 2366 | W2      | 4820-001198           | DISC VALVE NON METALLIC RUBBER QUICK COU  |            | CQA(EE) | 1                         |         |
| 2367 | W2      | WA-CX-SV 65S          | RETAINER, NO.5HD                          |            | CQA(EE) | 30                        |         |
| 2368 | W2      | WA-HN-LA-13           | SPRING,RATCHET PAWL.                      | W2/WA-8630 | CQA(EE) | 222                       |         |
| 2369 | W2      | WA-HN-LB-11           | PAWL,RATCHET                              |            | CQA(EE) | 249                       |         |
| 2370 | W2      | 4820-001203           | SEAT RUBBER 9 DIA X 3MM THICK             |            | CQA(EE) | 4                         |         |
| 2371 | W2      | 4820-001208           | VALVE SAFETY RELIEF                       |            | CQA(EE) | 1                         |         |
| 2372 | W2      | 4820-001217           | VALVE PRESSURE EQUATING GASOUS PRODUCTS   |            | CQA(EE) | 1                         |         |
| 2373 | W2      | WA-HN-PD-17           | SCREW,OIL CYLINDER                        |            | CQA(EE) | 124                       |         |
| 2374 | W2      | 4820-001218           | DIAPHRAGM VALVE FLAT                      |            | CQA(EE) | 1                         |         |
| 2375 | W2      | 4820-001222           | CONE,VALVE,REGULATOR ASSY                 |            | CQA(EE) | 1                         |         |
| 2376 | W2      | 5330-008016           | SEAL PLAIN OIL HOSE REEL                  |            | CQA(EE) | 2                         |         |
| 2377 | W2      | 5330-008017           | RING SEALING TORROIDAL (OS4) 5.28 ID X1.  |            | CQA(EE) | 4                         |         |
| 2378 | W2      | 5330-008018           | RING PACKING 22,OD X 17 ID X 2MM THICK    |            | CQA(EE) | 2                         |         |
| 2379 | W2      | 5330-008019           | PACKING PREFORMED 18 DIA X 13.5 DIA X 2   |            | CQA(EE) | 2                         |         |
| 2380 | W2      | 5330-008021           | PACKING PREFORMED 25 OD X 21 ID X 2 THIC  |            | CQA(EE) | 2                         |         |
| 2381 | W2      | IWB-ELE-E-2424        | HAND GREASE GUN WITH RIGID EXTN AND NARR  |            | CQA(EE) | 17                        |         |
| 2382 | W2      | IWB-ELE-E-2806        | BOARD TERMINAL PHENOLIC MOULDING MATERIA  |            | CQA(EE) | 1                         |         |

| S.No | COS Sec | Part Number           | Nomen                                    | Spec No          | ASHP    | Likely qty to be procured | Remarks |
|------|---------|-----------------------|------------------------------------------|------------------|---------|---------------------------|---------|
| 2383 | W2      | 5330-008004           | RING 'O' 12 ID X3MM THICK                |                  | CQA(EE) | 2                         |         |
| 2384 | W2      | IWB-ELE-F-1090        | WASHER RUBBER SAFETY VALVE               |                  | CQA(L)  | 1                         |         |
| 2385 | W2      | IWB-ELE-F-1099-1      | CONE SAFETY VALVE                        |                  | CQA(L)  | 1                         |         |
| 2386 | W2      | IWB-ELE-F-1220-1      | LOCK (SQUARE PINS)                       |                  | CQA(EE) | 2                         |         |
| 2387 | W2      | IWB-ELE-F-1223-1      | CONTACT BOTTOM (REAR)                    |                  | CQA(EE) | 2                         |         |
| 2388 | W2      | IWB-ELE-E-3180        | BOX TERMINAL (TOP AND BOTTOM) 18.G MS SH |                  | CQA(EE) | 1                         |         |
| 2389 | W2      | IWB-ELE-E-3592-1      | WASHER RUBBER SAFETY VALVE               |                  | CQA(EE) | 4                         |         |
| 2390 | W2      | WA-8857               | ADAPTER, AIR INLET 19 MM.BSP PARALLEL 38 |                  | CQA(EE) | 94                        |         |
| 2391 | W2      | WA-CX-CLW-33          | SPRING,RETAINER U BOLT,NO.5 HD           |                  | CQA(EE) | 25                        |         |
| 2392 | W2      | WA-CX-F-15            | PAWL,NO.5.HD                             |                  | CQA(EE) | 39                        |         |
| 2393 | W2      | WA-CX-F-16            | PLUNGER, PAWL, N.5.HD                    |                  | CQA(EE) | 108                       |         |
| 2394 | W2      | WA-CX-F-17            | SPRING,PAWL, PLUNGER, NO.5.HD            |                  | CQA(EE) | 54                        |         |
| 2395 | W2      | WA-CX-FF-10X          | ROD, SIDE NO.5.HD ASSEMBLED              |                  | CQA(EE) | 44                        |         |
| 2396 | W2      | WA-CX-FF-22           | SPRING,SIDE ROD NO.5. HD                 |                  | CQA(EE) | 22                        |         |
| 2397 | W2      | IWB-ELE-DEV-408-161-1 | CANVAS TOOL BAG                          |                  | CQA(EE) | 17                        |         |
| 2398 | W2      | WA-HN-T22-IR          | SPRING RETAINER GUIDE                    |                  | CQA(EE) | 88                        |         |
| 2399 | W8      | WA-3130               | WIRE BARBED NO.14-SWG                    |                  | CQA(EE) | 13890                     |         |
| 2400 | W8      | WA-6407               | HEAD M 152.4MM (6-IN) EARTH AUGER        |                  | CQA(EE) | 5                         |         |
| 2401 | W8      | WA-9542               | TEST SET DEMOLITION GAMBRELL MK I        |                  | CQA(EE) | 7                         |         |
| 2402 | W8      | WH-00430              | MACHINE TREPPANNING                      |                  | CQA(EE) | 2                         |         |
| 2403 | W8      | WH-00559              | 'BHC' SAGA JUNIOR WINCH CAPACITY 1.5C WT |                  | CQA(EE) | 2                         |         |
| 2404 | W8      | IWH-ACB-9232-0501-10  | LOCK RING                                |                  | CQA(EE) | 2                         |         |
| 2405 | W8      | IWH-ACB-9232-0503-50  | LOCK RING                                |                  | CQA(EE) | 2                         |         |
| 2406 | W8      | IWH-ACB-9232-1003-02  | NEEDLE BEARING ASSY                      |                  | CQA(EE) | 7                         |         |
| 2407 | W8      | IWH-ACB-9232-1203-40  | O RING                                   |                  | CQA(EE) | 2                         |         |
| 2408 | W8      | IWH-ACB-9232-1203-60  | O RING                                   |                  | CQA(EE) | 2                         |         |
| 2409 | W8      | IWH-ACB-9232-1203-70  | O RING                                   |                  | CQA(EE) | 2                         |         |
| 2410 | W8      | IWH-ACB-9232-1207-90  | GASKET                                   |                  | CQA(EE) | 9                         |         |
| 2411 | W8      | IWH-ACB-9232-1209-90  | O RING                                   |                  | CQA(EE) | 2                         |         |
| 2412 | W8      | IWH-ACB-9232-1214-20  | GASKET                                   |                  | CQA(EE) | 2                         |         |
| 2413 | W8      | IWH-ACB-9232-1214-50  | O RING                                   |                  | CQA(EE) | 9                         |         |
| 2414 | W8      | IWH-ACB-9232-1218-80  | O RING                                   |                  | CQA(EE) | 9                         |         |
| 2415 | W8      | IWH-ACB-9232-1300-20  | BALL                                     |                  | CQA(EE) | 9                         |         |
| 2416 | W8      | IWH-ACB-9232-1900-21  | LEAF VALVE SEAT                          |                  | CQA(EE) | 12                        |         |
| 2417 | W8      | IWH-ACB-9232-1900-51  | GAS DUCT VALVE                           |                  | CQA(EE) | 2                         |         |
| 2418 | W8      | IWH-ACB-9232-1907-20  | VALVE SHEET                              |                  | CQA(EE) | 2                         |         |
| 2419 | W8      | IWH-ACB-9232-2109-40  | PISTON RING                              |                  | CQA(EE) | 2                         |         |
| 2420 | W8      | IWH-ACB-9232-2203-81  | PISTON RING SET                          |                  | CQA(EE) | 2                         |         |
| 2421 | W8      | IWH-ACB-9232-2214-50  | RUBBER CUSHION                           |                  | CQA(EE) | 2                         |         |
| 2422 | W8      | IWH-ACB-9232-2407-71  | SPRING ASSY                              | IWHACB9232240771 | CQA(EE) | 2                         |         |
| 2423 | W8      | IWH-ACB-9232-2505-10  | FILTER SPONGE                            |                  | CQA(EE) | 16                        |         |
| 2424 | W8      | IWH-ACB-9232-2509-21  | FUEL NEEDLE ASSY                         |                  | CQA(EE) | 2                         |         |
| 2425 | W8      | IWH-ACB-9232-2510-11  | NOZZLE ASSY UPPER                        |                  | CQA(EE) | 2                         |         |
| 2426 | W8      | IWH-ACB-9232-2521-00  | FILTER ELEMENT                           |                  | CQA(EE) | 16                        |         |
| 2427 | W8      | IWH-ACB-9232-2607-20  | IGNITION CABLE                           |                  | CQA(EE) | 2                         |         |
| 2428 | W8      | CARTER-11 110 016-00  | BACK UP RING (DRG NO. 2400 077 702 70)   |                  | CQA(EE) | 2                         |         |
| 2429 | W8      | CARTER-13-130-008-00  | OVER CENTRE VALVE                        |                  | CQA(EE) | 2                         |         |
| 2430 | W8      | IWH-ACB - 9232260901  | INDUCTION COIL ASSY                      |                  | CQA(EE) | 4                         |         |
| 2431 | W8      | IWH-ACB-9232-0115-40  | BOLT                                     |                  | CQA(EE) | 9                         |         |
| 2432 | W8      | BEL-3844-436-202-27   | TAIL GATE CYLINDER                       |                  | CQA(EE) | 4                         |         |
| 2433 | W8      | CARTER-04-400-058-00  | FUSE(DRG. NO. 2400-065-801-77)           |                  | CQA(EE) | 1                         |         |
| 2434 | W8      | IWH-ACB-9232-0116-70  | STUD                                     |                  | CQA(EE) | 9                         |         |
| 2435 | W8      | IWH-ACB-9232-0401-90  | SPRING                                   |                  | CQA(EE) | 9                         |         |
| 2436 | W8      | CARTER-04-400-061-00  | LAMP (DRG. NO. 2400 072 501 56)          |                  | CQA(EE) | 1                         |         |

| S.No | COS Sec | Part Number                              | Nomen                                   | Spec No                   | ASHP    | Likely qty to be procured | Remarks |
|------|---------|------------------------------------------|-----------------------------------------|---------------------------|---------|---------------------------|---------|
| 2437 | W8      | BEL-2400-046-457-06                      | COUPLING 3/8" X 3/8"                    |                           | CQA(EE) | 4                         |         |
| 2438 | W8      | BEL-2400-046-463-85                      | MOBILE CONTROL VALVE                    |                           | CQA(EE) | 2                         |         |
| 2439 | W8      | BEL-2400-046-464-82                      | MOBILE CONTROL VALVE                    |                           | CQA(EE) | 2                         |         |
| 2440 | W8      | BEL-2400-046-465-79                      | MOBILE CONTROL VALVE                    |                           | CQA(EE) | 2                         |         |
| 2441 | W8      | IWA-0070                                 | KNIFE CABION                            | IND/ENG/POV/1171(B)       | CQA(EE) | 16                        |         |
| 2442 | W8      | IWA-0084->629523                         | PICKET IRON "Y" PATTERN 2 FT            |                           | CQA(EE) | 157                       |         |
| 2443 | W8      | IWB-ACB-9232-1202-50                     | ENGINE GASKET                           |                           | CQA(EE) | 4                         |         |
| 2444 | W8      | IWB-ACB-9238 2743 50                     | 2 T ENGINE OIL (1Ltr)                   |                           | CQA(EE) | 4                         |         |
| 2445 | W8      | BEL-2400-046-467-73                      | QUICK RELEASE COUPING                   |                           | CQA(EE) | 2                         |         |
| 2446 | W8      | IWH-0212                                 | KIT TOOL FILLED                         |                           | CQA(EE) | 2                         |         |
| 2447 | W8      | 5410-000152                              | PANEL CENTER TOP G1 SHEETS 1B           |                           | CQA(EE) | 4                         |         |
| 2448 | W8      | IWH-ACB-9232 2405 10                     | STARTER ROPE                            |                           | CQA(EE) | 12                        |         |
| 2449 | W8      | IWH-ACB-9232-0116-30                     | STUD                                    |                           | CQA(R)  | 7                         |         |
| 2450 | W8      | IWH-ACB-9232-0904-90                     | BUSHING                                 |                           | CQA(EE) | 7                         |         |
| 2451 | W8      | IWH-ACB-9232-0406-50                     | SPRING                                  |                           | CQA(EE) | 7                         |         |
| 2452 | W8      | IWH-ACB-9232-1401-31                     | RUBBER HOSE ASSY                        |                           | CQA(EE) | 7                         |         |
| 2453 | W8      | IWB-ACB-9232 1210 00                     | GASKET                                  |                           | CQA(EE) | 7                         |         |
| 2454 | W8      | IWB-ACB-9232-2306-00                     | FUEL FILTER                             |                           | CQA(EE) | 4                         |         |
| 2455 | W8      | WA-M91-0023                              | EYE PIECE RUBBER                        |                           | CQA(EE) | 6                         |         |
| 2456 | W8      | IWH-ACB-9238 2714 00                     | SOCKET WRENCH                           |                           | CQA(EE) | 4                         |         |
| 2457 | W8      | IWH-ACB-9238 2710 20                     | TOOL BAG                                |                           | CQA(EE) | 4                         |         |
| 2458 | W8      | IWH-ACB-9238 2707 90                     | CHUCK TEMPLATE                          |                           | CQA(EE) | 4                         |         |
| 2459 | W8      | IWH-ACB-9238 2701 00                     | CLEANING NEEDLE                         |                           | CQA(EE) | 4                         |         |
| 2460 | W8      | IWH-ACB-9232-2102-90                     | ROLLER                                  |                           | CQA(EE) | 7                         |         |
| 2461 | W8      | IWH-ACB-9232-2109-61                     | HAMMER PISTON ASSY                      |                           | CQA(EE) | 2                         |         |
| 2462 | W8      | CARTER-04-400-032-00-DRG-2400-076-601-75 | NYLOC NUT (DRG NO 2400-076-601-75)      |                           | CQA(EE) | 2                         |         |
| 2463 | W8      | IWA-0033                                 | CASE LEVEL F. S. & MEASURING ROD MK II  |                           | CQA(EE) | 994                       |         |
| 2464 | W8      | IWA-0005                                 | AUGER EARTH ADJUSTABLE 208.0MM (8 ")    | CIE-459-460+461 VIDE PCI/ | CQA(EE) | 321                       |         |
| 2465 | W8      | WA-10014                                 | CRIMPER TUBE SEALING FUSE FOR TEST *    |                           | CQA(EE) | 1148                      |         |
| 2466 | W8      | WA-2820                                  | TAPE TRACING 46 MTR/3.8 CMS COTTON TAPE |                           | CQA(EE) | 22309                     |         |
| 2467 | W8      | 5120-001004                              | BAR BORING & JUMPING 1.22M(4-FT)        | IND/ENG/PROV/1171(B)      | CQA(EE) | 504                       |         |
| 2468 | W8      | 5315-003059#1                            | PEG ANO HORING 50MM TOP DIA 25MM BOTH * |                           | CQA(EE) | 374195                    |         |
| 2469 | W8      | 5660-000010#1                            | RECOVERY UNIT                           |                           | CQA(EE) | 1864                      |         |
| 2470 | W8      | 5660-000011                              | ANTI TWISER UNIT                        |                           | CQA(EE) | 574                       |         |
| 2471 | W8      | 5660-000086#1                            | POST FENCE METEL ANGLE 1830MM LONG      |                           | CQA(EE) | 1845                      |         |
| 2472 | W8      | IWA-0245                                 | GREPANEL HAND ACTUTING TRIP WIRE MK 1   | IA 948(AK) DC NO 36868    | CQA(EE) | 3964                      |         |
| 2473 | W8      | 1080-000026#1                            | DRIVERS 22.86 KGS                       | IRES/M/4819/7X22          | CQA(EE) | 2                         |         |
| 2474 | W8      | 5660-000008#1                            | SPOOL PLASTIC WITH PUNCHED TAPE 50M     |                           | CQA(EE) | 12109                     |         |
| 2475 | W8      | 5660-000009                              | LAYING UNIT                             | IND/ENG/PROV/1220         | CQA(EE) | 5518                      |         |
| 2476 | W8      | WA-10798                                 | NOTICE MINE FIELD MINES                 |                           | CQA(EE) | 215                       |         |
| 2477 | W8      | WA-10801                                 | NOTICE MINIFIELD MINES IN VERGE         |                           | CQA(EE) | 5                         |         |
| 2478 | W8      | WA-11192                                 | TAPE TRACING 100-YD                     |                           | CQA(EE) | 3                         |         |
| 2479 | W8      | WA-1808                                  | NOTICES PICKETS, ANGEL 6 FT             |                           | CQA(EE) | 4997                      |         |
| 2480 | W8      | 5660-000012                              | BOX PACKING SPOOL                       | IND/ENS/PROV/1184/01      | CQA(EE) | 18129                     |         |
| 2481 | W8      | 1080-000019                              | ADAPTERS                                |                           | CQA(EE) | 29                        |         |
| 2482 | W8      | 1080-000020                              | BARS TAMPING                            | IND/ENG/PROV/1171/B       | CQA(EE) | 65                        |         |
| 2483 | W8      | 1080-000022                              | BOXES NO 2, 1.067M X 0.333M 0.343M      | IND/ENG/POV/1171(B)       | CQA(EE) | 113                       |         |
| 2484 | W8      | 1080-000023                              | CAPS DRIVING                            | IND/ENG/1171/B            | CQA(EE) | 58                        |         |
| 2485 | W8      | IWH-BRB-08270600                         | WRENCH 11X12 MM                         |                           | CQA(EE) | 1                         |         |
| 2486 | W8      | 5120-001032                              | BAR TAMPING WOOD 1.22M (4.FT)           | IC-556-C                  | CQA(EE) | 50                        |         |
| 2487 | W8      | 5120-432837                              | AUGAR EARTH MANUAL 299 MM               | CQAG/3820/1551/2002/9     | CQA(EE) | 766                       |         |
| 2488 | W8      | 5340-002598                              | CLIP MILD STEEL 1.6 THICK X 8 X29       |                           | CQA(EE) | 5805                      |         |
| 2489 | W8      | 5410-000014                              | TROUGH STEEL 2MM THICK 615M M X 1630MM  | 615MMX1630MM              | CQA(EE) | 47                        |         |
| 2490 | W8      | 1080-000028                              | POINTS DRIVING                          | IND/ENG/PROV/1171(B)      | CQA(EE) | 1603                      |         |
| 2491 | W8      | 1080-000029                              | STIRRUPS                                | IND/ENG/1171/B            | CQA(EE) | 35                        |         |
| 2492 | W8      | 3020-001313                              | PULLEY CONE FEMALE 76 MM DIA GROOVE 7.1 |                           | CQA(EE) | 7                         |         |

| S.No | COS Sec | Part Number                     | Nomen                                    | Spec No         | ASHP    | Likely qty to be procured | Remarks |
|------|---------|---------------------------------|------------------------------------------|-----------------|---------|---------------------------|---------|
| 2493 | W8      | BEGAD-2400-066-001-59           | FUSE                                     |                 | CQA(EE) | 1                         |         |
| 2494 | W8      | BEGAD-2400-066-101-50           | FUSE                                     |                 | CQA(EE) | 1                         |         |
| 2495 | W8      | BEGAD-2400-076-801-57           | SWIVEK NUT                               |                 | CQA(EE) | 2                         |         |
| 2496 | W8      | IWH-BRB-08281110                | HARNESS CARRING                          |                 | CQA(EE) | 66                        |         |
| 2497 | W8      | MISC-EC0018                     | DOGS TIMBER 15" X 5/8" X 7" X5"/8"X7"    |                 | CQA(EE) | 28                        |         |
| 2498 | W8      | BEGAD-2400-076-802-54           | SWIVEL NUT                               |                 | CQA(EE) | 2                         |         |
| 2499 | W8      | BEGAD-2400-078-401-10           | SOLENOID SEAL                            |                 | CQA(EE) | 2                         |         |
| 2500 | W8      | BEGAD-2400-078-501-01           | SOLENOID SEAL                            |                 | CQA(EE) | 2                         |         |
| 2501 | W8      | BEL-2400-046-301-86             | STABILIZER KIT                           |                 | CQA(EE) | 10                        |         |
| 2502 | W8      | BEL-2400-046-444-45             | HAND PUMP                                |                 | CQA(EE) | 2                         |         |
| 2503 | W8      | IWH-ACB-9232-2610-01            | SPARK PLUG                               |                 | CQA(EE) | 14                        |         |
| 2504 | W8      | IWH-ACB-9238-2718 00            | SCREW DRIVER                             |                 | CQA(EE) | 2                         |         |
| 2505 | W8      | IWH-ACB-9238-2718 40            | OIL MEASURE                              |                 | CQA(EE) | 10                        |         |
| 2506 | Z3      | P-18-2-OZH4-812-003TU-PLK7 E-46 | PANEL PLK7 E-46                          |                 | CQA(R)  | 9                         |         |
| 2507 | Z3      | CORA-0166                       | SPANNER 17                               |                 | CQA(R)  | 5                         |         |
| 2508 | Z3      | CORA-10139                      | PHILIPS SCREW DRIVER 2                   |                 | CQA(R)  | 54                        |         |
| 2509 | Z3      | CORA-18375                      | BALLOON METEROLOGICAL SOUNDING UNCOLOURE |                 | CQA(R)  | 208377                    |         |
| 2510 | Z3      | 5999-048833                     | KEY BOARD PCB SVD-225                    |                 | CQA(R)  | 1                         |         |
| 2511 | Z3      | CORA-4103536                    | INSULATION TAPE                          |                 | CQA(R)  | 20                        |         |
| 2512 | Z3      | CORA-4960                       | SCREW 4 X 25 SFC 2286                    |                 | CQA(R)  | 550                       |         |
| 2513 | Z3      | CORA-EM-4500-SX                 | HONDA POWER GENR MODEL EM 4500SX220VAC 4 |                 | CQA(R)  | 27                        |         |
| 2514 | Z3      | 7025-000003                     | PRINTER AUTOMATIC DATA PROCESSING MODEL  |                 | CQA(R)  | 1                         |         |
| 2515 | Z3      | CORA-0007                       | MOTHER BOARD                             |                 | CQA(R)  | 1                         |         |
| 2516 | Z3      | CORA-0029                       | POWER CABLE 3 X 2.5 50M                  |                 | CQA(R)  | 7                         |         |
| 2517 | Z3      | CORA-0109                       | TOOL BAG HONDA                           |                 | CQA(R)  | 9                         |         |
| 2518 | Z3      | DIGICORA-MW-15-25473            | UPS BREAK MAIN STABLIZER UN-INTERRUTABLE |                 | CQA(R)  | 44                        |         |
| 2519 | Z3      | DIGICORA-MW-15-3069             | HEXAGON NUT M10                          |                 | CQA(R)  | 80                        |         |
| 2520 | Z3      | DIGICORA-MW-15-4777             | WASHER A-10                              |                 | CQA(R)  | 188                       |         |
| 2521 | Z3      | DIGICORA-MW-15-6543             | MAIN POWER CORD (EURO PLUG)              |                 | CQA(R)  | 4                         |         |
| 2522 | Z3      | CORA-0138                       | RODS FOR TENT                            |                 | CQA(R)  | 58                        |         |
| 2523 | Z3      | CORA-0143                       | ATTACHMENT PLATE RAG                     |                 | CQA(R)  | 5                         |         |
| 2524 | Z3      | CORA-0149                       | ATTACHMENT SCREW M8 X 25 TYPE DIN 963-A2 |                 | CQA(R)  | 39                        |         |
| 2525 | Z3      | CORA-0150                       | NUT M8                                   |                 | CQA(R)  | 178                       |         |
| 2526 | Z3      | CORA-0151                       | WASHER TOOTHED 08.2                      |                 | CQA(R)  | 194                       |         |
| 2527 | Z3      | CORA-0153                       | WASHER 50 X 50 MM                        |                 | CQA(R)  | 16                        |         |
| 2528 | Z3      | CORA-0157                       | SPARK PLUG FOR GEN MODEL SES             |                 | CQA(R)  | 75                        |         |
| 2529 | Z3      | CORA-01587                      | BALLOON METEOROLOGICAL SOUNDING UNCOLORE |                 | CQA(R)  | 100476                    |         |
| 2530 | Z3      | CORA-0164                       | SCREW DRIVER 4                           |                 | CQA(R)  | 31                        |         |
| 2531 | Z3      | CORA-0165                       | SPANNER 13                               |                 | CQA(R)  | 25                        |         |
| 2532 | Z3      | BFSR-SR-AB-24V                  | BATTERY CHARGING AB-24V WITH CABLE       |                 | CQA(R)  | 39                        |         |
| 2533 | Z3      | CORA-0118                       | STRAP WITH BUCKLE                        |                 | CQA(R)  | 24                        |         |
| 2534 | Z3      | DIGICORA-0244                   | MAIN FILTER UNIT MODEL-0244              |                 | CQA(R)  | 9                         |         |
| 2535 | Z3      | DIGICORA-0954                   | NUT FIXING M4                            |                 | CQA(R)  | 15                        |         |
| 2536 | Z3      | DIGICORA-10139                  | PHILIPS SCREW DRIVER 2                   |                 | CQA(R)  | 19                        |         |
| 2537 | Z3      | DIGICORA-1347                   | CONSOLE PRINTING PAPER                   |                 | CQA(R)  | 6753                      |         |
| 2538 | Z3      | DIGICORA-2647                   | MAINS TRANSFORMER MODEL-2647             |                 | CQA(R)  | 20                        |         |
| 2539 | Z3      | DIGICORA-MW-15-LX-300+11        | DOT MATRIX EPSON PRINTER TYPE LX 300 MOD |                 | CQA(R)  | 19                        |         |
| 2540 | Z3      | DIGICORA-MW-15-013              | STRIP LIGHT WITH 18W FLUORESCENT TUBE (2 |                 | CQA(R)  | 68                        |         |
| 2541 | Z3      | DIGICORA-MW-15-014              | CURTAINS                                 |                 | CQA(R)  | 95                        |         |
| 2542 | Z3      | DIGICORA-MW-15-015              | DEHYDRATOR BUCKET PLASTIC(FOR PKG PURPOS |                 | CQA(R)  | 70                        |         |
| 2543 | Z3      | DIGICORA-MW-15-016              | GROUNDING CABLE 25M COIL(16MM2)          |                 | CQA(R)  | 12                        |         |
| 2544 | Z3      | DIGICORA-MW-15-020              | HOISTING ROPE 6M COIL 16 FOR HONDA GENER |                 | CQA(R)  | 22                        |         |
| 2545 | Z3      | DIGICORA-MW-15-021              | KEY ABLOY 0053350512                     |                 | CQA(R)  | 43                        |         |
| 2546 | Z3      | BFSR-SR-IND-1120-036-854-90     | TRIPOD FOOT ASSY (FOR ROCKET TERMAL)     |                 | CQA(R)  | 13                        |         |
| 2547 | Z3      | DIGICORA-MW-15-027              | SUPENSION HOOK FOR CLOTHS                |                 | CQA(R)  | 19                        |         |
| 2548 | Z3      | OWFS-2102-333-901-11            | SPRING MODEL MGC-4526                    |                 | CQA(R)  | 2                         |         |
| 2549 | Z3      | OWFS-2999-121-901-11            | CARRING BAG                              | 2999-121-901-11 | CQA(R)  | 3                         |         |
| 2550 | Z3      | OWFS-3053-101-701-07            | CLAMP GRIP FOR 6MM ROPE                  | 3053-101-701-07 | CQA(R)  | 41                        |         |

| S.No | COS Sec | Part Number                              | Nomen                                    | Spec No         | ASHP      | Likely qty to be procured | Remarks |
|------|---------|------------------------------------------|------------------------------------------|-----------------|-----------|---------------------------|---------|
| 2551 | Z3      | MISC-SU3-340-042                         | VCHTU THURATRON TGI-2-260-12             |                 | CQA(R)    | 4                         |         |
| 2552 | Z3      | 6130-000513                              | POWER SUPPLY SET, UNILERRUPTED, 800VA    |                 | CQA(R)    | 7                         |         |
| 2553 | Z3      | SCHILKA-BD4-759-022SP                    | RECTIFIER                                |                 | CQA(R)    | 7                         |         |
| 2554 | Z3      | STENTOR-0002                             | ICE BOX                                  |                 | CQA(R)    | 11                        |         |
| 2555 | Z3      | MICROCORA-0065                           | FUSE HONDA                               |                 | CQA(R)    | 10                        |         |
| 2556 | Z3      | MISC-6331155806                          | RESISTOR                                 |                 | CQA(R)    | 29                        |         |
| 2557 | Z3      | MISC-FC-5455-010-022-44                  | MARKING TAPE 3/4 INCH                    |                 | CQA(R)    | 19                        |         |
| 2558 | Z3      | MISC-SLK-UPG-1120-041-253-85             | CABLE ASSY W523-DTV                      |                 | CQA(R)    | 9                         |         |
| 2559 | Z3      | MISC-DYE-13-6565-005                     | ADOPTTE                                  |                 | CQA(R)    | 2                         |         |
| 2560 | Z3      | OWFS-3017-001-309-10-OR-Z3-DIGICORA-9069 | NUT HEXOGENAL SS M10                     | 3017-001-309-10 | Not Known | 11                        |         |
| 2561 | Z3      | DIGICORA-4342                            | SPRING WASHER B10                        |                 | CQA(R)    | 149                       |         |
| 2562 | Z3      | MISC-FMSS-LPJ-PSS-0215                   | BACK PANEL RF CABLE (SEMI RIGID ASSY *   |                 | CQA(R)    | 6                         |         |
| 2563 | Z3      | MISC-FMSS-LPJ-MCW-0031                   | COXIAL RF CABLE 1MT                      |                 | CQA(R)    | 6                         |         |
| 2564 | Z3      | DIGICORA-0076                            | BOLT DIA 16 X 245 MM                     |                 | CQA(R)    | 8                         |         |
| 2565 | Z3      | DIGICORA-01-20                           | SCREW DRIVER 10                          |                 | CQA(R)    | 13                        |         |
| 2566 | Z3      | DIGICORA-MW-15-058                       | SET OF ALLEN KEY 1.5 TO 19 (09 NOS)      |                 | CQA(R)    | 39                        |         |
| 2567 | Z3      | DIGICORA-MW-15-060                       | WASTE BASKET                             |                 | CQA(R)    | 43                        |         |
| 2568 | Z3      | DIGICORA-MW-15-0951                      | LIFTING EYE UNIT                         |                 | CQA(R)    | 44                        |         |
| 2569 | Z3      | DIGICORA-MW-15-1019                      | PEG                                      |                 | CQA(R)    | 224                       |         |
| 2570 | Z3      | DIGICORA-MW-15-10958                     | HEXAZONE SCREW M 10 X 30                 |                 | CQA(R)    | 127                       |         |
| 2571 | Z3      | DIGICORA-MW-15-1192                      | HEXAGON NUT M16                          |                 | CQA(L)    | 43                        |         |
| 2572 | Z3      | DIGICORA-MW-15-1193                      | SPRING WASHER B16                        |                 | CQA(R)    | 39                        |         |
| 2573 | Z3      | DIGICORA-MW-15-12479 OR Z3/CORA-0117     | CANVAS BAG                               |                 | CQA(R)    | 8                         |         |
| 2574 | Z3      | DIGICORA-MW-15-1681                      | HANDLE WITH BRACKET                      |                 | CQA(R)    | 4                         |         |
| 2575 | Z3      | DIGICORA-MW-15-17211-899-000             | AIR CLEANER ELEMENT                      |                 | CQA(R)    | 26                        |         |
| 2576 | Z3      | CORA-0112                                | PLUG WRENCH WITH HANDLE BAR              |                 | CQA(R)    | 21                        |         |
| 2577 | Z3      | CORA-0113                                | SCREW DRIVER HONDA                       |                 | CQA(R)    | 9                         |         |
| 2578 | Z3      | CORA-0114                                | WRENCH 10 X 12 MM HONDA                  |                 | CQA(R)    | 4                         |         |
| 2579 | Z3      | CORA-0124                                | WASHER A 10                              |                 | CQA(R)    | 109                       |         |
| 2580 | Z3      | CORA-0130                                | SUPPORT FOR CABLE REEL                   |                 | CQA(R)    | 7                         |         |
| 2581 | Z3      | MICROCORA-6101                           | SCREW DRIVER FOR RST MODEL 6101 HM       |                 | CQA(R)    | 20                        |         |
| 2582 | Z3      | DIGICORA-MW-15-G228                      | TURN BUCKLE 1/2" MODEL G228              |                 | CQA(R)    | 47                        |         |
| 2583 | Z3      | DIGICORA-MW-15-GC-25                     | DRW - 214686 DESSICANT CARTIDGE          |                 | CQA(R)    | 28                        |         |
| 2584 | Z3      | DIGICORA-MW-15-GC-25-4161-GC             | JAR WITH DESSCENT MOLECULER              |                 | CQA(R)    | 7                         |         |
| 2585 | Z3      | DIGICORA-30500ZE3-000                    | CDI MODULE                               |                 | CQA(R)    | 20                        |         |
| 2586 | Z3      | DIGICORA-3069                            | NUT M10                                  |                 | CQA(R)    | 63                        |         |
| 2587 | Z3      | DIGICORA-3820                            | STRING FOR TYPING BALLOON                |                 | CQA(R)    | 547                       |         |
| 2588 | Z3      | DIGICORA-4488                            | HEXAGON SLOT SCREW M 10 X 40             |                 | CQA(R)    | 37                        |         |
| 2589 | Z3      | DIGICORA-7952-0067                       | INDICATION BOARD                         |                 | CQA(R)    | 10                        |         |
| 2590 | Z3      | DIGICORA-7952-0092                       | LOGIC BOARD                              |                 | CQA(R)    | 18                        |         |
| 2591 | Z3      | MISC-3004-003-041-12                     | SCREW PAN HEAD SS M4X20                  |                 | CQA(R)    | 41                        |         |
| 2592 | Z3      | FRS-3840-106-603-04                      | NYLON STRAP 3.0 METRS                    |                 | CQA(R)    | 420                       |         |
| 2593 | Z3      | MISC-DIGICORA-MW-15-GC-25-4161-GC        | JAR WITH DESSICANT (MOLECULAR SIEVE 0.4/ |                 | CQA(R)    | 30                        |         |
| 2594 | Z3      | MISC-DIGICORA-MW-15-GC-25-DRW-214686     | DISSCANT CARTIDGE                        |                 | CQA(R)    | 48                        |         |
| 2595 | Z3      | OWFS-3650-102-001-00                     | EARTH WIRE & LEADS 2 MTS                 |                 | CQA(R)    | 48                        |         |
| 2596 | Z3      | OWFS-3840-106-601-02                     | STRAP, NYLON 0.5 METERS                  |                 | CQA(R)    | 498                       |         |
| 2597 | Z3      | OWFS-0002                                | SCREW HEXAGON M10X20                     |                 | CQA(R)    | 34                        |         |
| 2598 | Z3      | OWFS-0003                                | WASHER A10                               |                 | CQA(R)    | 111                       |         |
| 2599 | Z3      | OWFS-0008                                | TENT CANVAS                              |                 | CQA(R)    | 9                         |         |
| 2600 | Z3      | OWFS-3650-101-901-04                     | FLEXIBLE CONDUCTIVE WRIST STRAP          | 3650-101-901-04 | CQA(R)    | 49                        |         |
| 2601 | Z3      | OWFS-0001                                | LIFTING EYE BOLT M10                     |                 | CQA(R)    | 10                        |         |
| 2602 | Z3      | OWFS-1101-003-867-10                     | EARTHING CABLE MODAL 4997                |                 | CQA(R)    | 5                         |         |

| S.No | COS Sec | Part Number                       | Nomen                                    | Spec No         | ASHP      | Likely qty to be procured | Remarks |
|------|---------|-----------------------------------|------------------------------------------|-----------------|-----------|---------------------------|---------|
| 2603 | Z3      | OWFS-1101-003-898-03              | CLAMP ASSEMBLY FOR CARBINE GUN           |                 | CQA(R)    | 8                         |         |
| 2604 | Z3      | OWFS-1101-003-899-04              | CLAMP ASSEMBLY FOR SLR GUN               |                 | CQA(R)    | 5                         |         |
| 2605 | Z3      | OWFS-2102-634-901-10              | GROUND ROD EARTHING ELEMENT              | 2102-634-901-10 | CQA(R)    | 22                        |         |
| 2606 | Z3      | OWFS-3004-003-036-14              | SCREW PAN HEAD SS M3 X 10                | 3004-003-036-14 | CQA(R)    | 97                        |         |
| 2607 | Z3      | OWFS-3053-102-301-07              | CHAIN SLASH                              | 3053-102-301-07 | CQA(R)    | 10                        |         |
| 2608 | Z3      | OWFS-3053-104-802-13              | TURN BUCKEL                              | 3053-104-802-13 | CQA(R)    | 22                        |         |
| 2609 | Z3      | OWFS-3130-102-802-05              | HAMMER BALL POINT 1 1 B                  | 3130-102-802-05 | CQA(R)    | 5                         |         |
| 2610 | Z3      | OWFS-3130-103-30103               | SCREW DRIVER KIT (WITH 5 PHILIPS HEAD AN | 3130-106-101-14 | CQA(R)    | 17                        |         |
| 2611 | Z3      | OWFS-3130-103-501-13              | PLIER COMBINATION                        | 3130-103-501-13 | CQA(R)    | 11                        |         |
| 2612 | Z3      | OWFS-3130-103-801-11              | PLIER LONG NOSE                          | 3130-103-801-11 | CQA(R)    | 15                        |         |
| 2613 | Z3      | OWFS-3130-105-101-07              | SPANNER SET DOUBLE ENDED                 | 3130-105-101-07 | CQA(R)    | 12                        |         |
| 2614 | Z3      | OWFS-3130-105-201-12              | SET OF SMALL DRIVER SET                  | 3130-105-201-12 | CQA(R)    | 7                         |         |
| 2615 | Z3      | OWFS-3340-100-501-01              | PRISMATIC COMPASS(LIQUID)                |                 | CQA(R)    | 2                         |         |
| 2616 | Z3      | OWFS-3650-101-801-16              | ANTESTATIC TABLE TOP MAT                 |                 | CQA(R)    | 3                         |         |
| 2617 | Z3      | 3022-108-103-10                   | WING NUT M8 BRASS                        |                 | CQA(R)    | 313                       |         |
| 2618 | Z3      | OWFS-9909-029-401-03              | BOX MANUAL                               | 9909-029-401-03 | CQA(R)    | 2                         |         |
| 2619 | Z3      | AGD-NIV-COVER                     | GREASE DUST COVER                        |                 | CQA(R)    | 55                        |         |
| 2620 | Z3      | MISC-4756-407-401-45              | EH KNOB                                  | 4756-407-401-45 | CQA(R)    | 69                        |         |
| 2621 | Z6      | 6110-007744                       | CONTACTOR ASSY                           | 2A 4207000      | CQA(AVL)  | 406                       |         |
| 2622 | X2      | MISC-TU-16-522-001-73-SP-5A       | FUSE SP-5A                               |                 | Not Known | 1361                      |         |
| 2623 | W18     | IWT-FLCL-010905010035             | COMPRESSOR SUCTION PORT                  |                 | CQA(E)    | 1                         |         |
| 2624 | W18     | IWT-FLCL-010905010036             | COMPRESSOR DISCHARGE PORT                |                 | CQA(E)    | 1                         |         |
| 2625 | X2      | FRT(WZT-2)B-45-26-805-1           | FUSE 150 A                               |                 | CQA(L)    | 9                         |         |
| 2626 | X2      | MISC-272-82-SB-109                | FILTER 0.5                               |                 | CQA(L)    | 2                         |         |
| 2627 | X2      | MISC-GOST-5010-75-PTS-30-2        | FUSE PTS-30-2                            |                 | CQA(L)    | 409                       |         |
| 2628 | X2      | MISC-TU-16-522-001-76-SP-2        | FUSE SP-2                                |                 | CQA(L)    | 828                       |         |
| 2629 | X2      | MISC-ELECTRIC-BRUSH               | FANELECTRIC MOTOR BRUSH                  |                 | CQA(L)    | 2                         |         |
| 2630 | X2      | MISC-PK-30-0-25                   | FUSE PK-30-0.25                          |                 | CQA(L)    | 1188                      |         |
| 2631 | X2      | MISC-765-89-SB-190#1              | COVER ASSY                               |                 | CQA(AVL)  | 1037                      |         |
| 2632 | X2      | MISC-GLASS FUSE 2.5 AMP           | GLASS FUSE 2.5 AMP                       |                 | CQA(L)    | 124                       |         |
| 2633 | X2      | 5920-001384                       | FUSE LINK ELECTRICAL 0.5A                |                 | CQA(L)    | 1                         |         |
| 2634 | X2      | TU16-522-001-76 (FUSE SP-50A-30V) | FUSE SP-50A-30V                          |                 | CQA(L)    | 759                       |         |
| 2635 | X5      | MISC-MN-26-0-12-1                 | BULB HOLDER FOR BULB MN26-0.12-1         |                 | CQA(L)    | 870                       |         |
| 2636 | X5      | 36-11-SY3-371-101                 | BULB 28V X 40W                           |                 | CQA(L)    | 10                        |         |
| 2637 | X5      | IXE-0103                          | LAMP ( 2 OF THEM ARE BLUE ) GOST 2204-65 |                 | CQA(L)    | 120                       |         |
| 2638 | X5      | MISC-TU16-535-853-74-IN-2         | ELECTRIC BULB IN-2                       |                 | CQA(L)    | 12                        |         |
| 2639 | Z1      | MISC-ZA-0481-020-TU               | FUSE LINK VPB 12W, 8A, 250V              |                 | CQA(L)    | 281                       |         |
| 2640 | Z1      | MISC-AGO-481-501TU                | SAFETY VALVE FUSE PTS-30-1-0             |                 | CQA(L)    | 63                        |         |
| 2641 | Z1      | MISC-GOST-7113-71-2-12K +/-10%    | RESISTOR OMLT-2-12K OHM +/-10%           |                 | CQA(L)    | 8                         |         |
| 2642 | Z1      | MISC-SB3-302-041TU                | TUBE 6P 305                              |                 | CQA(L)    | 69                        |         |
| 2643 | Z1      | MISC-OZHO-468-012TU-16-3.3K +/-20 | RESISTOR SP 3-9A-16-3.3K OHM +/- 20%     |                 | CQA(L)    | 45                        |         |
| 2644 | Z1      | MISC-SU0-374-015TU                | INDICATOR LAMP MN3 (SUO-337-01 STU)      |                 | CQA(L)    | 33                        |         |
| 2645 | Z1      | MISC-272-80-SB-210                | FUSE LINK PV 250                         |                 | CQA(L)    | 133                       |         |
| 2646 | Z1      | MISC-FUSE SP 10AMP, 30MM          | FUSE SP 10AMPS 30MM                      |                 | CQA(L)    | 1291                      |         |
| 2647 | Z18     | GED-202GOST-8338-75-ETY-500-65    | SINGLE ROW RAIDAL BALL BEARING 15X35X11M |                 | CQA(S)    | 10                        |         |
| 2648 | Z3      | MISC-863-031-111TY                | TRANSMETER BTM 18                        |                 | CQA(R)    | 7                         |         |

| S.No | COS Sec | Part Number                    | Nomen                                    | Spec No              | ASHP      | Likely qty to be procured | Remarks |
|------|---------|--------------------------------|------------------------------------------|----------------------|-----------|---------------------------|---------|
| 2649 | Z3      | MISC-VD3-183-001-TU            | TECHO GENERATOR TGP-1                    |                      | CQA(R)    | 64                        |         |
| 2650 | Z4      | MISC-1020-7760-575             | AMMETER AC MI 0.40A                      |                      | CQA(L)    | 4                         |         |
| 2651 | Z6      | 2540-002192                    | STOWAGE BOX VEHICULAR ACCESSORIES SPTA   | Y3-BY25-100          | CQA(AVL)  | 220                       |         |
| 2652 | Z6      | EPM-306-006                    | SHUNT VA 440 (USE IN POWER DISTRIBUTION  |                      | CQA(AVL)  | 3                         |         |
| 2653 | Z6      | 5995-020692                    | CABLE ASSY SPECIAL PURPOSE ELECTRICAL HU | 765-88-SB-1261       | CQA(L)    | 92                        |         |
| 2654 | Y3      | MISC-VG-96924-T09              | DRY FIT BATTERY FRAME 12V 100 AH         | 76589CD204           | CQA(L)    | 28                        |         |
| 2655 | Z6      | MISC-765-89-CB-240             | PANEL                                    |                      | CQA(R)    | 2                         |         |
| 2656 | X2      | 5935-971600                    | CCTM-2 PMR/DE-30-8-7-M CONNECTOR CIRCULA |                      | CQA(L)    | 1263                      |         |
| 2657 | X2      | MISC-TY-16-522-001-83          | FUSE SP 15, 30V                          |                      | CQA(L)    | 30                        |         |
| 2658 | X2      | MISC-TU16-522-001-76(SP3A)     | FUSE SP 3A                               |                      | CQA(L)    | 2008                      |         |
| 2659 | Y3      | 5770-000576                    | TAPE INSULATING BLACK 3/4" A/C UNIT ROLL |                      | CQA(L)    | 27960                     |         |
| 2660 | Z6      | MISC-765-89-SB-195(Z6)         | COVER                                    |                      | CQA(AVL)  | 250                       |         |
| 2661 | Z6      | MISC-765-89-SB-194(Z6)         | BODY                                     |                      | CQA(AVL)  | 171                       |         |
| 2662 | X2      | 5920-002290                    | FUSE LINK OPEN ELEMENT HOOK TYPE 2.12 DI | 272-80SB-210         | CQA(L)    | 2450                      |         |
| 2663 | Z6      | 6220-000739#1                  | CONTROL ELECTRICAL LIGHT                 | 1750-000-670-91      | CQA(AVL)  | 16                        |         |
| 2664 | Z6      | 5995-003046                    | CABLE UNIT No 9                          | 1750 000 300 37      | CQA(AVL)  | 161                       |         |
| 2665 | Z6      | 5930-004699                    | LIMIT SWITCH (PUSH TYPE- RIGHT SOCKET )  | M765-96-SB-161       | CQA(AVL)  | 1937                      |         |
| 2666 | Z6      | 5945-001933                    | RELAY ASSEMBLY KP 60                     |                      | CQA(AVL)  | 300                       |         |
| 2667 | X2      | 6240-013584                    | HOLDER LAMP                              |                      | CQA(L)    | 205                       |         |
| 2668 | X2      | MISC-TU16-522-001-76(X2)       | SAFETY FUSE SP 10                        |                      | Not Known | 2145                      |         |
| 2669 | Z6      | MISC-765-68-CB-108             | LOCK                                     | 765-68-SB-108        | CQA(AVL)  | 3771                      |         |
| 2670 | Z6      | 5930-004700                    | LIMIT SWITCH (ROTARY)                    |                      | CQA(AVL)  | 19                        |         |
| 2671 | Z6      | 5945-001934                    | RELAY BOX KP-55                          | KP-55-000B           | CQA(AVL)  | 115                       |         |
| 2672 | Z6      | MISC-ECIL-08-1058-042          | DISPLAY KEY BOARD MODULE GRAPHIS         | 08-1058-042          | CQA(L)    | 9                         |         |
| 2673 | Z6      | MISC-ECIL-08-1058-046          | E 00038 (PCB)                            | ECIL-08-1058-046     | CQA(L)    | 2                         |         |
| 2674 | Z6      | MISC-ECIL-08-1057-026          | PCBA GG 24 C2 WITH BASE STN CONTIGURATIO | 08-1057-026          | CQA(L)    | 2                         |         |
| 2675 | Z6      | MISC-ECIL-08-1058-026          | DIGITAL PCB                              | 08-1058-026          | CQA(L)    | 2                         |         |
| 2676 | X2      | MISC-PINAKA-109200010003       | SINGLE PHASE DUAL CHANNEL BTY CHARGER    | PINAKA-109200010003  | CQA(L)    | 3                         |         |
| 2677 | X2      | 6110-000854                    | PWR SUPPLY DUAL REGULATED INPUT *        |                      | CQA(L)    | 8                         |         |
| 2678 | Y1      | MISC-PMAP-RTAM-3440-000        | REMOTE IN BAND MANAGEMENT CARD           | PMAP-RTAM-3440-000   | CQA(L)    | 5                         |         |
| 2679 | Y2      | 5998-017023                    | CIRCUIT CARD ASSY QUAD (4XE1)            | PMAF-E-1-AM-3400-000 | CQA(L)    | 9                         |         |
| 2680 | Y2      | 5998-017024                    | CIRCUIT CARD ASSY POWER SUPPLY           | PMPC-OPSV-LOOP-001   | CQA(L)    | 3                         |         |
| 2681 | Y2      | 5998-017025                    | CIRCUIT CARD ASSY CENTRAL                | PMAP-CCAM 3440-000   | CQA(L)    | 4                         |         |
| 2682 | Y2      | 5998-017026                    | CIRCUIT CARD ASSY FXO INTERFACE          | PMAP-12AM-3440-FXO   | CQA(L)    | 6                         |         |
| 2683 | Y2      | 5998-017027                    | CIRCUIT CARD ASSY FXO INTERFACE          | PMAP-12AM-3440-FXS   | CQA(L)    | 11                        |         |
| 2684 | Y2      | 5998-017030                    | CIRCUIT CARD ASSY 64/128 KBPS U INTERFAC | PMAP-6UAM-3440-000   | CQA(L)    | 1                         |         |
| 2685 | Y2      | 6130-004172                    | POWER SUPPLY EXTERNAL (PWPK-48V)         | PMAP-DC-PLOOP-001    | CQA(L)    | 1                         |         |
| 2686 | Y2      | MISC-PCA-4301-A2               | DC/DC CARD                               | PCA-4301-A2          | CQA(L)    | 3                         |         |
| 2687 | Y2      | MISC-PCA-4888-A1               | INTERFACE CARD                           | PCA-4888/A1          | CQA(L)    | 2                         |         |
| 2688 | Y2      | 5895-021928                    | MODEM, COMMUNICATIONS V 35 LINE DRIVER   | PMAP-V-35U-3500-1-AC | CQA(L)    | 4                         |         |
| 2689 | Z1      | AR-5000-SDU-5500-A-97101-00-04 | CPU BOARD ASSEMBLY A 97101-00-04         | AR-5000-SDU-55004    | CQA(EW)   | 71                        |         |
| 2690 | Z1      | AR-5000-SDU-5500-A-97101-01-01 | RF BOARD ASSEMBLY A/97101-01-01          | AR-5000-SDU-5500     | CQA(EW)   | 38                        |         |
| 2691 | Z1      | AR-5000-SDU-5500-A-97101-02-03 | SWITCH BOARD ASSEMBLY A 97101-02-03      | AR-5000-SDU-5500     | CQA(EW)   | 42                        |         |
| 2692 | Z1      | AR5000-AR5K-IF-UNIT            | AR5K IF UNIT(P-9512-A)                   | AR5000-AR5K          | CQA(EW)   | 47                        |         |
| 2693 | Z1      | AR-5000-AR5K-AF-UNIT           | AR5K AF UNIT (P-9411 P-1)                | AR5000-AR5K-         | CQA(EW)   | 32                        |         |
| 2694 | Z1      | AR-5000-AR5K-PLL-UNIT          | AR5K PLL UNIT(P-9512-D)                  | AR5000-AR5K          | CQA(EW)   | 63                        |         |
| 2695 | Z1      | AR-5000-AR5K-POWER-UNIT        | AR5K POWER UNIT (P-9411I-1)              | AR5000-AR5K          | CQA(EW)   | 47                        |         |
| 2696 | Z1      | AR-5000-DLC-3069-PYNGF         | LCD GLASS DLC-3069 PYNGF                 | AR5000-DLC           | CQA(L)    | 37                        |         |
| 2697 | Z1      | AR-5000-DS 8000                | DS 8000 VOICE INVERSION UNIT             | AR5000-DS8000        | CQA(EW)   | 31                        |         |
| 2698 | Z1      | MISC-PMLE-4109F                | BC KIT 403-470 MHZ 4 W CONV PREF EPP     | PMLE4109F            | CQA(L)    | 696                       |         |
| 2699 | Z1      | MISC-D-6983-1000               | BITE MODULE                              |                      | CQA(L)    | 2                         |         |

| S.No | COS Sec | Part Number                    | Nomen                                   | Spec No                 | ASHP    | Likely qty to be procured | Remarks |
|------|---------|--------------------------------|-----------------------------------------|-------------------------|---------|---------------------------|---------|
| 2700 | Z1      | 5999-048401                    | CIRCUIT CARD ASSEMBLY                   | UGCN-60008              | CQA(L)  | 4                         |         |
| 2701 | Z1      | 5999-048403                    | PANEL ELECTRONIC CIRCUIT PCA PG 400 I/O | UGCM-60011              | CQA(L)  | 15                        |         |
| 2702 | Z1      | 5999-048399                    | CIRCUIT CARD ASSEMBLY                   | UGCM-60003              | CQA(L)  | 4                         |         |
| 2703 | Z1      | AR5000-SDU-5500-G32-1E-V5-B000 | LCD UNIT G321E V5 B000                  | AR-5000-SUD-5500        | CQA(EW) | 53                        |         |
| 2704 | Z1      | 5820-007543                    | PANEL CONTROL ASSEMBLY FRONT PROGRAMMER | UGCM-20002              | CQA(L)  | 3                         |         |
| 2705 | Z1      | 5999-048660                    | PANEL ELECTRONIC CIRCUIT PCA RP-301     | UGCM60004               | CQA(L)  | 6                         |         |
| 2706 | Z1      | 5999-048398                    | CIRCUIT CARD ASSEMBLY                   | UGCM-60002              | CQA(L)  | 1                         |         |
| 2707 | Z1      | AR-5000-AR5K-FRONT-UNIT        | AR5K FRONT UNIT(P-9601-A)               | AR-5000-AR5K-FRONT-UNIT | CQA(EW) | 27                        |         |
| 2708 | Z1      | AR-5000-AR5K-REMOTE-UNIT       | AR5K REMOTE UNIT(P-9702-A)              | AR5000-AR5K             | CQA(EW) | 32                        |         |
| 2709 | Z1      | AR-5000-CT-5000-CTCSS          | CT 5000 CTCSS DECODER                   | AR5000-CT5000CTCSS      | CQA(EW) | 24                        |         |
| 2710 | Z6      | MISC-ECIL-08-1058-020          | RF PCB                                  | 08-1058-020             | CQA(L)  | 6                         |         |
| 2711 | X3      | IXC-PK-3343F012                | PIPE LUB OIL DELIVERY                   | PK-3343F012             | CQA(E)  | 1                         |         |
| 2712 | X3      | IXC-PK-3355M005                | UNION                                   | PK-3355M005             | CQA(E)  | 3                         |         |